



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Voice Microservices Private Edition Guide

Voice SIP Cluster Service metrics and alerts

8/31/2024

---

## Contents

- [1 Metrics](#)
- [2 Alerts](#)

Find the metrics Voice SIP Cluster Service exposes and the alerts defined for Voice SIP Cluster Service.

Service	CRD or annotations?	Port	Endpoint/Selector	Metrics update interval
Voice SIP Cluster Service	Supports both CRD and annotations	11300	http://:11300/metrics	30 seconds

See details about:

- Voice SIP Cluster Service metrics
- Voice SIP Cluster Service alerts

## Metrics

Voice SIP Cluster Service exposes Genesys-defined, SIP Cluster Service-specific metrics as well as some standard Kafka metrics. You can query Prometheus directly to see all the metrics that the SIP Cluster Service exposes. The following metrics are likely to be particularly useful. Genesys does not commit to maintain other currently available SIP Cluster Service metrics not documented on this page.

Metric and description	Metric details	Indicator of
<b>http_client_request_duration_seconds</b> HTTP client time from request to response, measured in seconds.	<b>Unit:</b> seconds <b>Type:</b> histogram <b>Label:</b> le, target_service_name <b>Sample value:</b>	Latency
<b>http_client_response_count</b> Number of received HTTP client responses.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> target_service_name <b>Sample value:</b>	Traffic
<b>kafka_producer_queue_depth</b> Number of Kafka producer pending events.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> kafka_location <b>Sample value:</b>	Traffic
<b>kafka_producer_queue_age_seconds</b> Age of the oldest producer pending event, measured in seconds.	<b>Unit:</b> seconds <b>Type:</b> gauge <b>Label:</b> kafka_location <b>Sample value:</b>	Traffic

Metric and description	Metric details	Indicator of
<b>kafka_producer_error_total</b> Number of Kafka producer errors.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> kafka_location <b>Sample value:</b>	Errors
<b>log_output_bytes_total</b> Total amount of log output in bytes.	<b>Unit:</b> bytes <b>Type:</b> counter <b>Label:</b> level, format, module <b>Sample value:</b>	Traffic
<b>sipnode_requests_total</b> Number of processed requests.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> tenant, request <b>Sample value:</b>	Traffic
<b>sipnode_pending_requests_current</b> Number of pending requests.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> tenant, request <b>Sample value:</b>	Traffic
<b>sipnode_requests_queue_size</b> Number of postponed requests.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Saturation
<b>sipnode_sips_request_duration_seconds</b> Duration of the request processed by SIP Cluster Service, measured in seconds.	<b>Unit:</b> seconds <b>Type:</b> histogram <b>Label:</b> le, tenant, request <b>Sample value:</b>	Traffic
<b>sipnode_events_total</b> Call events streamed to Redis.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> tenant, event <b>Sample value:</b>	Traffic
<b>sipnode_ha_writes_total</b> Number of HA writes to Redis.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sipnode_ha_reads_total</b> Number of HA reads from Redis.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sipnode_monitoring_events_total</b> Number of monitoring events submitted to Kafka.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> tenant <b>Sample value:</b>	Traffic
<b>sipnode_redis_restored_calls_total</b>	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Traffic

Metric and description	Metric details	Indicator of
Total number of restored calls from Redis cache.	<b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	
<b>sipnode_sips_restarts_total</b> Total number of SIP Server restarts.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Errors
<b>sipnode_sips_disconnects_total</b> Total number of SIP Cluster Service disconnections from SIP Server.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Errors
<b>sipnode_redis_state</b> Current Redis connection state.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> redis_cluster_name <b>Sample value:</b>	Errors
<b>sipnode_ors_tlib_latency_msec</b> T-Library latency from Orchestration Service to SIP Cluster, measured in milliseconds.	<b>Unit:</b> milliseconds <b>Type:</b> histogram <b>Label:</b> le, ors <b>Sample value:</b>	Latency
<b>sipnode_ors_health_check</b> SIP Cluster Service to Orchestration Service health check.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>service_version_info</b> Displays the version of Voice SIP Cluster Service that is currently running. In the case of this metric, the labels provide the important information. The metric value is always 1 and does not provide any information.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> version <b>Sample value:</b> service_version_info{version="100.0.1000006"} 1	
<b>sipnode_treatment_not_applied</b> Number of unsuccessful treatments.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> tenant <b>Sample value:</b>	Errors
<b>sipnode_default_routing_total</b> Total number of default routed calls.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> tenant <b>Sample value:</b>	Traffic
<b>sipnode_envoy_proxy_status</b> Status of the Envoy proxy: -1 - error 0 - disconnected	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 1	Health

Metric and description	Metric details	Indicator of
1 - connected		
<b>sipnode_config_node_status</b> Status of the config node connection: 0 - disconnected 1 - connected	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 1	Health
<b>sipnode_health_level</b> Health level of the SIP node (SIP Cluster Service): -1 - fail 0 - starting 1 - degraded 2 - pass	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 2	Traffic
<b>sipnode_call_state_health_check</b> SIP Cluster Service to Call State Service health check.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> memberId <b>Sample value:</b>	Health
<b>sips_hastate</b> Current HA state of SIP Server: 0 - Unknown 1 - backup 2 - primary	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 2	
<b>sips_calls</b> Current number of calls.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_call_rate</b> Call rate.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_cpu_usage_sips</b> SIP Server CPU usage.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Saturation
<b>sips_cpu_usage_main</b> SIP Server main thread CPU usage.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Saturation
<b>sips_cpu_usage_cm</b> CPU usage of the call manager thread.	<b>Unit:</b> N/A  <b>Type:</b> gauge <b>Label:</b>	Saturation

Metric and description	Metric details	Indicator of
	<b>Sample value:</b>	
<b>sips_calls_created</b> Total number of created calls.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_abandoned_calls</b> Total number of abandoned calls.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_rejected_calls</b> Total number of rejected calls.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dialogs_created</b> Total number of created SIP dialogs.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_call_recording_failed</b> Number of failed call recording sessions.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_urs_response_1_to_5_sec</b> Number of URS responses from 1 to 5 seconds.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Latency
<b>sips_urs_response_more_5_sec</b> Number of URS responses more than 5 seconds.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Latency
<b>sips_user_data_updates</b> Number of UserData updates.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_routing_timeouts</b> Number of routing timeouts.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_trequest_rate</b> T-Requests rate.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b>	Traffic

Metric and description	Metric details	Indicator of
	<b>Sample value:</b>	
<b>sips_treatment_rate</b> TApplyTreatment requests rate.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_userdata_rate</b> UserData change rate.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_sips_memory_usage</b> Memory usage of the SIP Server process.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Saturation
<b>sips_stat_fetch_total</b> Number of successful SIP Server statistic fetches.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Other
<b>sips_sip_response_time_ms</b> SIP Server metric of response time, measured in milliseconds.	<b>Unit:</b> milliseconds <b>Type:</b> histogram <b>Label:</b> le <b>Sample value:</b>	Latency
<b>sips_trunk_in_service</b> Trunk devices that are in service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Traffic
<b>sips_trunk_ncallscreated</b> Number of created calls per trunk.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Traffic
<b>sips_trunk_noos_detected</b> Number of trunks that are out of service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_trunk_n4xx_received</b> Number of received 4xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_trunk_n5xx_received</b> Number of received 5xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant	Errors



Metric and description	Metric details	Indicator of
	<b>Sample value:</b>	
<b>sips_trunk_n6xx_received</b> Number of received 6xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_softswitch_in_service</b> Softswitch devices that are in service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Traffic
<b>sips_softswitch_ncallscreated</b> Number of created calls per softswitch device.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Traffic
<b>sips_softswitch_noos_detected</b> Number of softswitch devices that are out of service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_softswitch_n4xx_received</b> Number of received 4xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_softswitch_n5xx_received</b> Number of received 5xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_softswitch_n6xx_received</b> Number of received 6xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name, tenant <b>Sample value:</b>	Errors
<b>sips_msml_in_service</b> MSML devices that are in service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name <b>Sample value:</b>	Traffic
<b>sips_msml_ncallscreated</b> Number of created calls per MSML device.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name <b>Sample value:</b>	Traffic
<b>sips_msml_noos_detected</b> Number of MSML devices that are out of service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name	Errors

Metric and description	Metric details	Indicator of
	<b>Sample value:</b>	
<b>sips_msml_n4xx_received</b> Number of received 4xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name <b>Sample value:</b>	Errors
<b>sips_msml_n5xx_received</b> Number of received 5xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name <b>Sample value:</b>	Errors
<b>sips_msml_n6xx_received</b> Number of received 6xx messages.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> device_name <b>Sample value:</b>	Errors
<b>sips_dp_state</b> Dial Plan Service state: 0 - Out-Of-Service 1 - In-Service	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 1	Traffic
<b>sips_dp_queue_size</b> Size of the request queue to Dial Plan Service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_dp_avg_queue_time</b> Average queue time (msec) of requests to Dial Plan Service.	<b>Unit:</b> milliseconds <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Latency
<b>sips_dp_connections</b> Number of connections to Dial Plan Service per URL.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_dp_active_connections</b> Number of active connections to Dial Plan Service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_dp_req_rate</b> Request rate to Dial plan Service.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Traffic
<b>sips_dp_400_errors</b> Dial Plan Service 400 type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge	Errors

Metric and description	Metric details	Indicator of
	<b>Label:</b> <b>Sample value:</b>	
<b>sips_dp_404_errors</b> Dial Plan Service 404 type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_4xx_errors</b> Dial Plan Service 4xx type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_500_errors</b> Dial Plan Service 500 type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_501_errors</b> Dial Plan Service 501 type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_5xx_errors</b> Dial Plan Service 5xx type of errors.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_timeouts</b> Dial Plan Service timeouts.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>sips_dp_average_response_latency</b> Dial Plan Service average response latency.	<b>Unit:</b> <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Latency
<b>sips_sipproxy_in_service</b> SIP Proxy Service state: 0 - Out-Of-Service 1 - In-Service	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b> 1	Traffic
<b>trunk_config_synced_count</b> Number of trunks synchronized with SIP Server.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	
<b>trunk_config_cached_count</b>	<b>Unit:</b> N/A	

Metric and description	Metric details	Indicator of
Number of trunks obtained from the config node.	<b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	
<b>trunk_config_cfg_node_error_count</b> Number of failed attempts to read from the config node.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	
<b>trunk_config_tlib_connection</b> Number of trunks with the T-Library connection.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	

## Alerts

The following alerts are defined for Voice SIP Cluster Service.

Alert	Severity	Description	Based on	Threshold
Too many Kafka pending events	Critical	<p>Too many Kafka producer pending events for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Ensure there are no issues with Kafka, {{ \$labels.pod }} pod's CPU, and network.</li> </ul>	kafka_producer_queue_depth	Too many Kafka producer pending events for service {{ \$labels.service,container }} (more than 100 in 5 minutes).
Dial Plan node is overloaded	Critical	<p>Dial Plan node is overloaded as the response latency increases.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check that the inbound call rate to SIP Server is not too high.</li> <li>Check the Dial Plan node CPU and memory usage.</li> </ul>	sips_dp_average_response_latency	Dial Plan node is overloaded as the response latency increases (more than 1000).

Alert	Severity	Description	Based on	Threshold
		<ul style="list-style-type: none"> <li>Check the network connection between SIP Server and Dial Plan nodes.</li> </ul>		
Dial Plan Queue Increase	Critical	<p>Because Dial Plan requests are huge in size or there is a connection issue with the Dial Plan node, the processing queue size increases in size.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check SIP Server inbound call rate.</li> <li>Check the connection between SIP Server and the Dial Plan node.</li> </ul>	sips_dp_queue_size	The processing queue size is greater than 10 requests for 1 minute.
SIP Proxy overloaded	Critical	<p>SIP Proxy is overloaded.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check SIP Proxy nodes for CPU and memory usage.</li> <li>If SIP Proxy nodes have acceptable CPU and memory usage, then check for errors or a "hang-up" state which could delay SIP Proxy in forwarding.</li> <li>Check the SBC side for network</li> </ul>	sips_sip_response_time_millisum, sips_sip_response_time_avg	Response time is greater than 20 milliseconds for 1 minute

Alert	Severity	Description	Based on	Threshold
		delays.		
SIP Node HealthCheck Fail	Critical	<p>SIP Node health level fails for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>• Check for failure of dependent services (Redis/Kafka/SIP Proxy/GVP/Dial Plan).</li> <li>• Check for Envoy proxy failure, then restart the pod.</li> </ul>	sipnode_health_level	SIP Node health level fails for pod {{ \$labels.pod }} for 5 minutes.
Kafka not available	Critical	<p>Kafka is not available for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>• If the alarm is triggered for multiple services, ensure there are no issues with Kafka. Restart Kafka.</li> <li>• If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.</li> </ul>	kafka_producer_state	Kafka is not available for pod {{ \$labels.pod }} for 5 minutes.
Pod Status Error	Warning	<p>Actions:</p> <ul style="list-style-type: none"> <li>• Restart the pod. Check if there are any issues with the pod after restart.</li> </ul>	kube_pod_status_phase	Pod {{ \$labels.pod }} is in Failed, Unknown, or Pending state.
Pod Status NotReady	Warning	Pod {{ \$labels.pod }} is in NotReady	kube_pod_status_ready	Pod {{ \$labels.pod }} is in NotReady

Alert	Severity	Description	Based on	Threshold
		<p>state.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Restart the pod. Check if there are any issues with the pod after restart.</li> </ul>		state for 5 minutes.
Container Restarted Repeatedly	Critical	<p>Container {{ \$labels.container }} was repeatedly restarted.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check if the new version of the image was deployed.</li> <li>Check for issues with the Kubernetes cluster.</li> </ul>	kube_pod_container_status_restarts_total	Container {{ \$labels.container }} was restarted 5 or more times total within 15 minutes.
Ready Pods below 60%	Critical	<p>The number of statefulset {{ \$labels.statefulset }} pods in the Ready state has dropped below 60%.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check if the new version of the image was deployed.</li> <li>Check for issues with the Kubernetes cluster.</li> </ul>	kube_statefulset_status_replicas_ready, kube_statefulset_status_replicas_current	For the last 5 minutes, fewer than 60% of the currently available statefulset {{ \$labels.statefulset }} pods have been in the Ready state.
Pods scaled up greater than 80%	Critical	<p>The current number of replicas is more than 80% of the maximum number of replicas.</p> <p>Actions:</p>	kube_hpa_status_current_replicas, kube_hpa_spec_max_replicas	For 5 consecutive minutes, the number of replicas is more than 80% of the maximum number of replicas.

Alert	Severity	Description	Based on	Threshold
		<ul style="list-style-type: none"> <li>Check if max replicas must be modified based on load.</li> </ul>		
Pods less than Min Replicas	Critical	<p>The current number of replicas is less than the minimum replicas that should be available. This might be because Kubernetes cannot deploy a new pod or pods are failing to be active/ready.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>If all services have the same issue, then check Kubernetes nodes and Consul health.</li> <li>If the issue is only with the SIP Cluster service, then check pod logs or the deployment manifest/helm errors.</li> </ul>	<p>kube_hpa_status_current_replicas  kubernetes_hpa_spec_min_replicas</p>	<p>For 5 consecutive minutes, the number of replicas is less than the minimum replicas that should be available.</p>
Pod CPU greater than 80%	Critical	<p>Critical CPU load for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.</li> <li>Check Grafana for abnormal</li> </ul>	<p>container_cpu_usage_seconds_total  container_spec_cpu_requests</p>	<p>Container {{ \$labels.container }} CPU usage exceeded 80% for 5 minutes.</p>



Alert	Severity	Description	Based on	Threshold
		<p>load.</p> <ul style="list-style-type: none"> <li>Collect the service logs for pod {{ \$labels.pod }}; raise an investigation ticket.</li> </ul>		
Pod CPU greater than 65%	Warning	<p>High CPU load for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.</li> <li>Check Grafana for abnormal load.</li> <li>Collect the service logs for pod {{ \$labels.pod }}; raise an investigation ticket.</li> </ul>	<p>container_cpu_usage_seconds_total</p> <p>container_spec_cpu_period</p>	<p>Container {{ \$labels.container }} CPU usage exceeded 65% for 5 minutes.</p>
Pod memory greater than 80%	Critical	<p>Critical memory usage for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.</li> <li>Check Grafana</li> </ul>	<p>container_memory_working_set_bytes</p> <p>kube_pod_container_resource_requests_memory_bytes</p>	<p>Container {{ \$labels.container }} memory usage exceeded 80% for 5 minutes.</p>

Alert	Severity	Description	Based on	Threshold
		<p>for abnormal load.</p> <ul style="list-style-type: none"> <li>Restart the service for pod {{ \$labels.pod }}.</li> </ul>		
Pod memory greater than 65%	Warning	<p>High memory usage for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.</li> <li>Check Grafana for abnormal load.</li> <li>Collect the service logs for pod {{ \$labels.pod }}; raise an investigation ticket.</li> </ul>	<p>container_memory_working_set_bytes_kube_pod_container_resource_requests_memory_bytes</p>	<p>Container {{ \$labels.container }} memory usage exceeded 65% for 5 minutes.</p>
Redis not available	Critical	<p>Redis is not available for pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, ensure there are no issues with Redis. Restart Redis.</li> <li>If the alarm is triggered only for pod {{ \$labels.pod }},</li> </ul>	<p>redis_state</p>	<p>Redis is not available for pod {{ \$labels.pod }} for 5 consecutive minutes.</p>

Alert	Severity	Description	Based on	Threshold
		check if there is an issue with the pod.		
Too many Kafka producer errors	Critical	<p>Kafka responds with errors at pod {{ \$labels.pod }}.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>For pod {{ \$labels.pod }}, ensure there are no issues with Kafka.</li> </ul>	kafka_producer_error_total	More than 100 errors for 5 consecutive minutes.
SIP Server main thread consuming more than 65% CPU for 5 mins	Warning	<p>Main thread consumes too much CPU.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Collect SIP Server Main thread logs; that is, log files without index in the file name (appname_date.log files). Raise an investigation ticket.</li> </ul>	sips_cpu_usage_main	Main thread consumes too much CPU (more than 65% for 5 consecutive minutes).
Calls activity drop	Warning	<p>A noticeable reduction in the number of active calls on a specific SIP Server and no new calls are arriving for processing.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>If a problematic SIP Server is primary, do a switchover, and then restart the former primary server.</li> <li>If a problematic SIP Server is</li> </ul>	sips_calls, sips_calls_created	The absolute value of active calls on a specific SIP Server dropped by more than 30 calls in 2 minutes and no new calls are arriving at the SIP Server for processing.

Alert	Severity	Description	Based on	Threshold
		<p>backup, restart the backup server. Collect SIP Server Main thread logs; that is, log files without index in the file name (appname_date.log files). Raise an investigation ticket.</p>		
Dial Plan Node Down	Critical	<p>No Dial Plan nodes are reachable from SIP Server and all connections to Dial Plan nodes are down.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>• Check the network connection between SIP Server and the Dial Plan node host.</li> <li>• Check the Dial Plan node CPU and memory usage.</li> </ul>	sips_dp_active_connections	All connections to Dial Plan nodes are down
Dialplan Node problem	Warning	<p>Dial Plan node rejects requests with an error or it doesn't respond to requests and requests are timed out.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>• Check the network connection between SIP Server and the Dial Plan host.</li> <li>• Check that Dial Plan nodes are running.</li> </ul>	sips_dp_timeouts	During 1 minute, the Dial Plan node rejects more than 5 requests with an error or more than 5 requests time out because the Dial Plan node fails to respond.

Alert	Severity	Description	Based on	Threshold
Routing timeout counter growth	Warning	<p>The trigger detects that routing timeouts are increasing.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>Check the URS_RESPONSE_MORE5SEC stat value. If it's increasing, then investigate why URS doesn't respond to SIP Server in time.</li> <li>Check SIPS-to-URS network connectivity.</li> </ul>	sips_routing_timeouts	The absolute value of NROUTINGTIMEOUTS on a specific SIP Server increased by more than 20 in 2 minutes.
SIP trunk is out of service	Critical	<p>SIP trunk is out of service.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>For Primary and Secondary trunks: <ul style="list-style-type: none"> <li>Troubleshoot SIP Server-to-SBC network connection. Collect network stats and escalate to the Network team to resolve network issues, if necessary.</li> </ul> </li> <li>Troubleshoot the SBC. For Inter-SIP Server trunks: troubleshoot the SIP Server-to-</li> </ul>	sips_trunk_in_service	SIP trunk is out of service for more than 1 minute.

Alert	Severity	Description	Based on	Threshold
		SIP Server network connection. Collect network stats and escalate to the Network team to resolve network issues, if necessary.		
Media service is out of service	Critical	<p>Media service is out of service.</p> <p>Actions:</p> <ul style="list-style-type: none"> <li>• Troubleshoot the SIP Server-to-Resource Manager (RM) network connection. Collect network stats and escalate to the Network team to resolve network issues, if necessary.</li> <li>• Troubleshoot RM, consider RM restart.</li> <li>• After 5 minutes, redirect traffic to another site.</li> </ul>	sips_msml_in_service	Media service is out of service for more than 1 minute.
SIP softswitch is out of service	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>• Troubleshoot the SIP Server-to-SBC network connection. Collect network stats and escalate to the Network team to resolve network issues,</li> </ul>	sips_softswitch_in_service	SIP softswitch is out of service.

Alert	Severity	Description	Based on	Threshold
		<p>if necessary.</p> <ul style="list-style-type: none"> <li>• Troubleshoot the SBC.</li> </ul>		
SIP Proxy is out of service	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>• Troubleshoot the SIP Server-to-SIP Proxy nodes network connections. Collect network stats and escalate to the Network team to resolve network issues, if necessary.</li> <li>• Troubleshoot SIP Proxy nodes.</li> </ul>	sips_sipproxy_in_service	SIP Proxy is out of service.