



Genesys Predictive Engagement Administrator's Guide

Examples of segments

Contents

- 1 Segment based on how a visitor searches
- 2 Trigger based on visitor activity: abandoned form

Review examples of segments to get ideas for your own segments.

Related pages:

-
-
-
-
-

Segment based on how a visitor searches

[Link to video](#)

To add visitors to segments based on their search queries, define a "Search query" attribute. For more information, see Visitor journey attributes.

Visitor journey

For example, all visitors who come to your Home page or purchase something on your website

Search query ▾	equals ▾	switch, discount	✓	✕
----------------	----------	------------------	---	---

Important

Because of frequent updates, the user interface in the accompanying video may appear different in your environment.

Trigger based on visitor activity: abandoned form

In the following example, an action map triggers when a visitor using Chrome version 56 goes to the **Request Quote** page, but then navigates to the **About** page before completing the request.

First define the visitor attributes:

Visitor attributes

For example, identify all visitors from Canada or who use Google Chrome

Browser family ▾	equals ▾	Chrome	✓	✕
Browser version ▾	equals ▾	56	✓	✕

⊕ add detail

Add next attribute

Then define the journey details:

Visitor journey

For example, all visitors who come to your Home page or purchase something on your site

Event name ▾	equals ▾	form.abandoned	✓	✕
Page URL ▾	like ▾	about	✓	✕

⊕ add detail

Add next activity