

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Journey JavaScript SDK

identify

Contents

- 1 Description
- 2 Signature
- 3 Arguments
- 4 login
- 5 traits
- 6 callback

Learn how to use the identify method to add information to a customer record.

Important

On January 31, 2023, Genesys removed the functionality of the identify method that is used to add a customer record. For more information, see Deprecation: identify journey SDK method.

Important

This article only applies to customers using web chat. If you are a Genesys Cloud CX customer, we encourage you to use the new web messaging feature to replace web chat.

Description

The identify method adds information to a customer record.

Important

identify affects the next web event sent using the pageview or record method.

Signature

```
ac('identify', [loginId], [traits], [callback])
```

Arguments

- loginId
- traits

callback

login

• **Description:** ID used to stitch customer identities together

Type: String/nullStatus: Required

• Note: If loginId is null, the current identity is cleared.

traits

• **Description:** Information about a customer

Type: Object Status: Optional

• **Restrictions:** Flat object with properties of type string, number, or Boolean

For more information about how to link different customer records, see Traits mapper.

callback

• **Description:** Callback

Type: Function Status: Optional