



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Journey JavaScript SDK

load

---

## Contents

- 1 Description
- 2 Signature
- 3 moduleName
- 4 userOptions
- 5 callback

---

Learn how to add the functionality of a module to the Journey JavaScript SDK.

### Important

This article only applies to customers using web chat. If you are a Genesys Cloud CX customer, we encourage you to use the new web messaging feature to replace web chat.

## Description

Use the `load` function to load modules. When you load a module, its functionality is added to the Journey JavaScript SDK.

## Signature

```
ac('load', moduleName, [,userOptions], [callback])
```

## moduleName

- **Description:** name of the module to load. The module must be on the list of valid modules.
- **Type:** string
- **Status:** required

## userOptions

- **Description:** configuration for the loaded module
- **Type:** object
- **Status:** module dependent
- **Properties:** module dependent

---

## callback

- **Description:** callback that triggers when the module has finished loading
- **Type:** function
- **Status:** optional (default implementation does nothing)
- **Arguments:**
  - On failure, load passes an error (like `InvalidModuleError`)
  - In other cases, load passes module-dependent values to the callback