Genesys Authentication Private Edition Guide

Upgrade, rollback, or uninstall Genesys Authentication

4/18/2026

Contents

Learn how to upgrade, rollback or uninstall Genesys Authentication.

Related documentation:
-
-
-

RSS:
- For private edition

Upgrade Genesys Authentication from version 100.0.007.3692

If you have installed Genesys Authentication version 100.0.007.3692, before upgrading to a new version you must first prepare the PostgreSQL database.

Run the following psql commands:

```
env=# SET search_path TO env;
SET
env=# delete from schema_version where version = '18';
DELETE 1
env=# delete from schema_version where version = '18.1';
DELETE 1
env=# drop table openid_providers;
DROP TABLE
```

Now follow the instructions in Upgrade Genesys Authentication to complete the upgrade to the new version.

Upgrade Genesys Authentication

Genesys Authentication supports a Rolling Update strategy to upgrade its services. To upgrade Genesys Authentication, first Override the Helm chart values.

Next, run the following command to upgrade:

```
helm upgrade -f values.yaml gauth ./gauth
```

Rollback Genesys Authentication

To rollback Genesys Authentication, you can either use the `helm rollback` command or the `helm upgrade` command and specify the previous values.

An example using `helm rollback`:

```
helm rollback gauth
```

An example using `helm upgrade`:

```
helm upgrade -f previous-values.yaml gauth ./gauth
```

Uninstall Genesys Authentication

Use the following command to uninstall Genesys Authentication:

```
helm uninstall gauth
```