



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Gplus Adapter for Siebel CRM Deployment Guide

Selective Protection of Sensitive Data in Logs

5/3/2026

Contents

- 1 Setting the Genesys Configuration Options for the Communication Server
- 2 Configuring the GenCommDrv.ini file (optional)
 - 2.1 The Contents of the GenCommDrv.ini file

Selective protection of sensitive data is improved with the ability to hide DTMF-related information (for example, digits) in Logs, via Communication Server options.

Setting the Genesys Configuration Options for the Communication Server


This section falls under Chapter 3, Deploying the Communication Server for Siebel CRM > Setting the Genesys Configuration Options for the Communication Server > Configuring Genesys on page 57 of the Gplus Adapter for Siebel CRM 8.0 Deployment Guide PDF.

To prevent the display of private parameters included in UserData, Extensions, Reasons, and others in the Adapter's log, you configure options in the Options section of the Gplus Communication Server Application object in Configuration Manager.

1. Configure two options in the `log-filter` section:

- **default-filter-type**: This option supports valid values like `copy`, `hide`, `skip`, and others, that specify the default method for presenting KVList information (including UserData, Extensions, and Reasons) in the log.
- **hide-tlib-sensitive-data**: This option supports valid values of `true` and `false`, that specify whether DTMF-related data is hidden in the log.


For example, the **log-filter** section might look like the following:



log-filter section in Configuration Manager

2. Use the **log-filter-data** section to define a list of key-value pairs that specify how each individual KVList pair is presented in the log. The key is option name. For the value, specify `copy`, `hide`, or `skip`.

For example, the **log-filter-data** section might look like the following:



log-filter-data section in Configuration Manager

For more information, see the **log-filter** and **log-filter-data** sections in Common Security Options of the *Framework Configuration Options Reference Manual*.

Configuring the GenCommDrv.ini file (optional)

This ability is supported by a new property, **LogFilterHideTLibSensitiveData**.

Table 5, on page 64 of the PDF

Property name	Values	Description
General section		
LogFilterHideTLibSensitiveData	Default Value: false Valid Values: false, true	(Optional) Enables or disables filtering of DTMF data in the log. It is an analog of the hide-tlib-sensitive-data option for Communication Server. Refer to Common Security Options of the <i>Framework Configuration Options Reference Manual</i> for details.

The Contents of the GenCommDrv.ini file

The following code snippet shows the contents of the GenCommDrv.ini file:

```
// =====  
// General
```

```

// =====
SiebelAPI           = 2
ProcessingThreadPoolSize = 30
ClientConnectionsPerServer = 1
RequestTimeout      = 30000
OnReconnectDelay    = 4000

// =====
// Log subsystem properties
// =====

LogFile             = GenCommDrv
LogDir              = ./
LogExt              = log
MaxLogKB            = 10240
LogFilesCount       = 10
LogLevel            = 2

// =====
// Log filtering properties
// =====

//Enables or disables log filtering
//Values: true|false, default value - false
LogFiltering = false

//Defines the treatment for all KV pairs by default
//Values: copy|hide|skip|..., default value - copy, refer to Genesys documentation for more
details
LogFilterType = copy

//The treatment for specific keys, overrides the default treatment specified by LogFilterType
//Values: ;;..., default value - empty string
//      where = :
//      where , are any string excepting special symbols like ':', '\', ';
// Example: LogFilterData = "key1:skip;key2:hide-first,3;key3:hide"
LogFilterData = ""

//the analog of [log-filter]::[hide-tlib-sensitive-data]
//see 'Common Security Options' in 'Genesys Framework 8.5. Configuration Options'
LogFilterHideTLibSensitiveData = false

// =====
// HTTP Client connection properties
// =====
ServerReconnectDelay = 10000
ClientPortRangeStart = 0
ServerConnectTimeout = 0

// =====
// Security properties of HTTP connection
// (used when https is configured in PrimaryGenCommServerURL/BackupGenCommServerURL URLs)
// =====
Certificate           = ""
CertificateKey        = ""
TrustedCA             = ""
SecProtocol           = ""
CRL                  = ""
TlsTargetNameCheck   = "no"

```
