

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Gplus Adapter for ServiceNow Administrator's Guide

Click-to-call feature

9/17/2025

Contents

- 1 Customize the outbound-call scenario
- 2 Enable the click-to-call feature on reference fields

Click-to-call makes outbound calls easier.

The click-to-call feature enables to automatically dial a call when clicking a phone number in ServiceNow.


Customize the outbound-call scenario

Unlike screen pop customization, to customize the outbound-call scenario you must handle an additional file:


• x_sofin_gplus_adap_clicktocall.

Follow this procedure to configure the click-to-call feature inside ServiceNow:

- Open the **Contact form** and then the **Contact menu**.
- Select **Configure** and click **Table**.



• Search for the phone fields as shown in the image below.



• Select one field among the proposed **phone-number fields**.

i	Mobile phone	Phone Number	(empty)
i	Home phone	Phone Number	(empty)
i	Business phone	Phone Number	(empty)

• Go to **Default Value** and add the following attribute in the related box:

field_decoration=	Х	sofin	gplus	adap	clicktocall

Attributes field_decoration=x_sofin_gplus_adap_clicktocall

Important

If the Attributes box is not visible, select **Advanced view** as shown below.

Choice List Specification	Default Value	
Displays a list of suggeste	ed values in a Cho	ice list. In the Advanced view yo
Choice		
Related Links		
Show Table Advanced view		

Enable the click-to-call feature on reference fields

You now have to configure the Adapter click-to-call feature inside ServiceNow for the lookup/ reference field. In fact, by default, ServiceNow provides some macros to enable the click-to-call feature on reference fields as well.

The following macros are available:

show_phone

- Requires the OpenFrame plugin activation.
- Configure the Unique Interface (UI) macro using the ref_contribution parameter to display a phone icon next to the sys_user reference field. The icon is only shown if the phone field in the sys_user record is populated with a phone number.

show_phone_customer_service

- Requires Customer Service Management and OpenFrame plugins activation.
- Configure the Unique Inverface (UI) macro using the **ref_contribution** parameter to display a phone icon next to the Contact **customer_account** reference field in the case form. The icon is only displayed if the phone field in the Contact customer_account record is populated with a phone number.

It is possible to enable one of these macros on reference fields (such as **Caller** in an **Incident**, or **Contact** in a **Case**). They will display the phone icon next to the field, as shown below, only if the reference field has at least one telephone number.

< Incident INC0010107			@ √ ‡	• ••• Follo	w •	Update	Resolve	Show Interaction
Number	INC0010107		_	Contact type	Phone			
* Caller	+3458013235	٩	~ % ()		State	In Prog	gress	
Category	Inquiry / Help	٠			Impact	3 - Low	3 - Low	
Subcategory	None	٥			Urgency	3 - Low	3 - Low	
Service		٩,			Priority	5 - Pla	5 - Planning	
Configuration item		Q		Assig	nment group			
					Assigned to			
* Short description	Call Outbound from - ConnectionId: 006C02F25F3F0024							
			Related	Search Results 💙				
Skills	۵							
Notes Related Records	Resolution Information							
Watch list	t 🕀 🖄 Work notes list 🕀 🖄							
Work notes	Work notes							

Important

If you are not able to see che phone icon next to a telephone-number field, make sure you own administrator's privileges.

Clicking the **phone icon**, a list of the Contact's available phone numbers is displayed.

To allow these macros to work with the Adapter and start a call with a click, you first need to edit them. Follow these steps:

- Search for the **show_phone** macro and open it.
- Go to the row named createInteractionData.opened_for=p.attr('data-caller-id').
- Remove the GlideAjax section as shown below (adding comments).

```
/*
                    var ga = new GlideAjax('global.CTIAjaxUtility');
                    ga.addParam('sysparm name', 'createInteractionWithPropertyCheck');
                    ga.addParam('context', JSON.stringify(createInteractionData));
                    ga.getXML(function(serverResponse) {
                        var result =
serverResponse.responseXML.getElementsByTagName("result");
                        var output = JSON.parse(result[0].getAttribute("data"));
                        if(output.status == "success"){
                            var interaction = {"entity": "interaction", "query"
:"sys id="+output.fields.interactionSysId, "value":output.fields.number,
"label":"Interaction", "display":false};
                            payload.data.data.push(interaction);
                        ļ
                        var context = {"payload": payload, "method" :
"openframe communication" };
                        jslog("context with interaction : "+ JSON.stringify(context));
                        CustomEvent.fireAll("openframe request", context);
                    });
    */
```

• Replace the previous section with the following snippet:

```
var payload = {"type": "OUTGOING_CALL", "data" : data, "action":"makecall",
"number":p.attr('data-caller-phone'), "attributes": {"ACTIVITY_ID": p.attr('data-task-id'),
"ENTITY_TYPE": p.attr('data-task-table'), "CONTACT_ID":p.attr('data-caller-id')}};
var context = {"payload": payload, "method" : "openframe_communication" };
CustomEvent.fireAll("openframe_request", context);
```

• Click Save.

To conclude and enable this, you must associate the macro to **ref_contributions**: open the Incident table, search for **Caller** and insert **ref_contributions=show_phone** or **ref_contributions=show_phone_customer_service** in the Attribute field.