

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Predictive Routing Deployment and Operations Guide

Data Loader monitoring and logging

Contents

- 1 Data Loader Log Events
- 2 107-60119
- 3 107-60120
- 4 107-60400
- 5 107-60401
- 6 107-60606
- 7 107-60607
- 8 107-60608
- 9 107-60609
- 10 107-60610
- 11 107-60620
- 12 107-60702
- 13 107-60706
- 14 107-60707
- 15 107-60801
- 16 107-60802
- 17 107-60803
- 18 107-60804
- 19 107-60805
- 20 107-60806
- 21 107-60807
- 22 107-60808
- 23 107-60809
- 24 107-60810
- 25 107-60811
- 26 107-60812
- 27 107-60813

You can monitor Data Loader status using the log events that Message Server sends to Solution Control Interface.

Related documentation:

Data Loader Log Events

Data Loader writes log data to Message Server using Genesys Management Framework centralized logging. The details of where logs are kept and what messages are sent are configured using the Data Loader **log** Section configuration options.

Data Loader provides the following Standard-, Info-, and Trace-level log events:

107-60119	107-60120	107-60400	107-60401	107-60606	107-60607	107-60608
107-60609	107-60610	107-60620	107-60702	107-60706	107-60707	107-60801
107-60802	107-60803	107-60804	107-60805	107-60806	107-60807	107-60808
107-60809	107-60810	107-60811	107-60812	107-60813		

Level	Standard
Text	data_loader_name> terminated, reason>
Attributes	data_loader_name> - The name of the Data Loader Application and other relevant information. reason> - An explanation for the termination.
Description	Data Loader has quit unexpectedly on account of a critical configuration issue. The reason> information should direct you to the source of the problem.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message.
Actions	Review the reason for the termination and correct the issue before trying to upload data.

Level	Standard
Text	Failed to connect to authenticate endpoint>, response: message>
Attributes	endpoint> - The endpoint for the GPR Core Platform authentication service. response> - An informational message indicating the reason the authentication attempt failed.
Description	Data Loader authentication to the GPR Core Platform has failed.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message.
Actions	Verify that you have correctly configured the URL for Data Loader to connect to the Platform and that the Data Loader account is correctly configured with a valid password.

107-60400

Level	Standard
Text	error error_message>
Attributes	error_message> - An informational message.
Description	Data Loader was unable to push an Agent Profile batch update. If you receive this error message, Data Loader continues to operate normally.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message.
Actions	No action needed.

Level	Standard
Text	 The log event text is one of the following: The following Agent Groups are not found in Configuration Server. Please verify the correct names for these Agent Groups: agent_group_names> in Data Loader option: option_name>

	 There are no agents present in Configuration Server with the following skills. Please verify the correct names for these skills: skill_names> in Data Loader option: option_name>
Attributes	agent_group_names> or skill_names> - The name of the Agent Group or skill you entered. option_name> - The option where you entered the Agent Group or skill name.
Description	This log number has two possible messages indicating that a value for the <i>include-skills</i> or <i>include-groups</i> configuration option does not correspond to a configured skill or Agent Group. This log event is informational and does not indicate any issue with Data Loader.
Alarm Advisory	No alarm required.
Actions	Verify the names of the Agent Groups or skills and make corrections as necessary.

Level	Standard
Text	DATASET_UPLOAD_FAILURE: Datasets upload errors: error_code>
Attributes	error_code> - An error message or list of error messages indicating an issue with dataset processing.
Description	This log event could provide any of a number of issues related to dataset processing: configuration issues, Data Loader issues, and GPR Core Platform issues. The error message indicates the nature of the problem.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message. The cancel event for this condition is 107-60607.
Actions	If a GPR Core Platform error caused the issue, rerun the data upload manually by setting the <i>upload-dataset</i> option to false, waiting for one minute, then setting the option value back to true. Alternatively, you can wait for the next scheduled upload of the data, as configured in the <i>update-period</i> option.

Level	Standard
Text	Datasets upload errors resolved!
Attributes	none
Description	An informational message generated when a data upload is successful after an unsuccessful attempt. Confirms that whatever issue caused the previous upload failure has been resolved.
Alarm Advisory	This is the cancel event for 107-60606.
Actions	No action required

107-60608

Level	Standard
Text	Platform service account password is about to expire in number_of_days> days.
Attributes	number_of_days> - The number of days the current password remains valid.
Description	An informational message.
Alarm Advisory	No alarm required.
Actions	Change your password within the specified period.

107-60609

Level	Standard
Text	Platform service account password updated successfully
Attributes	none
Description	An informational message indicating that the password for the Data Loader SERVICE account was successfully updated.
Alarm Advisory	No alarm required.
Actions	No action required.

Level Standard	
-----------------------	--

Text	Platform service account password update failed.
Attributes	None
Description	A notification that the password for the Data Loader SERVICE account was not correctly updated.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message.
Actions	Restart Data Loader. If this issue persists, contact Genesys Customer Care.

Level	Standard
Text	agent/customer_profile_name> profile schema doesn't match the schema defined in your schema configuration; problem_description>
Attributes	agent/customer_profile_name> - The name of the Agent Profile dataset or Customer Profile dataset that has inconsistencies. problem_description> - Explains what the inconsistencies are.
Description	The data you are uploading to the Agent Profile dataset or Customer Profile dataset does not correspond with the configuration specified for that dataset in the Data Loader Application object options.
Alarm Advisory	No alarm required.
Actions	Make the Profile schema consistent with the configuration specified on the Options tab of the Data Loader Application object.

Level	Standard
Text	CONFSERV_REPEATABLE_SWITCHOVER_EVENTS: error_message>
Attributes	error_message> - A message explaining the nature of the issue with Configuration Server.
Description	Configuration Server has experienced multiple switchovers between the primary and backup instances during the period specified in the <i>confserv-monitoring-reconnect-min</i> option.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error

	message.
Actions	Check whether Configuration Server is experiencing some issue causing the repeated switchovers.

Level	Standard
Text	CONFSERV_DISCONNECTING_EVENT: error_message>
Attributes	error_message> - A message explaining the nature of the issue with Configuration Server.
Description	Configuration Server is losing connection with Data Loader. The number of times the connection is lost before this alarm is triggered is set in the confserv-monitoring-reconnect-count option.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message. The cancel event for this error condition is 107-60707.
Actions	Check Configuration Server to determine the reason for this issue.

107-60707

Level	Standard
Text	CONFSERV_CONNECTING_EVENT: informational_message>
Attributes	informational_message> - A message updating the Configuration Server status.
Description	The Configuration Server connection with Data Loader has been restored.
Alarm Advisory	This is the cancel event for 107-60706.
Actions	No action required.

Level	Standard
Text	ANONYMIZATION_SALT_GENERATION_FAILED: Premise anonymization enabled but salt generation failed with error: error_message>

Attributes	- A explanatory message.
Description	An error occurred causing Data Loader to be unable to generate the salt for anonymization. This prevents on-premise anonymization.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	Review the error message text for information about the cause of this issue.

Level	Standard
Text	ANONYMIZATION_SALT_UPDATED_BY_USER: Anonymization salt modified by the user in modified_application_object>
Attributes	modified_application_object> - Identifies the Application object in which a user changed the salt value.
Description	A user has changed the value for the 'salt option in the specified Application object. This message is informational. Data Loader automatically resets the salt to the original value.
Alarm Advisory	Genesys recommends that you set an alarm for this event. The clearance event for this warning message is 107-60803.
Actions	Remind the user who made the change that the salt value should not be edited. If the salt is changed, your predictors become unusable for scoring and routing.

Level	Standard
Text	ANONYMIZATION_SALT_RESTORED: Modified anonymization salt restored successfully in modified_application_object>
Attributes	modified_application_object> - Identifies the Application object in which Data Loader restored the salt value.
Description	An informational message confirming that Data Loader successfully restored the modified anonymization salt.
Alarm Advisory	This is the clearance event for 107-60802.
Actions	No action needed.

Level	Standard
Text	ANONYMIZATION_SALT_CORRUPTED: Salt corrupted by user in config! Unable to recover
Attributes	No attributes.
Description	This error message indicates that a user has changed the salt value in such a way that Data Loader is unable to restore the original value. Onpremise anonymization requires a new salt, which is incompatible with that used for your current datasets and predictors. For recovery instructions, see Data anonymization.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	For recovery instructions, see Data anonymization.

107-60805

Level	Standard
Text	SUBROUTINES_TRAN_LIST_NOT_FOUND: Subroutines transaction list Predictive_Route_DataCfg not found
Attributes	No attributes.
Description	The Predictive_Route_DataCfg Transaction List object does not exist in your configuration environment. This configuration object contains options required to use Predictive Routing.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	Create the Predictive_Route_DataCfg Transaction List object in the configuration environment for your Tenant.

Level	Standard
Text	SUBROUTINES_TRAN_LIST_DELETED: Subroutines transaction list Predictive_Route_DataCfg deleted by user! Unable to restore anonymization salt
Attributes	No attributes.
Description	A warning message indicating that a user has deleted the Predictive_Route_DataCfg Transaction

	List object. As a result, Data Loader cannot store the salt value required for the URS Strategy Subroutines to anonymize data on premise.
Alarm Advisory	Genesys recommends that you set an alarm for this log event. 107-60807 is the clearance event for this error.
Actions	Restart Data Loader to restore the anonymization salt value in the salt option.

Level	Standard
Text	SUBROUTINES_TRAN_LIST_CREATED: Subroutines transaction list Predictive_Route_DataCfg recreated by user! Data loader requires restart
Attributes	No attributes.
Description	A warning message indicating that a user has recreated the Predictive_Route_DataCfg Transaction List object. Ensure that this configuration object contains the correct option values for your configuration, and then restart Data Loader.
Alarm Advisory	This is the clearance event for 107-60806.
Actions	Restart Data Loader to restore the anonymization salt value in the salt option.

Level	Standard
Text	PROFILE_ID_FIELD_NOT_FOUND: Premise anonymization enabled but profile id field not found for profile>
Attributes	profile> - The affected Agent or Customer Profile schema.
Description	Anonymization on premise requires the anonagent-id and anon-customer-id options to exist in the Predictive_Route_DataCfg Transaction List object.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	Define the missing ID field in the profile> schema.

Level	Standard
Text	ANON_PROFILE_ID_CONFIG_FAILED: Premise anonymization enabled but configuring profile id anon field failed for profile>
Attributes	profile> - The affected Agent or Customer Profile schema.
Description	Anonymization is set to happen on-premise but Data Loader cannot specify the correct value for the anon-agent-id and anon-customer-id options in the Predictive_Route_DataCfg Transaction List object.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	Review the error message text for information about the cause of this issue.

107-60810

Level	Standard
Text	PROFILE_ID_ANONYMIZATION_MODIFIED: Profile Id anonymization type modified for profile>
Attributes	profile> - The affected Agent or Customer Profile schema.
Description	The Data Loader schema-agents-gim or schema-customers setting for the ID field has changes in its anonymization settings, which makes existing datasets and predictors unusable.
Alarm Advisory	Genesys recommends that you configure an alarm to notify you when Data Loader generates this error message.
Actions	Upload the Agent and Customer profiles and datasets once again with the updated schema.

Level	Standard
Text	ANON_PROFILE_ID_MODIFIED: Profile Id anonymization type modified by user for profile>
Attributes	profile> - The affected Agent or Customer Profile schema.
Description	A user has manually changed the value for the

	anon-agents-id or anon-customers-id option. Data Loader sets these option values automatically. Manual changes to the value for the anon-agent- id or anon-customer-id options in the Predictive_Route_DataCfg Transaction List object cause a discrepancy with the anonymization setting for the ID field specified in schema- agents-gim or schema-customers.
Alarm Advisory	Genesys recommends that you set an alarm for this log event.
Actions	Data Loader should restore the original option value automatically. Look for log event 107-60812, which is the clearance event for this message, to confirm.

Level	Standard
Text	ANON_PROFILE_ID_RESTORED: Profile Id anonymization type restored for profile>
Attributes	profile> - The affected Agent or Customer Profile schema.
Description	Data Loader has corrected the value for the anonagents-id or anon-customers-id option after a user manually changed it. Data Loader sets these option values automatically. Manual changes to the value for the anon-agent-id or anon-customerid options in the Predictive_Route_DataCfg Transaction List object cause a discrepancy with the anonymization setting for the ID field specified in schema-agents-gim or schema-customers.
Alarm Advisory	This is the clearance event for 107-60811.
Actions	No action needed.

Level	Standard
Text	INVALID_PERMISSIONS: Invalid permissions to update configuration parameters in configuration _object>
Attributes	<pre>configuration _object> - The affected Data Loader Application object or Predictive_Route_DataCfg Transaction List object.</pre>
Description	Data Loader must be configured to have update privileges for Configuration Server so it can update

	 the following: The password used to access the GPR Core Platform, which is stored in the Data Loader and Predictive_Route_DataCfg configuration objects. The anonymization salt value created to support anonymization. Data Loader checks whether it has the correct permissions when it starts. If it does not have the required permissions, it quits and generates this log message. The Data Loader log file also
Alarm Advicory	records that Data Loader did not start.
Alarm Advisory	You can optionally set an alarm for this log event.
Actions	Grant Data Loader the correct permissions and then restart it.