

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Agent Workspace Agent's Guide

Messaging

## Contents

- 1 How do I handle a message-based interaction?
  - 1.1 Can I have more than one line in my chat message?
  - 1.2 How do I expand or collapse panes to avoid scrolling?
  - 1.3 Why are some numbers masked out?
- 2 Pushing weblinks (URLs) to your contacts
- 3 Send Emojis to Contacts
- 4 Continuing the conversation
  - 4.1 Communication tab
  - 4.2 New message notification
  - 4.3 Starting a new interaction
  - 4.4 Stop following a conversation
  - 4.5 Adding a contact to your assigned contacts
  - 4.6 Outbound channels
- 5 Web Chat structured messages (Notifications)
  - 5.1 What are structured messages?
  - 5.2 Handling web chat interactions with structured messages
  - 5.3 Notifications area
  - 5.4 Sample structured messages
- · 6 SMS messaging
  - 6.1 SMS vs. MMS
  - 6.2 Communication tab
- 7 WhatsApp messaging
  - 7.1 Communication tab
- 8 Connecting to the WhatsApp channel
- 9 Messenger
  - 9.1 Communication tab
- 10 Twitter Direct Message
  - 10.1 Communication tab
- 11 Public Social Engagement
  - 11.1 Social Engagement with Facebook

- 11.2 Facebook Public
- 11.3 Social Engagement with Twitter
- 11.4 Twitter Public
- 12 What next?
- 13 Top 5 topics

- Agent
- Supervisor

Messaging includes the Genesys Chat, SMS, WhatsApp, Messenger, and Twitter Direct Message Digital channels. Messaging enables you to manage message-based conversations across one or more of these channels in a unified conversation.

#### **Related documentation:**

•

## **Important**

Due to continual changes to Agent Workspace, screenshots in this manual might show interface elements that are not yet available for this product or might not accurately reflect what you can access in the product when you use it.

This article describes the typical options for handling, as a chat session, message-based conversations from the Genesys Digital messaging channels.

A chat session involves exchanging messages in real time with a contact. The Interaction View transcribes the conversation and allows you to review the conversation.

Chat interactions include Web Chat, SMS, WhatsApp messages, Facebook Messenger messages, and Twitter Direct Messages. Your account might also be set up to enable you to handle public Facebook and Twitter posts.

When either you or the contact ends the session, the interaction is ususally closed and marked as **Done**. However, sometimes you might have to continue a conversation. Perhaps you had to take time to find additional information for the contact or start a business process in your organization before continuing the conversation.

## How do I handle a message-based interaction?

Error creating thumbnail: Unable to save thumbnail to destination
The Chat Interaction view is the Agent Workspace interface that lets you exchange messages with a contact.

The Chat Interaction view includes all the controls to handle the interaction, information about the interaction (**Case Information**), and **Disposition** and **Note** tabs where you can add information about the interaction. There might also be tabs on the right side of the view that contain contact information, history, and other features.

To start receiving chat interactions, set your status on the Chat channel or other messaging channel

#### to **Ready**.

#### diT

In some environments, agent status is automatically set to **Ready** when the agent logs in. This means that chat interactions are directed to these agents upon login.

When you receive a chat interaction it is either accepted automatically, or a popup notification is displayed on your desktop to enable you to accept the interaction. After you accept a chat, the Chat Interaction view opens on your Agent Workspace. While a contact is typing, a notice is displayed that they are writing a response, but not what they have written until they send it.

When you accept a chat interaction, the name of the contact is displayed and the timer for the pending response indicator starts. The color of the indicator begins as green. If you have not responded within the specified time limit, it changes to yellow. If you still do not respond, the indicator changes to red and begins to flash.

You use the Chat Interaction view to handle all message-based interactions (Web Chat, SMS, WhatsApp, Messenger, and Twitter Direct Message). You can distinguish among the different media in multiple ways:

- The color of the message blocks in the transcript
- The information provided in the Case Information area
- The origin text under the message block.

Error creating thumbnail: Unable to save thumbnail to destination Can I have more than one line in my chat message?

The Agent Workspace Chat message composition field can display up to four lines at a time. It expands as you type. You can use **Shift+Enter** to add blank lines to your message. Watch this video to find out how.

#### Link to video

Some of the things you can do while handling a chat include:

To transfer the chat to someone else in your organiz	
To start a chat conference between yourself, the customference ( ).  Error  Start a Voice (internal gargets and contacts) or Chat	thumbnail: Unable (an internal target only) consultation. If you want to
perform a warm transfer; or a two-step transfer, clic and then click <b>Transfer</b> to transfer the call.	Error thumbnail
• Call or email the contact, if there is a phone number thumbnail	Unable destination
to destination	to save
<del>uestination</del>	thumbnail
Agent Workspace Agent's Guide	to destination 5

also start a call or email from the **Party Action** menu by clicking an email address or phone number.) If your account is set up for it, you can also click a phone number or email address that your contact sends you as a chat message to call or email the contact.

- · Add a disposition code or note.
- Click **End** ( ) to end the chat and mark it as done ( ).
- Sometimes (Wearking ace is unable to assign a call to a @etaint or it assigns the call to the wrong contact.
  Your account in ightibe set up to let you assign or chargen and all tact in the Contact tab.
  Unable

If you place your mouse pointer over the interaction into Interaction Bar, the elapsed time of the interaction and the last lines of the chat transcript is depotated. Connection-status information is

displayed next the that the tast lines of the chart transcript is displayed.

**Note:** If you have in the Mindows taskbar, regardless of the pending-response indicator status (green, yellow, or red).

Watch the video to see what happens when a chat request arrives at a workstation.


## How do I expand or collapse panes to avoid scrolling?


To give yourself more room to work or to enable you to focus on just one panel, use the **Collapse the panel**, **Partially expand the panel**, and **Fully expand the panel** buttons (the little chevrons (up/down arrows)) to expand or collapse different parts of the interaction view.

## Error creating thumbnail: Unable to save thumbnail to destination

#### Why are some numbers masked out?

Some organizations must comply with regulations regarding masking Personally Identifiable Information (PII) while handling contact information. Some examples of PII include credit card numbers, personal email addresses, and phone numbers. Exposing PII to agents and other individuals in an organization is a potential security risk for the contact. In some environments, Agent Workspace detects and masks PII to keep contact information private. This figure shows you some of the ways that PII is masked in the chat transcript and in the history. You might also see masked text in the **Communication** tab.





## Pushing weblinks (URLs) to your contacts

Your account might be set up to enable you to push website links (URLs) to contacts. If it is, the **Check URL** button ( ) is displayed beneath the chat text editing area.

creating

To push a URL to a contact, first type the URL in the high specifiting area. Agent Workspace recognizes correctly formatted URLs and enables the Check URL button for you. Click the button to open the URL in a new tab or window to check the URL before you send it to your contact. This way you can be sure that you are sending your contact to the correct website.

save

When you are sure that the URL is correct, click **Setion** the URL to your contact.

Your contact receives a message in their chat window telling them to click the link that you sent them.

## Send Emojis to Contacts

#### Error creating thumbnail: Unable to save

Thurmpsount to the seinestwork ole you send emojis (emoticons or smileys) to your contact as part of the chat interaction text. Emojis are little faces and other symbols that you can use to let your contact know how you are feeling or to help them to know when something is good, funny, bad, or sad. Ask your supervisor or administrator about when to use emojis.

Use the **Emoji Picker** to add an emoji to your chat interaction:

Click the Choose an emoji button ( ) that appears below the text editing area to display the menu of emojis.

creating
thumbnail:
Unable
to
save
thumbnail

Continuing the conversa distination

## Error creating thumbnail: Unable to save thumbnail to destination

#### Communication tab

The **Communication** tab in the **Connect** group lets you continue chat conversations that you or others at your contact center have had with your organization's contacts.

#### The **Communication** tab has five areas:

- Assigned Contacts list
- · Conversation transcript
- · Contact information
- · Outbound channels
- Notifications

Contacts that you have interacted with in the past are in your Assigned Contacts list. If you have not interacted with a contact in the past, or if the contact has been removed from your Assigned Contacts list, those contacts are considered *unassigned contacts*. If a contact is active on a channel, a white dot is displayed next to their name.

To reactivate an interaction that is already closed and marked as **Done**, select the **Connect** group, select the **Communication** tab, then click a contact name in the **Assigned contacts** panel. All previous Chat interactions that your contact center has had with the contact are displayed in the transcript area on the right.

To reactivate the chat session, click in the **Start typing Web Chat** field and enter the message you want to send, then click **Send** (>). If the contact no longer has the browser open where they started the previous chat, you can still send your message, and the next time that the contact logs in to your organization's website the chat will continue and all the new and previous messages are displayed to the contact.

You can perform the following actions:

- Click **Send** (\_\_\_\_) to send messages you type in the **Start typing Web Chat** field.
- Click Attachcreating attach a file such as an image.
- Click **Emoji** (Lick **Emoj**

If you want to transplant the conversation to a different channel, you can select the channel by clicking one of the hours under the **Start typing Web Chat** field.

thumbnailon

- Click Create chat interaction ( ) to send a web chat message Click Create WhatsApp interaction (creating end and some of the property of the p • Click Create SMS interaction (creatingend an SMS ) to send a message through Twitter Direct destinationbnail New message notification Unable When the contact responds, you receive a motification श्री√∮our desktop. Click **Show** to open the thumbnail Communication tab of the Connect grodestination destination Error creating thumbnail: Unable to save thumbnail to destination Starting a new interaction You can start new interactions with an assigned contact by using the new interaction buttons in the **Contacts information** area. If it is not displayed in the **Communications** tab. click **Contacts** ( ) to display of the **Contacts** information area. The Contact information of the media that are available for the assigned contact. Not all confeation have all media available. You can create a new chat messaging interaction ( ), SMS ( ), WhatsApp ( ), Messenger ( ), and Twitter Direct Mes ଅଣ୍ଡଣ । ),Esspelickingreate **Interaction** butterpr ) next to the media. to Errorcreating creating
- the channel is not distributed being re no ongoing converge the channel. Unable

  Unable

  Unable unable to save to Unable to save save save save save thumbnail to destination thursdore il thursdore il thursdore il to thumbnail to destination destination destination destination destination destination destination destination destination to destination de

save creatilmumbnailthumbnail:

• Sometimes a Chat message you send cannot be delivered. A system message is displayed in the transcript area if the Chat message was not delivered.

creatting

creating

Other channels, such as email and voice might also be available in the **Contact information** area. To update the view with the latest information from the **Contact Directory**, click **Update contact**.

## Stop following a conversation

If you no longer wish to follow a conversation, you can remove conversations from the **Assigned contacts** list. Find the conversation you want to remove, then hover your mouse pointer over the contact name. To remove the conversation from your **Communication** tab, click the **X** next to the contact name.

Error creating thumbnail: Unable to save thumbnail to destination Adding a contact to your assigned contacts

You can use the **Communication** tab to search for a contact in the Contact database by entering contact information in the search field above your assigned contacts. Click the **Search contacts** magnifying glass icon to start your search then enter the name of a contact in the **Search contacts** field.

Error creating thumbnail: Unable to save

the representation for the residual in a representation of the contact database, they can be added to your **Assigned contacts** list after interacting with the contact, and the contact record is displayed in the **Communication** tab. You can select any of the available channels to send a new message.

#### Outbound channels

The **Outbound channels** area enables you to choose different channels to use when starting outbound interactions. If more than one channel is available for you, click the Channel Select () button next to the channel name to select a different channel.

Error

Error creating that imponail: Unable to save

thumbnail tothdesstomation

Web Chat structured messages (Notifications)

save

Error creating thumbnail: Unable to save thumbnail to destination

What are structured messages destination

Some organizations use Genesys Web Chat to enable their contacts to interact with a chatbot prior to connecting the chat interaction to a live agent. Chatbots can deliver both regular text and structured messages to contacts.

Structured messages are a way for your organization to send standardized content to contacts. For example , a structured message might be a selection of buttons that a contact can click to indicate a choice. Structured messages can also include images, text, and video to enrich the content delivered by the bot.

Structured messages include the following message types:

· Quick replies

- · Single and multi-select lists
- Carousels

#### Handling web chat interactions with structured messages

When you handle a web chat containing structured messages in either the Chat interaction view (for an active chat) or the **Communication** tab (for an asynchronous chat), Agent Workspace displays the structured messages for you.

**Note:** You cannot interact with the choice buttons of structured messages containing buttons and list selections.

Workspace displays the following for you:

- All buttons, videos, images, and lists in the same format that was presented to the contact.
- · Single-and multi-select vertical lists, including any images and text associated with the list.
- Carousels and all of their associated elements, including the look-left and look-right buttons.
- Quick Replies and associated buttons.
- A text message describing the action taken by the contact (usually the selection they made).

#### Notifications area

The **Notifications** area in the **Communications** tab contains a list of structured messages that you can send to a contact.

Click **Send** ( ) to send the notification. You might be able to type in some notifications to a contact's name, a date, or a ticket number. creating

number. creating thumbnail:

Error creating that the bearing to the bearing the Branch of the save thumbnail to destination Click the "X" to remove the Notification from the Start typing Web Chat field.

save

Sample structured needs sages

tc

The following are examples of structured messages that an organization might send to contacts who are engaged in a web chat with a bot.

**Quick Reply** 

Error creating thumbnail: Unable to

ទីង្គម Quipku Rabin at լ կ զ կ կ զ այն արտանան արտանանանանան արտանան արտանան արտանան արտանան արտանան արտանան արտանան արտանան

Generic structured messages: image or video, text, and buttons

#### Error creating thumbnail: Unable to

Multiple-selection list

#### Error creating thumbnail: Unable to

इଚ୍ଚିତ୍ର ଅধ୍ୟ ক্ষিত্র বিশ্ব ব

Single selection list

#### Error creating thumbnail: Unable to

इଚራ eirthe palestin tist destains to wertical stack of options that might include images and text. There is a button next to each list item. The contact clicks one of the items to indicate a preference. In the chat transcript, the single-selection list is displayed along with the selection the contact made.

Carousel

### Error creating thumbnail:

The dole use is a weath of displaying multiple generic structured messages to a contact in a single bot message to be contact clicks the look-left and look-right arrows to horizontally scroll through the generic structured messages in the carousel. In the chat transcript, the carousel of generic structured messages is displayed along with the action taken by the contact.

## SMS messaging

An SMS interaction is the Agent Workspace interface that lets you handle an SMS message from a contact as a chat.

To start receiving SMS interactions, set your status on the SMS channel to **Ready**.

## Tip

In some environments, agent status is set to **Ready** when the agent logs in. This means that SMS interactions are directed to these agents upon login.

When you receive an SMS it is either accepted automatically, or a pop-up notification is displayed on your desktop to enable you to accept the message. When you accept an SMS, the Chat interaction

view opens on your Agent Workspace. It includes all the controls, information about the email (Case Information), and **Disposition** and **Note** tabs where you can add information about the SMS. There might also be tabs on the right side of the view that contain contact information, history, and other features.

You exchange messages, and when either you or the contact ends the chat session, the interaction is ended and must be closed and marked as **Done**.

If you want to reactivate an interaction that is already closed and marked as **Done**, in the **Connect** group, select the **Communication** tab, open the **Assigned Contacts** panel, search for and select the contact. All previous chat interactions that your contact center has had with the contact are displayed in the transcript area on the right. To reactivate the chat interaction, click **Create SMS Interaction** icon in the **Contact information** column to open the Chat interaction view.

## **Important**

You might receive an error message that the number from which you are trying to send a message is incorrect. Contact your administrator.

#### SMS vs. MMS

Short Message Service (SMS) is a text-messaging component of voice and Internet communication. SMS enables the exchange of text messages between you and a contact through your computer. Typically, a contact sends you SMS from a mobile device, a web interface, or an email client. From your perspective, handling an SMS chat session is no different from handling any other Chat session, whether you are handling a one time interaction or are continuing a conversation.

Multimedia Message Service (MMS) is a multimedia component of voice and Internet communication. In Workspace, MMS enables you to receive images sent to your contact center from a mobile device, a web interface, or an email client. Images are displayed to you as thumbnails. To view the image full-size, double-click it or right-click it and select **Open** from the context menu. It opens in the default application specified in the Windows operating system. If you have been granted the correct permissions, you can save an image by clicking the **Save** icon on the image or by right-clicking on it and selecting **Save** from the context menu.

## **Important**

If a contact sends you an MMS that has an attachment issue you will receive a notification. Ask the contact to check the file format of the attachment and resend it.

#### Communication tab

The **Communication** tab in the **Connect** group lets you continue SMS chat conversations that you or others at your contact center have had with your company's contacts.

After an agent or the contact leaves a chat session, you can continue the conversation by finding the contact in the **Assigned Contacts** area of the **Communication** tab and selecting their name from the **Assigned Contacts** list.

To continue the conversation, either type in the **Write a Message** field and click **Send** or click **Create SMS Interaction** to open a new Chat interaction view. Your message is sent to the contact's device.

## **Important**

In some environments, the **Write a Message** field is not available. To use the **SMS** channel, click the **Channel** icon and select the **Chat** channel icon.

When the contact responds, you receive a pop-up notification on your desktop. To respond and continue the conversation, click **Show** in the pop-up notification to open the chat in a new **Chat** interaction view.

#### Tip

- Genesys recommends that you switch to a chat interaction window whenever you want your chatting time to be recorded for KPI purposes.
- Not all phone numbers can receive SMS. If Agent Workspace detects that it is not
  possible to send an SMS to the number you choose, you will receive a warning message.
- Sometimes an SMS you send cannot be delivered. A system message is displayed in the transcript area if the SMS was not delivered.

## WhatsApp messaging

WhatsApp is a messaging service that enables the exchange of text messages, emojis, images, and Highly Structured Messages (HSM) between you and a contact through your computer. Typically, a contact sends you a message from a mobile device or computer. From your point of view, handling a WhatsApp chat session is no different from handling any other Chat session, whether you are handling a one time interaction or are continuing a conversation.

To start receiving WhatsApp interactions, set your status on the WhatsApp channel to **Ready**.

## Tip

In some environments, agent status is set to **Ready** when the agent logs in. This means that WhatsApp interactions are directed to these agents upon login.

When you receive a WhatsApp it is either accepted automatically, or a pop-up notification is displayed on your desktop to enable you to accept the message. When you accept a message, the WhatsApp interaction view opens on your Agent Workspace. It includes all the controls, information about the WhatsApp (Case Information), and **Disposition** and **Note** tabs where you can add information about the email. There might also be tabs on the right side of the view that contain contact information, history, and other features.

You handle the interaction by exchanging messages with your contact. If either you or the contact ends the session, the interaction is done. To close the interaction, you must mark it as **Done**.

To reactivate an interaction that is closed and marked as **Done**, perform these steps:

- In the **Connect** group, select the **Communication** tab.
- In the **Assigned Contacts** view, select the contact.

All previous interactions that your contact center has had with the contact are displayed in the transcript area on the right. To reactivate the chat interaction, click **Create WhatsApp Interaction** ( ) to open the Chat interaction view.

Contacts can send WhatsApp messages from their device to your organization's WhatsApp channel. When WhatsApp messages are routed to you, handle WhatsApp messages just like you would handle a Chat interaction with one of your contacts.

Read the messages from your contact in the Transcript area. Type your messages in the **Start typing Web Chat** field.

The **Contact information** area contains information about the contact including the phone number that sent the WhatsApp message if applicable. You can update the contact information and view the history of interactions with the contact.

#### Communication tab

The **Communication** tab in the **Connect** group allows you continue conversations that you or others at your contact center have had with your company's contacts.

To continue the conversation, find the contact in the **Communication** tab, then select their name from the **Assigned Contacts** view.

To continue the conversation, perform one of the following actions:

- Type in the **Start typing Web Chat** field and click **Send**.
- Click the Create WhatsApp Interaction icon to open a new Chat interaction view.

WhatsApp interaction can also be started by clicking the **Create WhatsApp interaction** button next to the WhatsApp channel in the **Communication** tab:

Error creating thumbnail: Unable to

**Note:** Sometimes in two descriptions are a fit to WhatsApp message was not delivered. A system message is displayed in the transcript area if the WhatsApp message was not delivered.

## Connecting to the WhatsApp channel

When you select a contact from the **Assigned Contacts** view in the **Communication** tab, the list of channels and phone numbers available for a contact is displayed in the **Contact Information** area. If you have not interacted with a contact in the past, or if the contact has been removed from your Assigned Contacts list, those contacts are considered unassigned contacts.

#### Error creating thumbnail: Unable to

**對本於企文的社會計算 Whotesthat Count** that is not connected to your organization, send a request to WhatsApp to connect the account to your organization by clicking the **Action** menu next to the phone number and selecting **Connect WhatsApp Channel** (refer to the image above). When WhatsApp approves the request by indicating that the number is a valid WhatsApp number, the WhatsApp channel is displayed in the **Contact Information** area.

If the contact does not have a WhatsApp account for a phone number, ask the contact to confirm which number to use. If the number does not exist in the Contact Information in the Contact Directory, you can add the number. To refresh the Contact Information area, unsubscribe from the contact, and search for them again. When the number displays in the Contact Information area, select **Connect WhatsApp Channel** from the channel action menu next to the correct phone number.

After you have added the WhatsApp channel to the contact, the channel action menu contains two options:

- Create WhatsApp Interaction: Create and send a new WhatsApp interaction to the contact.
- Validate WhatsApp Channel: If you get an error trying to send a WhatsApp message, validate that the WhatsApp channel is still available for the contact. If there is an error, a warning icon is displayed next to the channel in the Contact Information area.

## **Important**

WhatsApp does not permit you to send regular WhatsApp messages to a contact immediately after the WhatsApp channel is added. You are only permitted to send Notifications to a contact until the contact replies.

## Messenger

To receive Facebook Messenger chat interactions, set your status on the Chat channel to **Ready**.

## Tip

In some environments, agent status is set to **Ready** when the agent logs in. This means that Facebook interactions are directed to these agents upon login.

When a contact clicks **Send Message** on your organization's Facebook page, they can use Facebook Messenger to send a message to your organization. Instead of having to use Facebook Messenger yourself to reply, the message is directed to you as an asynchronous Chat interaction in Agent Workspace. You handle it just like you would any other direct chat message with one of your contacts.

Error creating thumbnail: Unable to save thumbnail to destination Read the messages from your contact in the Transcript area. Type your messages in the Message Composition field.

The **Contact** tab contains information about the contact including the Facebook actor name and ID. You can update the contact information and view the history of interactions with the contact.

#### Communication tab

The **Communication** tab in the **Connect** group lets you continue Facebook Messenger chat conversations that you or others at your contact center have had with your organization's contacts.

After an agent or the contact leaves a chat session, you can continue the conversation by finding the contact in the **Communication** tab and selecting their name from the contact list.

To continue the conversation, either type in the **Start typing Web Chat** field and click **Send** or click the **Chat** icon to open a new Chat interaction view. Your message is sent to the contact's Facebook Messenger account. The next time that they log in to Facebook they will see your message.

When the contact responds, you receive a notification on your desktop. To open the **Communication** tab of the **Connect** group, click **Show**. To open the chat in a new Chat interaction view if you must respond and continue the conversation, click the **Chat** icon.

## Twitter Direct Message

To receive Twitter Direct Messages, set your status on the Chat channel to **Ready**.

## Tip

In some environments, agent status is set to **Ready** when the agent logs in. This means that Twitter interactions are directed to these agents upon login.

Customers of your organization who are followers of your organization's Twitter page can send Twitter Direct Messages to your organization's Twitter handle (for example, @Genesys). Instead of having to use Twitter Direct Message yourself to reply, the message is directed to you as an asynchronous Chat interaction. Click Accept on the Interaction Notification and a new Chat interaction opens in Workspace.

Error creating thumbnail: Unable to save thumbnail to destination Read the messages from your contact in the Transcript area. Type your messages in the **Start typing** 

#### Web Chat field.

The **Contact** tab contains information about the contact including the Twitter actor name and ID. You can update the contact information and view the history of interactions with the contact.

#### Tip

If either you or the contact end the session, you can keep the **Chat** interaction view open while you perform other actions or business processes. Check with your supervisor about whether to mark the interaction as Done or keep the interaction view open while you perform other duties. Keeping the interaction view active might affect your **Ready** status.

#### Communication tab

The **Communication** tab in the **Connect** group lets you continue chat conversations that you or others at your contact center have had with your organization's contacts.

After an agent or the contact leaves a chat session, you can continue the conversation by using **Search contacts** to find the contact in the **Assigned contacts** list then selecting their name.

To continue the conversation, either type in the **Start typing Web Chat** field and click **Send** or click the **Twitter direct** icon to open a new Chat interaction view.

## **Important**

In some environments, the **Start typing Web Chat** field is not available. To start a new interaction with the contact click the **Chat** icon and select a channel icon, such as Chat, Email, SMS, WhatsApp, Facebook, or Twitter.

For chat interactions that originated as Twitter Direct Messages, when you send a message, the contact will see it the next time they log in to Twitter.

When the contact responds, you receive a notification on your desktop. To open the **Communication** tab of the **Connect** group, click **Show**. To open the chat in a new Chat interaction view if you must respond and continue the conversation, click the **Twitter direct** icon.

Communication tab.

## Public Social Engagement

#### Social Engagement with Facebook

Using Genesys Social Engagement on Facebook, you can monitor your business presence and identify


and respond to online comments. Facebook Messenger direct messages, comments, and replies on your organization's Facebook page are monitored and automatically routed to agents across your organization who are using Agent Workspace. Routing ensures that the right person handles the contact's message, whether it is an inquiry about a new business opportunity or a negative comment that should be handled immediately.

Handling contacts using Agent Workspace's Facebook channel improves Customer Experience (CX) by providing consistent CX across all channels. Genesys Social Engagement identifies the contact and matches them against known individuals already in the contact database. When a Facebook message, comment, or reply is directed to you, you have access to all previous interactions with the contact.


#### Facebook Public

When a contact replies to a post or creates a post on your organization's Facebook page, a new interaction is directed to you as a new Chat interaction. You handle it just like you would any other chat message with one of your contacts. Your reply is posted on your organization's public Facebook page as a reply to the post from the contact. Remember, your post will be seen by anyone who visits your organization's Facebook page, not just the contact.

You handle a Facebook Public interaction the same way you would handle an asynchronous Chat.



Read the messages from your contact in the **Conversation** tab. To reply to your contact, type your messages in the **Write a message...** field in the **Conversation** tab.



The **Contact** tab contains information about the contact including the Facebook actor name and ID. You can update the contact information and view the history of interactions with the contact.

If you have had previous chat/Facebook Public interactions with the contact, the full transcript is in the **Conversation** tab and in the Communication tab.

The **Communication** and **Conversation** tabs allow the following actions:

- ( ) to send an emoji to your contact. Error Click Emoji (
- Click **Attach** <u>dreal</u> in gattach an image.

- Click Attach (realiting attach an image.
   Click Send (Light being and messages you type in the Message Composition area.

   Elight messages to show Private type only.

   Click Chat (creating ) to filter messages to show Private type only.
   Click Social of the Contact information area.
   Click Contact information area.
   Click Contact information area.

   Social Engagement with the display of the Contacts information area.
   Social Engagement information in the contact information area. ) to filter messages to show Public type only.


You are not restricted to private Twitter Direct messages. You can also engage with customers by responding to publicate and replies from your organization's Twitter page. thumbnail

You can monitor your business Twitter presence and identify and respond to online comments by using Genesys Social Engagement. Twitter Direct Messages and Tweets and replies on your organization's Twitter page are monitored and automatically routed to agents across your organization who are using Agent Workspace. Routing ensures that the right person handles the contact's message, whether it is an inquiry about a new business opportunity or a negative comment that should be handled immediately.

Handling contacts using Agent Workspace's Twitter channel improves Customer Experience (CX) by providing consistent CX across all channels. Genesys Social Engagement identifies the contact and matches them against known individuals already in the contact database. When a Direct Message, Tweet, or reply is directed to you, you have access to all previous interactions with the contact.

#### Twitter Public

When a contact replies to a Tweet or creates a Tweet on your organization's Twitter page, the Tweet is directed to you as a new Twitter interaction. However, because Public Tweets can be created in a non-linear fashion, a Public Tweet interaction must be handled by using the **Conversation** or **Communication** tab. There is no transcript or message field on the left side of the interaction view.



To respond to the Tweet click **Reply**. You can also click **Like**. Type your reply in the message field then click **Send**. In the **Conversation** tab, your response appears indented below the Tweet from the contact. Your reply is posted on your organization's public Twitter page as a reply to the Tweet from the contact. Remember, your post will be seen by anyone who visits your organization's Twitter page, not just the contact.




The **Contact** tab contains information about the contact including the Twitter actor name and ID. You can update the contact information and view the history of interactions with the contact.

If you have had previous chat/Twitter Public interactions with the contact, the full transcript is in the **Conversation** tab and in the Communication tab.

In the **Communication** tab, select a contact and then click **SOCIAL MEDIA** to access all the public

Twitter interactions your organization has had with the contact. Because social media is non-linear, you can scroll through the transcript and like and respond to any of the Tweets and replies. Think of each Tweet and reply sequence as a separate conversation.



The conversation area allows the following actions:

- ( ) to send an emoji to your contact. Error · Click Emoji (
- Click **Attach** dreating attach an image.

Click Send (realiting attach an image.
Click Send (realiting attach an image.
Click Send (realiting attach an image.
Click Chat (realiting attach an image.) to filter messages to show Private type only.
Click Chat (realiting attach an image.)
Click Social (realiting attach an image.) to filter messages to show Private type only.
Click Social (realiting attach an image.) to filter messages to show Public type only.
Click Contacts (realiting attach attach attach attach and attach reply until you adjust the warding to make it shorter.



What next?

- Contacts
- Team Communicator
- Predictive Engagement customer journey
- Internal interactions

## Top 5 topics

- 1. Getting Started
- 2. Navigating Agent Workspace
- 3. Calls
- 4. Contacts
- 5. Contact and interaction history