

Manage your Contact Center in Agent Setup

Desktop Views options

9/19/2021



- Administrator

Use the information below to configure your Desktop Views in Agent Setup. To find out more information about all the different views available within Agent Desktop, see the topic Navigating Agent Desktop for a helpful video of the Main view as well as detailed information on such topics as the Navigation bar, the Side bar, and the Interaction bar.

Related documentation:

-
-

Agent Desktop ▾

Desktop Options ▸

- Channels
- Standard Response
- Desktop Views
- Statistics
- Global Login
- Supervisor
- Voice
- Chat
- Email
- Outbound
- Recording
- Contact
- Interaction History Advanced Search
- Standard Response Library
- Genesys Softphone
- Feedback
- My Channels
- Service Client

Digital Management ▾

Single Sign On ▾

Desktop Statistics ▾

Templates ▾

Gplus Salesforce ▾

Voicemail & Call Settings ▾

Services Options ▾

Routing Manager ▾

Desktop Views

<input checked="" type="checkbox"/> Default view in Region NavigationBarRegion	Connect, Monitoring ▾
<input checked="" type="checkbox"/> Views order in Region NavigationBarRegion	Connect, Monitoring ▾
<input checked="" type="checkbox"/> Default view in Region ConnectRegion	MyChannelsView, MyCampaignsView, MyHistoryView, WorkbinsView, Inte... ▾
<input checked="" type="checkbox"/> Views order in Region ConnectRegion	MyChannelsView, MyCampaignsView, MyHistoryView, WorkbinsView, Inte... ▾
<input checked="" type="checkbox"/> Default view in Region MonitoringRegion	DashboardView, MyAgentsView ▾
<input checked="" type="checkbox"/> Views order in Region MonitoringRegion	DashboardView, MyAgentsView ▾
<input checked="" type="checkbox"/> Default view in Region ContactRegion	ContactInformationView, ContactHistoryView ▾
<input checked="" type="checkbox"/> Views order in Region ContactRegion	ContactInformationView, ContactHistoryView ▾
<input checked="" type="checkbox"/> Default view in Region HistoryInteractionDetailsRegion	InteractionDetailView, ContactInteractionNotePadView, StaticCaseDataVi... ▾
<input checked="" type="checkbox"/> Views order in Region HistoryInteractionDetailsRegion	InteractionDetailView, ContactInteractionNotePadView, StaticCaseDataVi... ▾
<input checked="" type="checkbox"/> Default view in Region CaseSideRegion	ContactView, SRLView, KnowledgeView, CoBrowseView ▾
<input checked="" type="checkbox"/> Views order in Region CaseSideRegion	KnowledgeView, CoBrowseView, ContactView, SRLView ▾
<input checked="" type="checkbox"/> Default view in Region InteractionDetailsRegion	ContactInteractionNotePadView, DispositionView ▾
<input checked="" type="checkbox"/> Views order in Region InteractionDetailsRegion	DispositionView, ContactInteractionNotePadView ▾
<input checked="" type="checkbox"/> Default view in Region WorkbinInteractionDetailsRegion	InteractionDetailView, ContactInteractionNotePadView, StaticCaseDataVi... ▾
<input checked="" type="checkbox"/> Views order in Region WorkbinInteractionDetailsRegion	InteractionDetailView, ContactInteractionNotePadView, StaticCaseDataVi... ▾

Cancel
Save

In the **Desktop Views** section of the **Contact Center Settings** page, you can configure the options, below.

Important

- For **default view** options, the default view is the first configured view, if visible; else it's the second configured view, if visible, and so on. If the default view option is not configured, then the default setting

is used. If you do not specify all the options, then the default order is used except where an item order is specified.

- For **views order** options, the default ordering is used if the views order option is not configured. If you do not specify all the options, then the default setting is used for any item not specified.

- **Default view in Region NavigationBarRegion** specifies, in precedence order, the view selected by default in the Navigation Bar Region. Valid values include, `Connect`, `Monitoring`.
- **Views order in Region NavigationBarRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Navigation Bar Region. Valid values include, `TeamCommunicatorView`, `NotificationsView`, `VoiceMailView`, `PerformanceTrackerView`.
- **Default view in Region ConnectRegion** specifies, in precedence order, the view selected by default in the Connect Region. Valid values include, `MyChannelsView`, `MyCampaignsView`, `MyHistoryView`, `WorkbinsView`, `InteractionsSearchView`, `ContactDirectoryView`.
- **Views order in Region ConnectRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Connect Region. Valid values include, `MyChannelsView`, `MyCampaignsView`, `MyHistoryView`, `WorkbinsView`, `InteractionsSearchView`, `ContactDirectoryView`.
- **Default view in Region MonitoringRegion** specifies, in precedence order, the view selected by default in the Monitoring Region. Valid values include, `DashboardView`, `MyAgentsView`.
- **Views order in Region MonitoringRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Monitoring Region. Valid values include, `DashboardView`, `MyAgentsView`.
- **Default View in Region ContactRegion** specifies, in order of precedence, the view selected by default in the Contact region. Valid values include, `ContactInformationView`, `ContactHistoryView`.
- **Views order in Region ContactRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Contact Region. Valid values include, `ContactInformationView`, `ContactHistoryView`.
- **Default view in Region HistoryInteractionDetailsRegion** specifies, in order of precedence, the view selected by default in the History Interaction Details Region. Valid values include, `InteractionDetailView`, `ContactInteractionNotePadView`, `StaticCaseDataView`.
- **Views order in Region HistoryInteractionDetailsRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the History Interaction Details Region. Valid values include, `InteractionDetailView`, `ContactInteractionNotePadView`, `StaticCaseDataView`.
- **Default view in Region CaseSideRegion** specifies, in order of precedence, the view selected by default in the Case Side Region. Valid values include, `ContactView`, `ExtensionSectionName`, `SRLView`, `KnowledgeView`, `CoBrowseView`.
- **Views order in Region CaseSideRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Case Side Region. Valid values include, `KnowledgeView`, `ExtensionSectionName`, `CoBrowseView`, `ContactView`, `SRLView`.
- **Default view in Region InteractionDetailsRegion** specifies, in order of precedence, the view selected by default in the Interaction Details Region. Valid values include, `ContactInteractionNotePadView`, `DispositionView`.
- **Views order in Region InteractionDetailsRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Interaction Details Region. Valid values include, `DispositionView`, `ContactInteractionNotePadView`.

-
- **Default view in Region WorkbinInteractionDetailsRegion** specifies in precedence order the view selected by default in the Workbin Interaction Details Region. Valid values include, `InteractionDetailView`, `ContactInteractionNotePadView`, `StaticCaseDataView`.
 - **Views order in Region WorkbinInteractionDetailsRegion** specifies the order (left to right, top to bottom) in which the views are displayed in the Workbin Interaction Details Region. Valid values include, `InteractionDetailView`, `ContactInteractionNotePadView`, `StaticCaseDataView`.