

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Callback Administrator's Guide

Provisioning Callback in Designer

8/24/2025

Contents

- 1 Before you start
 - 1.1 Provision the callback virtual queues
- 2 Provisioning your first callback scenario in Designer
 - 2.1 Create your Designer applications
- 3 Provision a Designer application to offer callback through the IVR
- 4 Provision the Designer callback application
- 5 Provision business hours for Callback
- 6 Provision the callback services
 - 6.1 Adding a Callback virtual queue to the CALLBACK_SETTINGS data table
- 7 Testing your callback scenario



• Administrator

Callback is provisioned with Designer. To create and configure Callback services, Designer includes a set of blocks dedicated to Callback. This article provides information about how to provision a basic callback scenario in Designer. For information about the supported callback scenarios, see Callback Scenarios. For information about provisioning the Click-To-Call-In scenario in Designer, see Provisioning the Click-to-Call-In scenario.

Related documentation:

Before you start

Before you provision Callback in Designer, make sure that the following objects are created in Platform Administration and ready for use:

- A Callback Administrator.
- Route Points to be used for Inbound strategies that offer Callback.
- Route Points to be used for Outbound strategies, if Callback calls to consumers will be handled by separate Outbound strategies.
- Virtual Queues to store callbacks. Genesys recommends that you use three queues for callbacks. For more information about the virtual queues, see Provision the callback virtual queues.
- At least one agent who will process Callbacks.

Important

Genesys Callback supports voice calls only. Digital interactions are not supported.

Provision the callback virtual queues

In addition to an Inbound virtual queue, Genesys recommends that you have two additional virtual queues for callback reporting purposes. That means that you will have the following three queues for callbacks:

- Inbound virtual queue
- Callback virtual queue
- Outbound virtual queue

Genesys recommends that you use the following naming conventions for the queues:

- Inbound virtual queue: _VQ For example, Sales_VQ
- Callback virtual queue: _VQ_CB For example, Sales_VQ_CB
- Callback outbound virtual queue: _VQ_CB_OUT For example, Sales_VQ_CB_OUT

You might see the term *service* or *service name* in callback-related applications, Widgets, APIs, and in the Callback UI. The service, in this context, is a virtual queue. The service name, therefore, refers to the name of the virtual queue. For example, on the **Callback** page in the UI, the **Service Name** column identifies, by name, the virtual queue associated with each callback.

Having all three callback-related virtual queues provides the following functionality:

- For each call type, the system can keep track of and compare Estimated Wait Time (EWT) and other important queue statistics separately.
- You can configure both historical and real-time reporting. While the Inbound and Callback virtual queues collect statistics such as EWT and which calls accept the callback offer and which calls reject it, the Outbound virtual queue collects data for outbound interactions such as how long the customer had to wait for an agent to connect during the callback attempt.

After you create the virtual queues that will be used in your callback scenario, you must provision applications and Callback services in Designer. The virtual queues that you have created for callback functionality will be required to complete the Designer application and services provisioning.

Provisioning your first callback scenario in Designer

The following Callback provisioning workflow assumes that you have already completed the configuration described in the Before you start section, above.

- Provision Callback for the inbound strategy. For information, see Create your Designer Applications and Provision a Designer Application to Offer Callback Through the IVR.
- Provision Callback for the outbound strategy. For information, see Create your Designer Applications and Provision the Designer Callback Application.
- Provision Business Hours for Callback.
- Provision the Callback services in Designer.
- Test your Callback scenario configuration.

Create your Designer applications

The following table provides information about the types of Designer applications that you require for each supported callback scenario. Create the Designer applications after you have created the Inbound, Callback, and Outbound virtual queues and before you provision the Callback services.

Callback Scenario	Designer Application Type
In-Queue Callback	Default + Callback
Scheduled Callback	Default + Callback
Web Callback	Callback

The following procedures show you how to provision Designer applications for Callback. The Defaulttype Designer application provides the Callback offer to a customer waiting in a queue; for example, in a scenario where the customer is connected to an IVR. The Callback-type Designer application provides the Callback attempt for scheduled and web callback scenarios.

Provision a Designer application to offer callback through the IVR

ဗို Desi	igner Applications		Message Resource	es Speech Grammars	Business Controls 🔻	Admin 🔻	Operations 🔻			ve
	+ Add Application			ating new App	blication			×		
	Name ‡		Type Defa	ult	N			•	① Last updated - 11/21/2018	©1 ÷ 11/21/2
			Car	ncel	le ²	Create	Create and Open		11/20/2018	-
	GE	SCallback		ick Develop						

In Designer, add a new application. The application type must be Default. This application is used to offer callback through the IVR.



Applica	ation S	ettings								
General	Audio	Reporting	DTMF options	Speech Recognition	Global Retry	Caching	Misc			
Application F	Reporting Title	2								
MyFirstCallbackScenario										
This is used as application label for Designer Analytics.										
Application V	ersion				Ν					
0.1					13					
Increase vers	ion when ma	king significant o	changes to applicatio	ın.						
Stage										
Develop							•			
Cancel				Please Revie	w All Settings and	Press Here to (Continue			

There are no mandatory settings changes for the Default application, however, if there are any specific settings that you typically use for Designer applications, consider if those settings are required for your Callback Default-type application and make any necessary updates.

Application - MyFir	stCallbackScenario	*						-
				Valida	ation Status: 🕜	¢ Settings	Save Flow	≻ Publish
Palette	Application Flow	Views - Actions		erties - Callback \	/2			
User Interaction 🔨	➡ Initialize		૯	This block is us when an agent	ed to offer callbac is ready.	k and reconne	t to the customer	/
123 Menu	? Self Service	,	£	Call Routing	🍨 Offer Callb	ack 🔔 (Connect Custome	er
Play	C Assisted Servic	e ⁄	÷F	Routing Priority	🌣 Advance	d 💾 Re	sult	
C Record	Callback V2		Selec	ct Virtual Queue				
👤 User Input	🗸 🖌 I inalize		This CALL	virtual queue is us BACK_SETTI <u>NGS</u> d	ed as the key to fe ata table.	tch additional	settings from the	
Routing 🗸			Sal	es_VQ		÷		
Business Controls								
Data 🗸	/		Adva	nced Options - Ov	errides 🔻			
External Services	/		Ľ					
Reporting 🖍	/							
Callback ^	/							
C Book ASAP	/ _							
📞 Book	I							
Callback								
Collbook V2								

In Designer, select your Default-type application.

Scroll the **Palette** list to reach the **Callback** items. Drag and drop a **Callback V2** block into the **Assisted Service** phase of your application.

In the properties panel, under **Call Routing**, select the Inbound virtual queue that you configured for Callback.

For additional information about the Callback V2 block properties, see the Designer documentation.

00°	Designer	Applications	Shared Module	s Audio Reso	urces	Operatio	ns 🔻	Ve	rsion:		admin 🔻	¢ 0	
	Applicati	on - MyFirst	CallbackSc	enario	- È-		Valio	dation Status:	Set	tings 👩 Sav	ve Flow	Publish	
		တို Designer	Applications	Shared Modules	Audio Resources	Message	Resources	Speech Gramn	nars Analy	tics Busines	s Controls		
		+	Add Application	⊖ Import A	pplication							Version	: 🙎 vo
		Quick F	Filters 🌣 Samp	le Survey			_						/
		Nam	ie 🗢		Snapshot ¢	Туре	Stage	Tags	Phor Endr	ne Number(s) / point	Status	 Last updated 	() Last provisioned #
									A	-			
		Myl Desig	FirstCallbackS	Scenario n.	٥	Default	Live	Sample	64023	8, 64024 anage		02/15/2018	06/14/2010
						_							

When you complete configuration of the application, you must save and publish it. Remember to assign a phone number to it.

Provision the Designer callback application

This application type is used for setting up outbound callbacks (voice calls only). Digital interactions are not supported.

Important

You must create the Callback-type Designer application before you can edit the CALLBACK_SETTINGS data table.

Creating new Application		
Name		
MyEirstCallbackScenario OUT		
wyr irstoailoackocenario_oor		
Type	 	F
✓ Default Callback		¢
✓ Default Callback Digital		ŧ

In Designer, add a new application. The application type must be Callback. This application is used to re-connect with customers who requested a callback.

General	Audia	ettings	DTME options	Spaceb Pagespition	Global Patry	Caphing	Mico
General	Audio	Reporting	DTMP options	Speech Recognition	Global Netry	Caching	IVIISC
Application R	eporting Title	2					
MyFirstCal	lbackScenari	0					
This is used a	s application	label for Design	er Analytics.				
Application V	ersion						
0.1					<i>G</i> [−]		
Inoropoo voro	ion when ma	king cignificant (hongos to opplicatio	in.			
	ion when ma	King significant o	changes to applicatio				
Stage							
Develop							*
				Discos Devis	All Oracles and	Desas Have to C	Continue

There are no mandatory settings changes for the Callback-type application, however, if there are any specific settings that you typically use for Designer

applications, consider if those settings are required for your Callback application and make any necessary updates.

				Valida	ation Status: 🕻	Settings	ave Flow >+ Pub		
alette	Application Flow	Views - Actions -	Proper	ties - Callback	/2				
.ogic, Control 🔷 🔨	➡ Initialize	^	હ	This block is us when an agent	ed to offer call is ready.	back and reconnect to the	e customer		
→ Assign	Callback V2		± (Connect Custo	omer : R	outing Priority 🛛 🌣	Advanced		
Change	🗸 Finalize		e F	Result					
¶ Section			When a	an agent is ready	r, select which	party should initiate the c	all.		
Segmentation			Business to O Customer dials in customer						
🔇 Terminate									
Business Controls				 Shared Mod 	ules	Templates			
External Services			Select	the shared mod	ule for the outb	ound call, to confirm that	the recipient is the		
Reporting 🖍	/		Callb	ack V2 - Calling	Back				
Callback ^	/			Varaian					
C Book ASAP	/			\$	Label	Note	Created 🗢		
📞 Book			0		Latest	Use latest unpublished save.	06/29/2017		

In Designer, select your Callback-type application.

Scroll the **Palette** list to reach the **Callback** items. Then drag and drop a **Callback V2** item into the **Initialize** section of your application. For information about the Callback V2 block properties, see the Designer documentation.

Important

In the Callback V2 properties panel, under **Connect Customer**, only the Business to customer option is currently supported.

Besigner Applications Shared Modules Audio Resource	es 🧹	Operations 🔻	Version:	🛓 admin 🔻 🌣 🥹
Application - MyFirstCallbackScenario_OUT	\$	Validati	on Status: 😧 🌣 Settings	Save Flow Publish

When you complete configuration of the application, you must save and publish it. You click **Publish** to make your application available for use. For information about publishing a Designer application, see Saving and Publishing Your Application.

Provision business hours for Callback

In Designer, you must configure the Business Hours object, including the timezone, before you configure the CALLBACK_SETTINGS data table. The time zone that you configure is used for scheduled callbacks. You cannot save the CALLBACK_SETTINGS data table before the business hours are configured.

For information about configuring your business hours in Designer, see Business Hours in the Designer documentation.

Provision the callback services

The configuration parameters for callback services are stored in the Designer CALLBACK_SETTINGS data table. For detailed information about the CALLBACK_SETTINGS table, see Callback Settings Data Table in the Designer documentation.

You must make sure that the following prerequisites are completed before you add your queue to the CALLBACK_SETTINGS table:

- You must create the Callback-type Designer application before you can edit the CALLBACK_SETTINGS data table.
- You must configure the business hours, including the time zone, before making the following updates to the CALLBACK_SETTINGS data table. You cannot save the data table before the business hours are configured.
- The virtual queues that you will use for callback functionality must be created and saved in Platform Administration.

Adding a Callback virtual queue to the CALLBACK_SETTINGS data table

S Designe	er Applications Shared Modules	Audio Resources Message Resource	ces Speech Grammars Bu	siness Controls 🔻 Admin 🔻 Opera	ations 🔻
D	ata Tables				🙎 admin 🔻 🗘
	+ Add Data Table			Q Search	×
Qu	iick Filters 🌣				
	Name 🗢	Tags	🕒 Last Modified 🗸	└ Last Published \$	Actions
0	CALLBACK_SETTINGS Readon	ly	01/15/2019 🛦	07/04/2018	o ±
[■ NUMBER_VALIDATION_CON TIONS	IFIGURA-	06/22/2016 🛦		0 ±

In Designer, navigate to **Business Controls** > **Data Tables**. Click **CALLBACK_SETTINGS** and add an entry for your Callback Inbound queue as described in the Callback Settings Data Table documentation.

Da	ata 1	Tables - CALL	BACK_SETTI	NGS			ſ	🛈 Cancel 🗎 S	🔔 admin Save Table 🛛 ≻ P	👻 🌣
I	Displa	y Business Object Di	ffs Show Modifi	ed Rows Only					Validati	on Status: 🕜
•		₽ VQ ~	Immediate E~	Scheduled E ~	Hold Enabled ~	Logged In Ch>	Immediate Bl>	Callback Pur~	Call Display ~	Call Display . ≡
		default	true	true	true	false	60	120		
		_CB_VQ	true	true	true	false	60	10		
		_CB_V	true	true	true	false	60	3		
		_CB_V	false	false	false	true	60	120		
	Ø	Sales_VQ	true	true	true	false	60	120	Sales	

The default VQ row in the CALLBACK_SETTINGS table must include a valid Designer Callback-type application, a valid Business Hours object, and a semantically-correct skill expression.

In the row in which you are configuring the Inbound virtual queue, select your Designer Callback-type application in the **Callback Application** column of the table. In the figure, this is the Sales_VQ row of the table.

If you defined Callback skills for Callback agents, you can use this as a condition for the Inbound virtual queue.

For Callback-type applications, you must specify the routing point in the **Routing Point** column. The routing point for Callback-type applications is required for Callback to be fully functional. Outbound calls can sometimes fail if this is not configured.

Testing your callback scenario

Now you can test the in-queue Callback scenario. Call the phone number that is assigned to the Designer Default-type application and accept an in-queue callback for an external phone number on which you can receive calls. If an agent with a matching skill is already logged in to the voice channel in Agent Workspace, you will receive a phone call on the external phone number. Once you have accepted the callback on the external phone, the call will be connected to the logged-in agent.

To test Scheduled callback, call the phone number that is assigned to the Default-type application and choose Scheduled Callback. Listen carefully to the prompt. If it is using default settings, then it will ask you to specify a day and time for the callback based on the Pacific time zone. Also pay close attention to the actual date and time that you booked before accepting, especially if you have entered a time intended to be on the current day; the system might have offered you a time slot that is a week later. The outbound call experience is identical to the in-queue callback scenario.

To test web callback, see Managing Callbacks for information about creating a callback in the Callback UI, or Genesys Multicloud CX REST APIs and Tutorials for Callback for information about creating a callback using the REST API.