



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Multicloud CX Web-based API Reference

Statistics API

Contents

- [1 Base path: /statistics/v3](#)

Base path: /statistics/v3

POST	/operations/get-statistic-ex Get the values of a set of statistics
------	---

Get the current value of predefined statistics from Stat Server without a subscription.

Parameters

Name	Default	Description	Parameter Type	Data Type	Required
statistics		The set of statistics you want to get the values of from Stat Server.	body		true

```
{object}
```

Responses

Code	Reason
200	Ok

```
{
  "data": {
    "statistics": [
      {
        "name": "string",
        "objectId": "string",
        "objectType": "string",
        "timestamp": 0,
        "value": {
          }
        }
      ]
    },
    "errors": [
      {
        }
      ]
    }
  }
```

PeekedStatisticValue	
name	(string): The name of the statistic.
objectId	(string): The ID of the object (in Stat Server's terms).
objectType	(string): The type of object.

Code	Reason																														
<pre> "status": { "code": 0, "detail": { }, "message": "string" } }, "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td>timestamp</td> <td>(integer): The timestamp when the statistic value was generated (provided by Stat Server).</td> </tr> <tr> <td>value</td> <td>(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.</td> </tr> <tr> <td colspan="2">PeekedStatistics</td> </tr> <tr> <td>statistics</td> <td>(array:PeekedStatisticValue):</td> </tr> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">PeekedStatisticsResponse</td> </tr> <tr> <td>data</td> <td>(PeekedStatistics):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).	value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.	PeekedStatistics		statistics	(array:PeekedStatisticValue):	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	PeekedStatisticsResponse		data	(PeekedStatistics):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).																														
value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.																														
PeekedStatistics																															
statistics	(array:PeekedStatisticValue):																														
ResponseStatus																															
code	(integer):																														
detail	(object):																														
message	(string):																														
ErrorResponse																															
status	(ResponseStatus):																														
PeekedStatisticsResponse																															
data	(PeekedStatistics):																														
errors	(array:ErrorResponse):																														
path	(string):																														
status	(ResponseStatus):																														
400	Bad Request																														
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, }, } </pre>	<table border="1"> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):								
ResponseStatus																															
code	(integer):																														
detail	(object):																														
message	(string):																														
ErrorResponse																															
status	(ResponseStatus):																														
ApiResponse																															
data	(object):																														
errors	(array:ErrorResponse):																														
path	(string):																														
status	(ResponseStatus):																														

Code	Reason																						
<pre> "message": "string" } } </pre>																							
500	Internal server error																						
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
503	Service Unavailable																						
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						

Code	Reason																						
504	Backend timeout																						
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						

Usage

```

curl -X POST
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"
-d '{object}'
"https://api-demo.com/statistics/v3/operations/get-statistic-ex?"

```

GET	/statistic-values/{statisticName} Get the value of a single statistic
-----	--

Get the current value of a statistic from Stat Server.

Parameters

Name	Default	Description	Parameter Type	Data Type	Required
objectId		The ID of the object.	query	string	true
objectType		The type of object to which the statistic is applied.	query	string	true
statisticName		The name of the pre-configured statistic to retrieve.	path	string	true

Responses

Code	Reason																																						
200	Ok																																						
<pre> { "data": { "statistic": { "name": "string", "objectId": "string", "objectType": "string", "timestamp": 0, "value": { } } }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="2" data-bbox="836 367 1432 405">PeekedStatisticValue</td> </tr> <tr> <td data-bbox="1047 447 1112 485">name</td> <td data-bbox="1144 409 1421 485">(string): The name of the statistic.</td> </tr> <tr> <td data-bbox="1015 562 1112 600">objectId</td> <td data-bbox="1144 520 1421 617">(string): The ID of the object (in Stat Server's terms).</td> </tr> <tr> <td data-bbox="982 678 1112 716">objectType</td> <td data-bbox="1144 646 1421 722">(string): The type of object.</td> </tr> <tr> <td data-bbox="982 814 1112 852">timestamp</td> <td data-bbox="1144 751 1421 898">(integer): The timestamp when the statistic value was generated (provided by Stat Server).</td> </tr> <tr> <td data-bbox="1047 993 1112 1031">value</td> <td data-bbox="1144 930 1421 1077">(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.</td> </tr> <tr> <td colspan="2" data-bbox="836 1098 1432 1136">PeekedStatistic</td> </tr> <tr> <td data-bbox="1015 1140 1112 1178">statistic</td> <td data-bbox="1144 1140 1421 1178">(PeekedStatisticValue):</td> </tr> <tr> <td colspan="2" data-bbox="836 1182 1432 1220">ResponseStatus</td> </tr> <tr> <td data-bbox="1047 1224 1112 1262">code</td> <td data-bbox="1144 1224 1421 1262">(integer):</td> </tr> <tr> <td data-bbox="1047 1266 1112 1304">detail</td> <td data-bbox="1144 1266 1421 1304">(object):</td> </tr> <tr> <td data-bbox="998 1308 1112 1346">message</td> <td data-bbox="1144 1308 1421 1346">(string):</td> </tr> <tr> <td colspan="2" data-bbox="836 1350 1432 1388">ErrorResponse</td> </tr> <tr> <td data-bbox="1047 1392 1112 1430">status</td> <td data-bbox="1144 1392 1421 1430">(ResponseStatus):</td> </tr> <tr> <td colspan="2" data-bbox="836 1434 1432 1472">PeekedStatisticResponse</td> </tr> <tr> <td data-bbox="1047 1476 1112 1514">data</td> <td data-bbox="1144 1476 1421 1514">(PeekedStatistic):</td> </tr> <tr> <td data-bbox="1031 1518 1112 1556">errors</td> <td data-bbox="1144 1518 1421 1556">(array:ErrorResponse):</td> </tr> <tr> <td data-bbox="1047 1560 1112 1598">path</td> <td data-bbox="1144 1560 1421 1598">(string):</td> </tr> <tr> <td data-bbox="1047 1602 1112 1640">status</td> <td data-bbox="1144 1602 1421 1640">(ResponseStatus):</td> </tr> </table>	PeekedStatisticValue		name	(string): The name of the statistic.	objectId	(string): The ID of the object (in Stat Server's terms).	objectType	(string): The type of object.	timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).	value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.	PeekedStatistic		statistic	(PeekedStatisticValue):	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	PeekedStatisticResponse		data	(PeekedStatistic):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
PeekedStatisticValue																																							
name	(string): The name of the statistic.																																						
objectId	(string): The ID of the object (in Stat Server's terms).																																						
objectType	(string): The type of object.																																						
timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).																																						
value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.																																						
PeekedStatistic																																							
statistic	(PeekedStatisticValue):																																						
ResponseStatus																																							
code	(integer):																																						
detail	(object):																																						
message	(string):																																						
ErrorResponse																																							
status	(ResponseStatus):																																						
PeekedStatisticResponse																																							
data	(PeekedStatistic):																																						
errors	(array:ErrorResponse):																																						
path	(string):																																						
status	(ResponseStatus):																																						
400	Bad Request																																						
<pre> { </pre>	<table border="1"> <tr> <td data-bbox="836 1770 1432 1808">ResponseStatus</td> </tr> </table>	ResponseStatus																																					
ResponseStatus																																							

Code	Reason																																	
<pre> "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td></td> <td>code</td> <td>(integer):</td> </tr> <tr> <td></td> <td>detail</td> <td>(object):</td> </tr> <tr> <td></td> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="3">ErrorResponse</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="3">ApiResponse</td> </tr> <tr> <td></td> <td>data</td> <td>(object):</td> </tr> <tr> <td></td> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td></td> <td>path</td> <td>(string):</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>		code	(integer):		detail	(object):		message	(string):	ErrorResponse				status	(ResponseStatus):	ApiResponse				data	(object):		errors	(array:ErrorResponse):		path	(string):		status	(ResponseStatus):			
	code	(integer):																																
	detail	(object):																																
	message	(string):																																
ErrorResponse																																		
	status	(ResponseStatus):																																
ApiResponse																																		
	data	(object):																																
	errors	(array:ErrorResponse):																																
	path	(string):																																
	status	(ResponseStatus):																																
404	NotFound																																	
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="3">ResponseStatus</td> </tr> <tr> <td></td> <td>code</td> <td>(integer):</td> </tr> <tr> <td></td> <td>detail</td> <td>(object):</td> </tr> <tr> <td></td> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="3">ErrorResponse</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="3">ApiResponse</td> </tr> <tr> <td></td> <td>data</td> <td>(object):</td> </tr> <tr> <td></td> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td></td> <td>path</td> <td>(string):</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus				code	(integer):		detail	(object):		message	(string):	ErrorResponse				status	(ResponseStatus):	ApiResponse				data	(object):		errors	(array:ErrorResponse):		path	(string):		status	(ResponseStatus):
ResponseStatus																																		
	code	(integer):																																
	detail	(object):																																
	message	(string):																																
ErrorResponse																																		
	status	(ResponseStatus):																																
ApiResponse																																		
	data	(object):																																
	errors	(array:ErrorResponse):																																
	path	(string):																																
	status	(ResponseStatus):																																
500	Internal server error																																	
<pre> { "data": { }, "errors": [{ </pre>	<table border="1"> <tr> <td colspan="3">ResponseStatus</td> </tr> <tr> <td></td> <td>code</td> <td>(integer):</td> </tr> <tr> <td></td> <td>detail</td> <td>(object):</td> </tr> </table>	ResponseStatus				code	(integer):		detail	(object):																								
ResponseStatus																																		
	code	(integer):																																
	detail	(object):																																

Code	Reason																																	
<pre> "status": { "code": 0, "detail": { }, "message": "string" }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td></td> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="3">ErrorResponse</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="3">ApiResponse</td> </tr> <tr> <td></td> <td>data</td> <td>(object):</td> </tr> <tr> <td></td> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td></td> <td>path</td> <td>(string):</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>		message	(string):	ErrorResponse				status	(ResponseStatus):	ApiResponse				data	(object):		errors	(array:ErrorResponse):		path	(string):		status	(ResponseStatus):									
	message	(string):																																
ErrorResponse																																		
	status	(ResponseStatus):																																
ApiResponse																																		
	data	(object):																																
	errors	(array:ErrorResponse):																																
	path	(string):																																
	status	(ResponseStatus):																																
503	Service Unavailable																																	
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="3">ResponseStatus</td> </tr> <tr> <td></td> <td>code</td> <td>(integer):</td> </tr> <tr> <td></td> <td>detail</td> <td>(object):</td> </tr> <tr> <td></td> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="3">ErrorResponse</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="3">ApiResponse</td> </tr> <tr> <td></td> <td>data</td> <td>(object):</td> </tr> <tr> <td></td> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td></td> <td>path</td> <td>(string):</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus				code	(integer):		detail	(object):		message	(string):	ErrorResponse				status	(ResponseStatus):	ApiResponse				data	(object):		errors	(array:ErrorResponse):		path	(string):		status	(ResponseStatus):
ResponseStatus																																		
	code	(integer):																																
	detail	(object):																																
	message	(string):																																
ErrorResponse																																		
	status	(ResponseStatus):																																
ApiResponse																																		
	data	(object):																																
	errors	(array:ErrorResponse):																																
	path	(string):																																
	status	(ResponseStatus):																																
504	Backend timeout																																	
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, </pre>	<table border="1"> <tr> <td colspan="3">ResponseStatus</td> </tr> <tr> <td></td> <td>code</td> <td>(integer):</td> </tr> <tr> <td></td> <td>detail</td> <td>(object):</td> </tr> <tr> <td></td> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="3">ErrorResponse</td> </tr> <tr> <td></td> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus				code	(integer):		detail	(object):		message	(string):	ErrorResponse				status	(ResponseStatus):															
ResponseStatus																																		
	code	(integer):																																
	detail	(object):																																
	message	(string):																																
ErrorResponse																																		
	status	(ResponseStatus):																																

Code	Reason										
<pre> "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <thead> <tr> <th colspan="2">ApiResponse</th> </tr> </thead> <tbody> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ApiResponse											
data	(object):										
errors	(array:ErrorResponse):										
path	(string):										
status	(ResponseStatus):										

Usage

```

curl -X GET
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"

```

"https://api-demo.com/statistics/v3/statistic-values/{statisticName}?objectId=string&objectType=string"

POST	/subscriptions Open a subscription
------	---------------------------------------

Open a subscription for the specified set of statistics.

Parameters

Name	Default	Description	Parameter Type	Data Type	Required
statistics		Definitions of the statistics to monitor.	body		true
{object}					
verbose	INFO	Specifies whether the Statistics API should return additional information about opened statistics in the response. Possible values are: OFF and INFO.	query	string	

Responses

Code	Reason																																						
200	Ok																																						
<pre> { "data": { "operationId": "string", "statistics": [{ "name": "string", "objectId": "string", "objectType": "string", "statisticId": "string", "timestamp": 0, "value": { } }] }, "subscriptionId": "string" }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <thead> <tr> <th colspan="2" data-bbox="828 363 1437 401">StatisticValue</th> </tr> </thead> <tbody> <tr> <td data-bbox="828 405 1128 552">name</td> <td data-bbox="1131 405 1437 552">(string): The name of the statistic used during the subscribe procedure.</td> </tr> <tr> <td data-bbox="828 556 1128 682">objectId</td> <td data-bbox="1131 556 1437 682">(string): The ID of the object (in Stat Server's terms).</td> </tr> <tr> <td data-bbox="828 686 1128 791">objectType</td> <td data-bbox="1131 686 1437 791">(string): The type of object.</td> </tr> <tr> <td data-bbox="828 795 1128 942">statisticId</td> <td data-bbox="1131 795 1437 942">(string): The ID of the statistic. This ID is unique inside the subscription.</td> </tr> <tr> <td data-bbox="828 947 1128 1115">timestamp</td> <td data-bbox="1131 947 1437 1115">(integer): The timestamp when the statistic value was generated (provided by Stat Server).</td> </tr> <tr> <td data-bbox="828 1119 1128 1287">value</td> <td data-bbox="1131 1119 1437 1287">(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.</td> </tr> <tr> <th colspan="2" data-bbox="828 1291 1437 1329">StatisticData</th> </tr> <tr> <td data-bbox="828 1333 1128 1371">operationId</td> <td data-bbox="1131 1333 1437 1371">(string):</td> </tr> <tr> <td data-bbox="828 1375 1128 1413">statistics</td> <td data-bbox="1131 1375 1437 1413">(array:StatisticValue):</td> </tr> <tr> <td data-bbox="828 1417 1128 1455">subscriptionId</td> <td data-bbox="1131 1417 1437 1455">(string):</td> </tr> <tr> <th colspan="2" data-bbox="828 1459 1437 1497">ResponseStatus</th> </tr> <tr> <td data-bbox="828 1501 1128 1539">code</td> <td data-bbox="1131 1501 1437 1539">(integer):</td> </tr> <tr> <td data-bbox="828 1543 1128 1581">detail</td> <td data-bbox="1131 1543 1437 1581">(object):</td> </tr> <tr> <td data-bbox="828 1585 1128 1623">message</td> <td data-bbox="1131 1585 1437 1623">(string):</td> </tr> <tr> <th colspan="2" data-bbox="828 1627 1437 1665">ErrorResponse</th> </tr> <tr> <td data-bbox="828 1669 1128 1707">status</td> <td data-bbox="1131 1669 1437 1707">(ResponseStatus):</td> </tr> <tr> <th colspan="2" data-bbox="828 1711 1437 1749">StatisticDataResponse</th> </tr> <tr> <td data-bbox="828 1753 1128 1791">data</td> <td data-bbox="1131 1753 1437 1791">(StatisticData):</td> </tr> </tbody> </table>	StatisticValue		name	(string): The name of the statistic used during the subscribe procedure.	objectId	(string): The ID of the object (in Stat Server's terms).	objectType	(string): The type of object.	statisticId	(string): The ID of the statistic. This ID is unique inside the subscription.	timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).	value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.	StatisticData		operationId	(string):	statistics	(array:StatisticValue):	subscriptionId	(string):	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	StatisticDataResponse		data	(StatisticData):
StatisticValue																																							
name	(string): The name of the statistic used during the subscribe procedure.																																						
objectId	(string): The ID of the object (in Stat Server's terms).																																						
objectType	(string): The type of object.																																						
statisticId	(string): The ID of the statistic. This ID is unique inside the subscription.																																						
timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).																																						
value	(object): The value of the statistic. Its structure reflects the structure of the Stat Server message.																																						
StatisticData																																							
operationId	(string):																																						
statistics	(array:StatisticValue):																																						
subscriptionId	(string):																																						
ResponseStatus																																							
code	(integer):																																						
detail	(object):																																						
message	(string):																																						
ErrorResponse																																							
status	(ResponseStatus):																																						
StatisticDataResponse																																							
data	(StatisticData):																																						

Code	Reason																						
	<table border="1"> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):																
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
400	Bad Request																						
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
403	Forbidden																						
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						

Code	Reason																						
500	Internal server error																						
<pre data-bbox="186 367 544 913"> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1" data-bbox="828 409 1429 871"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
503	Service Unavailable																						
<pre data-bbox="186 1029 544 1575"> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1" data-bbox="828 1071 1429 1533"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
504	Backend timeout																						
<pre data-bbox="186 1690 341 1785"> { "data": { } } </pre>	<table border="1" data-bbox="828 1711 1429 1795"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):																		
ResponseStatus																							
code	(integer):																						

Code	Reason																		
<pre> }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
detail	(object):																		
message	(string):																		
ErrorResponse																			
status	(ResponseStatus):																		
ApiResponse																			
data	(object):																		
errors	(array:ErrorResponse):																		
path	(string):																		
status	(ResponseStatus):																		

Usage

```

curl -X POST
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"
-d '{object}'
"https://api-demo.com/statistics/v3/subscriptions?verbose=string"

```

DELETE	/subscriptions/{id} Delete a subscription
--------	--

Delete the specified subscription by closing all its statistics. This is a fire-and-forget operation and it always returns a success response.

Parameters

Name	Default	Description	Parameter Type	Data Type	Required
id		The ID of the subscription to delete.	path	string	true

Responses

Code	Reason						
200	Ok						
<pre> { "data": { }, "errors": [{ }] } </pre>	<table border="1"> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> </table>	ResponseStatus		code	(integer):	detail	(object):
ResponseStatus							
code	(integer):						
detail	(object):						

Code	Reason																
<pre> "status": { "code": 0, "detail": { }, "message": "string" } }, "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
message	(string):																
ErrorResponse																	
status	(ResponseStatus):																
ApiResponse																	
data	(object):																
errors	(array:ErrorResponse):																
path	(string):																
status	(ResponseStatus):																

Usage

```

curl -X DELETE
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"

```

"https://api-demo.com/statistics/v3/subscriptions/{id}?"

GET	/subscriptions/{id}/statistic-values Get the values of statistics in a subscription
-----	--

Get the values of a set of statistics that was opened with a subscription.

Parameters

Name	Default	Description	Parameter Type	Data Type	Required
id		The ID of the subscription.	path	string	true
statisticIds		A comma-delimited list of statistic IDs that belong to the specified subscription. If omitted, the Statistics API returns the current values of all statistics opened within the subscription. If specified, the Statistics API returns values for the	query	string	

Name	Default	Description	Parameter Type	Data Type	Required
		statistics with the specified IDs.			
verbose	INFO	Specifies whether the Statistics API should return additional information about opened statistics in the response. Possible values are: OFF and INFO.	query	string	

Responses

Code	Reason														
200	Ok														
<pre>{ "data": { "operationId": "string", "statistics": [{ "name": "string", "objectId": "string", "objectType": "string", "statisticId": "string", "timestamp": 0, "value": { } }] }, "subscriptionId": "string" }, "errors": [{ "status": { "code": 0, "detail": { } }, "message": "string" }] }, "path": "string", "status": { "code": 0, "detail": { } }, "message": "string" }</pre>	<table border="1"> <thead> <tr> <th colspan="2">StatisticValue</th> </tr> </thead> <tbody> <tr> <td>name</td> <td>(string): The name of the statistic used during the subscribe procedure.</td> </tr> <tr> <td>objectId</td> <td>(string): The ID of the object (in Stat Server's terms).</td> </tr> <tr> <td>objectType</td> <td>(string): The type of object.</td> </tr> <tr> <td>statisticId</td> <td>(string): The ID of the statistic. This ID is unique inside the subscription.</td> </tr> <tr> <td>timestamp</td> <td>(integer): The timestamp when the statistic value was generated (provided by Stat Server).</td> </tr> <tr> <td>value</td> <td>(object): The value of the statistic.</td> </tr> </tbody> </table>	StatisticValue		name	(string): The name of the statistic used during the subscribe procedure.	objectId	(string): The ID of the object (in Stat Server's terms).	objectType	(string): The type of object.	statisticId	(string): The ID of the statistic. This ID is unique inside the subscription.	timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).	value	(object): The value of the statistic.
StatisticValue															
name	(string): The name of the statistic used during the subscribe procedure.														
objectId	(string): The ID of the object (in Stat Server's terms).														
objectType	(string): The type of object.														
statisticId	(string): The ID of the statistic. This ID is unique inside the subscription.														
timestamp	(integer): The timestamp when the statistic value was generated (provided by Stat Server).														
value	(object): The value of the statistic.														

Code	Reason																																
<pre> } </pre>	<table border="1"> <tr> <td></td> <td>Its structure reflects the structure of the Stat Server message.</td> </tr> <tr> <td colspan="2">StatisticData</td> </tr> <tr> <td>operationId</td> <td>(string):</td> </tr> <tr> <td>statistics</td> <td>(array:StatisticValue):</td> </tr> <tr> <td>subscriptionId</td> <td>(string):</td> </tr> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">StatisticDataResponse</td> </tr> <tr> <td>data</td> <td>(StatisticData):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>		Its structure reflects the structure of the Stat Server message.	StatisticData		operationId	(string):	statistics	(array:StatisticValue):	subscriptionId	(string):	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	StatisticDataResponse		data	(StatisticData):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
	Its structure reflects the structure of the Stat Server message.																																
StatisticData																																	
operationId	(string):																																
statistics	(array:StatisticValue):																																
subscriptionId	(string):																																
ResponseStatus																																	
code	(integer):																																
detail	(object):																																
message	(string):																																
ErrorResponse																																	
status	(ResponseStatus):																																
StatisticDataResponse																																	
data	(StatisticData):																																
errors	(array:ErrorResponse):																																
path	(string):																																
status	(ResponseStatus):																																
500	Internal server error																																
<pre> { "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } } </pre>	<table border="1"> <tr> <td colspan="2">ResponseStatus</td> </tr> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <td colspan="2">ErrorResponse</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <td colspan="2">ApiResponse</td> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):										
ResponseStatus																																	
code	(integer):																																
detail	(object):																																
message	(string):																																
ErrorResponse																																	
status	(ResponseStatus):																																
ApiResponse																																	
data	(object):																																
errors	(array:ErrorResponse):																																
path	(string):																																
status	(ResponseStatus):																																
503	Service Unavailable																																

Code	Reason																						
<pre>{ "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } }</pre>	<table border="1"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						
504	Backend timeout																						
<pre>{ "data": { }, "errors": [{ "status": { "code": 0, "detail": { }, "message": "string" } }], "path": "string", "status": { "code": 0, "detail": { }, "message": "string" } }</pre>	<table border="1"> <thead> <tr> <th colspan="2">ResponseStatus</th> </tr> </thead> <tbody> <tr> <td>code</td> <td>(integer):</td> </tr> <tr> <td>detail</td> <td>(object):</td> </tr> <tr> <td>message</td> <td>(string):</td> </tr> <tr> <th colspan="2">ErrorResponse</th> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> <tr> <th colspan="2">ApiResponse</th> </tr> <tr> <td>data</td> <td>(object):</td> </tr> <tr> <td>errors</td> <td>(array:ErrorResponse):</td> </tr> <tr> <td>path</td> <td>(string):</td> </tr> <tr> <td>status</td> <td>(ResponseStatus):</td> </tr> </tbody> </table>	ResponseStatus		code	(integer):	detail	(object):	message	(string):	ErrorResponse		status	(ResponseStatus):	ApiResponse		data	(object):	errors	(array:ErrorResponse):	path	(string):	status	(ResponseStatus):
ResponseStatus																							
code	(integer):																						
detail	(object):																						
message	(string):																						
ErrorResponse																							
status	(ResponseStatus):																						
ApiResponse																							
data	(object):																						
errors	(array:ErrorResponse):																						
path	(string):																						
status	(ResponseStatus):																						

Usage

```
curl -X GET
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"
```

```
"https://api-demo.com/statistics/v3/subscriptions/{id}/statistic-values?statisticIds=string&verbose=string"
```