



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Multicloud CX Web-based API Reference

Third-Party Messaging Webhook

6/4/2026

---

## Contents

- [1 Base path: /nexus/v3](#)

---

Base path: /nexus/v3

POST	/some/webhook/path Send a message to the third-party system
------	--

Send a message to the third-party system. Refer to `OutgoingSmsMessage` and `OutgoingEmailMessage` models for examples and channel-specific differences.  
Parameters

Name	Default	Description	Parameter Type	Data Type	Required
X-Hub-Signature		The request signature, for example sha1=hash. The hash is built using the body of the message and secret for the channel.	header	string	true
X-B3-TraceId		The unique trace ID for the request.	header	string	
messages		Message	body		true

```
{}
```

### Responses

Code	Reason
200	Message has been sent

```
{  
  "messageId": "string"  
}
```

OutgoingMessageResponse

messageId (string):

---

Code	Reason		
	<table border="1"><tr><td data-bbox="813 317 1127 401"></td><td data-bbox="1127 317 1458 401">Unique message ID</td></tr></table>		Unique message ID
	Unique message ID		
500	Error occurred while sending message		

## Usage

```
curl -X POST
-H "x-api-key: your_API_key"
-H "Content-Type: application/json"
-d '{}'
```

"https://api-demo.com/nexus/v3/some/webhook/path?"