

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Outbound (CX Contact) Private Edition Guide

Campaign Manager metrics and alerts

### Contents

- 1 Metrics
- 2 Alerts

Find the metrics CPGM exposes and the alerts defined for CPGM.

#### **Related documentation:**

.

Service	CRD or annotations?	Port	Endpoint/Selector	Metrics update interval
Campaign Manager	ServiceMonitor	3106	/metrics	15 seconds

#### See details about:

- Campaign Manager metrics
- Campaign Manager alerts

### Metrics

Here are some of the metrics exposed by Campaign manager.

Metric and description	Metric details	Indicator of
cxc_cm_campaign_group_created.  Total campaign groups created.	Unit: ed_total Type: Counter Label: "'ccid', 'tenant_name'" Sample value: 42	
cxc_cm_campaign_group_remov  Total campaign groups removed.	Unit: /ed_total Type: Counter Label: "'ccid', 'tenant_name'" Sample value: 42	
cxc_cm_campaign_group_running.  Total campaign groups are running.	Unit: ng_total Type: Gauge Label: "'ccid', 'tenant_name'" Sample value: 4.2	
cxc_cm_healthy_instance Healthy instance.	Unit: Type: Gauge Label: n/a Sample value: 4.2	
cxc_cm_campaign_group_active	_tbtitt	

Metric and description	Metric details	Indicator of		
Campaign group active total.	Type: Gauge Label: "'ccid', 'tenant_name'" Sample value: 4.2			
cxc_cm_schedule_item_running	tupit:			
Campaign group with schedule running total.	Type: Gauge Label: n/a Sample value: 4.2			
cxc_cm_schedule_item_active_t	c_cm_schedule_item_active_total			
Campaign group with schedule active total.	Type: Gauge Label: n/a Sample value: 4.2			
eve em roquest count	Unit:			
cxc_cm_request_count  Total requests by verb and code.	Type: Counter Label: "'method', 'path', 'code'" Sample value: 42			
cxc_cm_request_latencies_ms	Unit:			
Request latencies histogram by verb in milliseconds.	Type: Histogram Label: "'method', 'path', 'code'" Sample value: [1, 2, 3]			
cxc_cm_request_out_count	Unit:			
Total out requests by verb destination and code.	Type: Counter Label: "'method', 'destination', 'code'" Sample value: 42			
cxc_cm_request_out_latencies_mUnit:				
Out Request latencies histogram by verb destination and code, in milliseconds.	Type: Histogram Label: "'method', 'destination', 'code'" Sample value: [1, 2, 3]			
cxc_cm_elasticsearch_service_la	a <b>tleniti</b> es_ms			
Elasticsearch Request latencies histogram by verb destination and code, in milliseconds.	Type: Histogram Label: "'method', 'destination', 'code'" Sample value: [1, 2, 3]			

## Alerts

The following alerts are defined for Campaign Manager.

Alert	Severity	Description	Based on	Threshold
CXC-CM-Redis- Connection-Failed	HIGH	Triggered when the connection to redis fails for more than		1m

Alert	Severity	Description	Based on	Threshold
		1 minute.		
CXC-CPUUsage	HIGH	Triggered when a the CPU utilization of a pod is beyond the threshold		300% for 5m
CXC-MemoryUsage	HIGH	Triggered when the memory utilization of a pod is beyond the threshold.		70% for 5m
CXC- PodNotReadyCount	HIGH	Triggered when the number of pods ready for a CX Contact deployment is less than or equal to the threshold.		1 for 5m
CXC- PodRestartsCount	HIGH	Triggered when the restart count for a pod is beyond the threshold.		1 for 5m
CXC- MemoryUsagePD	HIGH	Triggered when the memory usage of a pod is above the critical threshold.		90% for 5m
CXC- PodRestartsCountPD	HIGH	Triggered when the restart count is beyond the critical threshold.		5 for 5m
CXC- PodsNotReadyPD	HIGH	Triggered when there are no pods ready for CX Contact deployment.		0 for 1m