



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Outbound (CX Contact) Private Edition Guide

List Builder metrics and alerts

7/11/2025

Contents

- [1 Metrics](#)
- [2 Alerts](#)

Find the metrics LB exposes and the alerts defined for LB.

Related documentation:

-

Service	CRD or annotations?	Port	Endpoint/Selector	Metrics update interval
List Builder	ServiceMonitor	3104	/metrics	15 seconds

See details about:

- List Builder metrics
- List Builder alerts

Metrics

Metric and description	Metric details	Indicator of
cxc_lb_jobs_running_total Number of currently active jobs.	Unit: Type: Counter Label: ""type", 'ccid', 'tenant_name'" Sample value: [1, 2, 3]	
cxc_lb_contacts_imported_total Total contacts imported.	Unit: Type: Counter Label: ""ccid", 'tenant_name'" Sample value: 42	
cxc_lb_devices_imported_total Total device imported.	Unit: Type: Counter Label: ""ccid", 'tenant_name'" Sample value: 42	
cxc_lb_rejected_contact_lines_total Total of rejected lines in input contact list files.	Unit: Type: Counter Label: ""ccid", 'tenant_name'" Sample value: 42	
cxc_lb_healthy_instance Healthy instance.	Unit: Type: Gauge Label: n/a Sample value: 4.2	

Metric and description	Metric details	Indicator of
cxc_lb_request_count Total requests by verb and code.	Unit: Type: Counter Label: "'method', 'path', 'code'" Sample value: 42	
cxc_lb_request_latencies_ms Request latencies histogram by verb, in milliseconds.	Unit: Type: Histogram Label: "'method', 'path', 'code'" Sample value: [1, 2, 3]	
cxc_lb_job_count Total jobs.	Unit: Type: Counter Label: "'type', 'result', 'ccid', 'tenant_name'" Sample value: 42	
cxc_lb_job_duration_seconds Jobs duration histogram in seconds	Unit: Type: Histogram Label: "'type', 'ccid', 'tenant_name'" Sample value: [1, 2, 3]	
cxc_lb_request_out_count Total out requests by verb, destination, and code.	Unit: Type: Counter Label: "'method', 'destination', 'code'" Sample value: 42	
cxc_lb_request_out_latencies_ms Out Request latencies histogram by verb, destination, and code, in milliseconds.	Unit: Type: Histogram Label: "'method', 'destination', 'code'" Sample value: [1, 2, 3]	

Alerts

The following alerts are defined for List Builder.

Alert	Severity	Description	Based on	Threshold
CXC-LB-LatencyHigh	HIGH	Triggered when the latency for list builder is above the defined threshold.		5000ms for 5m
CXC-CPUUsage	HIGH	Triggered when the CPU utilization of a pod is beyond the threshold		300% for 5m
CXC-MemoryUsage	HIGH	Triggered when the memory utilization of a pod is beyond		70% for 5m

Alert	Severity	Description	Based on	Threshold
		the threshold.		
CXC-PodNotReadyCount	HIGH	Triggered when the number of pods ready for a CX Contact deployment is less than or equal to the threshold.		1 for 5m
CXC-PodRestartsCount	HIGH	Triggered when the restart count for a pod is beyond the threshold.		1 for 5m
CXC-MemoryUsagePD	HIGH	Triggered when the memory usage of a pod is above the critical threshold.		90% for 5m
CXC-PodRestartsCountPD	HIGH	Triggered when the restart count is beyond the critical threshold.		5 for 5m
CXC-PodsNotReadyPD	HIGH	Triggered when there are no pods ready for CX Contact deployment.		0 for 1m
