

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Outbound (CX Contact) CX Contact Help

Create an Analytics Dashboard Panel

Contents

- 1 Create an Analytics Dashboard Panel
- 2 Configure an Analytics Dashboard Panel
- 3 Panel List
- 4 Related Topics

Learn how to create an Analytics Dashboard Panel.

Related documentation:

•

•

Create an Analytics Dashboard Panel

Within each Analytics Dashboard you can add and configure one or more panels. A panel can be configured to highlight specific information about Jobs, Calls, SMS/Emails, Campaigns and so on.

- · Create an Analytics Dashboard Panel
- Configure an Analytics Dashboard Panel
- Panel List

For example purposes, performing the following steps will create a panel with information about job results.

- 1. Click **Analytics** and select the dashboard to which you want to add a new panel.
- Scroll to the bottom of the screen and click ADD A ROW. Refer to Configure a Dashboard Row for details about how to organize and set up the row.

Important

You do not have to add a new row to create a new dashboard panel. The same options are available for an existing row.

3. On the left side of the row, hover over the three blue rectangles and select Add Panel.



- 4. Select the **General** tab and enter a title and height for the new panel.
- 5. Select **Editable** to lock the specific dashboard so that it cannot be changed in the future
- 6. Select **Collapsable** to enable the Collapsable Row option.
- 7. Select the **Add Panel** tab and from the **Select Panel Type** list select the type of panel you want to create. An assortment of fields and parameters appear.

8. Configure the fields and parameters and click Save.

Important

Every panel can have different fields and parameters and subsequently different tabs and a different amount of tabs. Refer to the Panel List section below for details about each panel.

Link to video

Configure an Analytics Dashboard Panel

- 1. Click **Analytics** and select the dashboard containing the panel you want to change.
- 2. In the top right corner of the panel click **Configure** icon
- 3. In the **General** tab configure one or more of the followingreptings.

Title - The panel name. thumbnail: Unable

Span - Enables you to define the panel width.

Editable - Enables you to lock the specific dashboard it cannot be changed in the future.

Inspect - Select Inspect to view the Last Elasticsearch Query. When enabled, the Inspect icon destination appears in the top right corner of the panel.

creating

- 4. In the Panel tab configure the available options. For details about each option refer to the Panel Listhumbnail: Unable table below.
- 5. In the **Queries** tab you can add conditions (that is, a customized query that is applied to the panel)_{save}

thumbnail

destination

Panel List

Panel Name	Description		
	The aggstable panel is a table with aggregation by field or time period. This table represents the count of events, aggregated (grouped) according to a specified field or according to a time range. Each cell in the aggstable table includes an events (documents) count for the Vertical Field value and the Horizontal Field value. [+]		
aggstable	Panel Parameter	Description	
	Title	The panel name.	
	Span The number of columns (1 to 12) the panel will		
	Editable	Shows/hides the panel configuration button.	
	Inspect	Shows/hides the panel Inspect button. For example,	

Panel Name		Description
	Panel Parameter	Description
		when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
	Terms mode	 terms_agg - Contains the unique specified field (Vertical field option) value for data grouping and the event count according to the Horizontal field in each row. times_agg - Contains the unique specified field (Vertical field option) value for data grouping and the event count according to the selected Time Interval in each row.
	Horizontal Field	terms_agg mode only - Divides each row into columns according to the unique values in the field.
	Time Field	times_agg mode only - Determines the events timestamp. By default this value is the same value for Time Field in the Dashboard settings.
	Time Interval	times_agg mode only - Hour, day, week, month or year can be set for a count calculation for a period of events. By default this value is set to an "hour".
	Vertical Field	Used to aggregate (group) documents and divide the table into rows according to the unique value in this field.
	Column Title	The heading of the first column.
	Max Rows Count	The number of maximum table rows.
	Show Percentages For all Field(s)	Adds the percentage from the total row count to each cell.
	Show Percentages Only	Enables you to show only percentages in each cell.
	Total only	Enables you to show only the total of each column.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
	The Audittable panel sup is, ASC/DESC column and	ports the filtering of multiple values in each column. That a detailed view of the row when it is clicked. [+]
Audittable	Panel Parameter	Description
Additione	Title	The panel name.
	Span	The number of columns (1 to 12) that the panel will occupy.
	Editable	Show/hides the panel configuration button.

Panel Name	Description		
	Panel Parameter	Description	
	Time Field	Determines the events timestamp. By default this value is the same value for Time Field in the Dashboard settings.	
	Rows per page	The maximum number of rows that can be shown on single page.	
	Local Time	Enables you to adjust the time field t the browser's local time.	
	Columns	A list of all the possible column options in the table.	
	The Customtable panel is a table in which the columns contain mathematical expressions and links to other columns. [+]		
	Panel Parameter	Description	
	Title	The panel name.	
	Span	The number of columns (1 to 12) that the panel will occupy.	
	Editable	Show/hides the panel configuration button.	
	Local Time	Enables you to adjust the time field t the browser's local time.	
	Rows per page	The maximum number of rows that can be shown on single page.	
Customtable	Aggregate Mode	 Enabled - Each row in the table includes a set of documents grouped according to the Aggregate Field values. Disabled - Includes a row for each document in the database. 	
	Aggregate Field	Enables you to aggregate (group) documents and divide the table into the number of rows specified in this field.	
	Show Count	Adds a Count column to the table with the number of documents that were grouped in each row. For example, listName (an aggregate field) will include the number of operations provided for each list.	
	Create a new column		
	1. Type a title for the ne	1. Type a title for the new column ("New Column Title" input)	
	2. Select the column mo		
	Count – Total num		
	Sum - The sum of		
	- Juin - The Sulli Of	the helds values.	

Panel Name	Description		
	 Link - The value of the other custom column created within the custom table. Avg - The average of fields values. 		
	 Agg Time Diff - An aggregated count of documents within the defined duration of time specified between 2 time fields. 		
	 Minuend – The time field from which another time (subtrahend) will be subtracted. 		
	 Subtrahend – The time field to subtract from the minuend. 		
	 Operator – The condition type that should be set for the period size. 		
	 Period size - The duration in minutes or seconds. 		
	 Own Value (only available when aggregate mode is disabled) - A field value for each document. 		
	 Time Diff (only available when aggregate mode is disabled) - The duration between 2 time fields for each document. 		
	 Minuend – The time field from which another time (subtrahend) will be subtracted. 		
	 Subtrahend - The time field to subtract from the minuend. 		
	 Format - The format of the displayed result. You can create any number of fields with a difference of two time fields and specify the desired format for each of them. You can also specify the timestamp (milliseconds) as the format. To do this, enter timestamp or x in the format input If you want the result to be displayed in the time format accepted for the dashboard, leave the field empty. 		
	 Click Add Block to enter the configuration into the source field. At this stage, additional field calculations can be applied (for example, COUNT of CallResults answer + COUNT of CallResults busy) 		
	4. Click the Save Column icon. Columns can be ordered by using the Move arrows.		
	5. Save the panel.		
	Important Click the eye icon in the top right corner under Actions to hide/show the specific column.		
	Expressions writing An expression should begin with a number, parentheses or "data block" and cannot start with a mathematical operator. An expression should not contain letters. Math operators can be inserted using the keyboard or using an operators block located under expression area.		
ddfilter	The ddfilter panel enables you to create a custom filter for each user. [+]		

Panel Name	Description	
	Panel Parameter	Description
	Title	The panel name.
		The number of columns (1 to 12) that the panel will
	Span	occupy.
	Editable	Show/hides the panel configuration button.
	Inspect	Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
	Filter Field	The name of the field that should be used for filtering.
	Filter Title	Filter name.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
	Panel Parameter	displays the progress of a fixed goal in a pie chart. [+] Description
	Title	-
	Title	The panel name. The number of columns (1 to 12) that the panel will
	Span	occupy.
	Editable	Show/hides the panel configuration button.
	Inspect	Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
goal	Goal	The amount of events that should be reached.
	donut	Draws a hole in the middle of the pie chart.
	tilt	Tilts the pie chart back into an oval shape.
	legend	The location of the legend in the panel (top, bottom, none).
	labels	Disable/Enable labels inside the pie chart.
	spyable	Disable/Enable the Inspect function.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
histogram	The histogram panel enables you to display time charts. This panel includes numerous modes and transformations that enable you to display event counters, mean, min, max and the total of numeric fields, and derivatives of counter fields. [+]	

Panel Name		Description
	Panel Parameter	Description
	Title	The panel name.
	Span	The number of columns (1 to 12) that the panel will occupy.
	Editable	Show/hides the panel configuration button.
	Inspect	Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
		Contains the value that wil lbe used for the y-axis. Note: for all modes other than count, the value_field must be defined. The values can be:
		 count - shows the total count of entries in ElasticSearch for each chart interval.
		 min - shows the minimum value of the selected numerical field for each chart interval.
	Chart value	 avg - shows the average value of the selected numerical field for each chart interval.
		 max - shows the maximum value of the selected numerical field for each chart interval.
		 unique - shows the number of selected numerical fields for each chart interval.
		 sum - shows the sum of the values of the selected numerical fields for each chart interval.
	value_field	The y-axis field when the mode is set to mean, max, min or total. Note: This field must be numeric.
	Derivative	Displays the change of each point on the x-axis.
	Zero fill	Enters zeros in the gaps.
	time_field	The x-axis field. This field must be defined as a date type in Elasticsearch.
	Time correction	Sets the Local time as the browsers timezone. Valid value: Local Time and UTC.
	Auto-interval	Automatically scales intervals.
	Interval	The interval value used when Auto-interval is set to False.
	Resolution	Indicates the maximum number of chart bars.
	Bars	Shows/hides chart bars.
	Lines	Shows/hides chart lines.
	Selectable	Enables you to click and drag the table to zoom in and out.

Panel Parameter Description	Description	
Panel Parameter Description		
x-axis Show/hide the x-axis.		
y-axis Show/hide the y-axis.		
Zoom Shows/hides the Zoom Out option.		
View Shows/hides the quick view options section.		
Legend Shows/hides the table legend.		
Counts Shows/hides totals in the legend.		
Grid Enables you to automatically set the minimum maximum y-axis values.	n and	
Queries Enables you to add filters only related to this	panel.	
Filters Enables you to add filters only related to this	panel.	
Displays the results of an Elasticsearch query as a number and percent record count. This panel can be filtered according to a specific field valuexample, Success jobs count. [+]	of the total e. For	
Panel Parameter Description		
Title The panel name.		
Span The number of columns (1 to 12) that the par occupy.	nel will	
Editable Show/hides the panel configuration button.		
Editable Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example of the panel Inspect button is turned on, the Elast query associated with the specific panel appears.	sticsearch	
Shows/hides the panel Inspect button. For example 1 when the Inspect button is turned on, the Elast	sticsearch ears. -axis.	
Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elas query associated with the specific panel apperagment. Contains the value that will be used for the y-Note: For all modes other than count, the value that will be used for the y-Note:	sticsearch ears. -axis. lue_field	
Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elas query associated with the specific panel appear Contains the value that will be used for the y-Note: For all modes other than count, the value that be defined.	sticsearch earsaxis. lue_field count.	
Shows/hides the panel Inspect button. For example when the Inspect button is turned on, the Elast query associated with the specific panel appear Contains the value that will be used for the year Note: For all modes other than count, the valuest be defined. • Total - Shows the total event (documents) • Value - Shows the count, percentage and the state of the panel Inspect button. For example to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button. For example to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Elast query associated with the specific panel appear to the panel Inspect button is turned on, the Inspect button is turned on, the Inspect button is turned on the Inspect button is	ears. -axis. lue_field count. trend of the decific field. trend of the decific field	
Inspect Shows/hides the panel Inspect button. For example when the Inspect button is turned on, the Elast query associated with the specific panel appear Contains the value that will be used for the year Note: For all modes other than count, the values be defined. Total - Shows the total event (documents) Value - Shows the count, percentage and the records that have a specific value for a specific valu	sticsearch ears. -axis. lue_field count. trend of lecific field. trend of lecific field lecific field lecific field	
Inspect Shows/hides the panel Inspect button. For examined when the Inspect button is turned on, the Elast query associated with the specific panel appear Contains the value that will be used for the y-Note: For all modes other than count, the valuest be defined. Total - Shows the total event (documents) Value - Shows the count, percentage and the records that have a specific value for a specific value for a specific that have a specific value for a specific value for a specific that have a specific value for a specific value	sticsearch earsaxis. lue_field count. crend of ecific field. trend of ecific field ased for	

Panel Name	anel Name Description	
	Panel Parameter	Description
		reached.
	Color when the result is greater than the threshold	The default color of the bar when the result is greater than the threshold.
	Subtitle	The heading within the panel.
	Field	Enables you to calculate the Value and Range modes.
	Value	The field used for filtering.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
The sankey panel displays a flow diagram, in which the width of the arrows is proportionally to the flow quantity. [+]		
	Panel Parameter	Description
	Title	The panel name.
annkov	Span	The number of columns (1 to 12) that the panel will occupy.
sankey	Editable	Show/hides the panel configuration button.
	Field 1Field X	The fields that will be used for events flow tracking.
	Height	The height of the diagram in pixels.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
The table panel displays a view that can be sorted and divided into pages. The information in this panel can be arranged into defined columns and offers seven interactions (for example, adhoc term aggregations). [+]		can be arranged into defined columns and offers several
	Panel Parameter	Description
	Title	The panel name.
table	Span	The number of columns (1 to 12) that the panel will occupy.
	Editable	Show/hides the panel configuration button.
	Inspect	Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
	Header	Shows/hides column headings.

Panel Name	Description	
	Panel Parameter	Description
	Sorting	Enables/disables column sorting.
	Sort	Contains the data according to which the table should be sorted. For example, '@timestamp','desc'
	Font Size	The size of the table font in pixels.
	Local Time	Select this parameter to adjust the timeField to the browser's local time.
	Columns	The list of columns that can appear in the table.
	Highlight values	A list of values that can be highlighted.
	Show Controls	Shows/hides pagination control buttons.
	Overflow	Contains the css overflow property. That is, 'min-height' (expand) or 'auto' (scroll).
	Per Page	The maximum number of rows on one page.
	Page limit	The maximum number of pages.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
	The terms panel displays	s a table, bar chart or pie chart based on the results of an it. [+]
	Elasticsearch terms face	rt. [+]
		t. [+] Description
	Panel Parameter	rt. [+]
	Panel Parameter Title	Description The panel name. The number of columns (1 to 12) that the panel will
	Panel Parameter Title Span	Description The panel name. The number of columns (1 to 12) that the panel will occupy.
terms	Panel Parameter Title Span Editable	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch
terms	Panel Parameter Title Span Editable	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears.
terms	Panel Parameter Title Span Editable Inspect	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears. • terms - unique values used for grouping documents. • terms_stats - count, min, max, avg or sum statistics that can be applied to the Value field
terms	Panel Parameter Title Span Editable Inspect Terms mode	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears. • terms - unique values used for grouping documents. • terms_stats - count, min, max, avg or sum statistics that can be applied to the Value field according to the unique value of the field.
terms	Panel Parameter Title Span Editable Inspect Terms mode	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears. • terms - unique values used for grouping documents. • terms_stats - count, min, max, avg or sum statistics that can be applied to the Value field according to the unique value of the field. Indicates the field on which to compute the facet.
terms	Panel Parameter Title Span Editable Inspect Terms mode Field Length	Description The panel name. The number of columns (1 to 12) that the panel will occupy. Show/hides the panel configuration button. Shows/hides the panel Inspect button. For example, when the Inspect button is turned on, the Elasticsearch query associated with the specific panel appears. • terms - unique values used for grouping documents. • terms_stats - count, min, max, avg or sum statistics that can be applied to the Value field according to the unique value of the field. Indicates the field on which to compute the facet. The maximum number of values in a chart.

Panel Name	Description	
	Panel Parameter	Description
	Legend Format	Indicates the legend alignment options.
	Missing	Select/deselect this option to show/hide the display of a counter that shows how many results are missing.
	Other	Select/deselect this option to show/hide the display of a counter that represents the aggregate of all values that exceed the set length.
	Percents	Enables you to add percentages to each facet.
	Exclude Terms(s) (comma separated)	Indicates the terms that should be excluded from the results.
	Use Splitting	Enables facet splitting by other field values.
	Splitted Bars Colors	Custom bar colors for specific values.
	Queries	Enables you to add filters only related to this panel.
	Filters	Enables you to add filters only related to this panel.
	The Text panel displays st	tatic formatted as markdown, sanitized html or as plain .
	Panel Parameter	Description
	Title	The panel name.
Text	Span	The number of columns (1 to 12) that the panel will occupy.
	Editable	Show/hides the panel configuration button.
	Mode	Displays html, markdown or .
	Content (This area uses Markdown. HTML is not supported)	Displays the content of your panel in the selected mode.

Related Topics

- Configure a Dashboard
- Configure a Dashboard Row