

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys CX Insights Multicloud Projects Reference Guide

Chat folder

8/8/2025

Contents

- 1 Chat folder and subfolders
 - 1.1 Folder: Chat
 - 1.2 Folder: Chat > Agent
 - 1.3 **Folder**: Chat > Async
 - 1.4 Folder: Chat > Thread
- 2 Reports built primarily from the objects in the Chat folder and subfolders

Objects that you can use to organize and filter chat-related data from Genesys Info Mart.

Related documentation:

- •
- •
- •

RSS:

• For private edition

Chat folder and subfolders

Important

Use this document for Genesys CX Insights Multicloud deployments. For information relevant to Genesys CX Insights on-premises deployments, see the corresponding page in the *Genesys CX Insights on-premises Projects Reference Guide*.

The Chat folder contains numerous objects that you can use to build chat-related reports. The folder is organized into a series of subfolders, to make it easier to find the objects you need, as described in the following table. Many folders contain Custom folders, which are not described in this document; custom folders are provided to store any custom objects.

Important

Objects in each folder or subfolder are designed to be used together to create reports. Avoid mixing attributes and metrics from multiple folders into your reports. One exception to this rule is objects in the Time folder; Time attributes can be used in any report, and most reports include at least one attribute from the Time folder.

This folder contains the following root folder and subfolders.

• Chat

Chat > Async

• Chat > Agent

Chat > Thread

Folder: Chat

Introduced: 9.0.007.03

Description: The root Chat folder. Objects in this folder enable the organization and measurement of Info Mart agent data based on high-level characteristics of chat interactions. Other objects in this folder are organized into subfolders.

Metrics:

- % Agent Terminated
- % Customer Terminated
- % Interactions Parked
- % Interactions with Less Queue Time
- % Interactions with Long Queue Time
- % Session Inactive
- % Session Missed
- % Session Only with Bots
- % Session Transferred
- % Session with Bot
- Agent
- Agent Response Time
- Agent Responses
- Agent Terminated
- Agent Wait
- Agent Wait Time
- Avg Bots per Media Session
- Avg Bots per Session with Bot
- Avg Characters per Session typed by Agent
- Avg First Response Agent Time
- Avg Messages Sent By Agent

Attributes:

- End Reason
- Ended By

- Avg Messages Sent By Customer
- Avg Session Time
- Bot Session
- Customer Response Time
- Customer Responses
- Customer Terminated
- Customer Wait
- Customer Wait Time
- Disconnected
- First Agent Wait Time
- First Bot Wait Time
- First Response Agent Time
- First Response Wait Time
- First Touch Resolution
- Handle Interval
- Handle Time
- Idle (Agent Present)
- Idle Time (Agent Present)
- Interactions Parked
- Interactions with Less Queue
 Time
- Interactions with Long Queue
 Time
- es:

Folder: Chat > Agent

Introduced: 9.0.007.03

- Language Name
- Media Origin

- Max Agent Response Time
- Max Agent Wait Time
- Max Customer Response Time
- Max Customer Wait Time
- Max First Response Agent Time
- Max Wait-time in Queue
- Media Session
- Messages From Agent
- Messages From Agent Size
- Messages From Bot
- Messages From Bot Size
- Messages From Customer
- Messages From Customer Size
- Parking Queue Duration
- Session Ended Normally
- Session Inactive
- Session Missed
- Session Only with Bot
- Session Time
- Session Transferred
- Session with Bot
- Terminated Due to Other Reasons
- Mode

Description: Objects in this folder enable the organization and measurement of Chat data based on agent activity.

Metrics: % Interactions Less Time to Consult Received Engage • Engagement Handle Time Accept Warm Time Focus Interval • % Interactions Long Time to Consult Received Hold Time Focus Time Accept Consult Received Time Hold Time Abandoned Waiting Time Consult Received Warm Hold Interactions Less Time to • Acceptance Rate Time Accept Consult Received Warm Time Accepted • Interactions Long Time to • Accepted Unique Consult Received Warm Wrap Accept Alert Duration Consult Received Warm Wrap Max Duration for Accepting Interactions Time Avg Duration for Accepting Interactions Consult Received Wrap Offered • Avg Focus Time Consult Received Wrap Time Rejected • Consult Received Engage Time • Engage Time Wrap Time **Attributes:** Agent Name Agent Group

Folder: Chat > Async

Introduced: 9.0.007.03

 Description: Objects in this folder enable the organization and measurement of data describing advanced chat sessions.

 Metrics:

 • Dormant Interval
 • Idle (No Agent)

 • Dormant Time
 • Idle Time (No Agent)

 Attributes:
 • Idle Time (No Agent)

• There are no attributes in this folder.

Folder: Chat > Thread

Introduced: 9.0.010

Description: Objects in this folder enable the organization and measurement of data describing chat threads.

threads.		
Metrics: Average Thread Handle Time 	Thread Customer Messages	Thread Response Time
 Average Thread Response Time 	 Thread Customer Messages Size 	Thread SessionsThreads
 Thread Agent Messages 	Thread Engagements	
• Thread Agent Messages Size	Thread Handle Time	

Reports built primarily from the objects in the Chat folder and subfolders

- Async Interactions Report
- Chat Engagement Report
- Chat Message Statistics Report
- Chat Session Report

- Chat Thread Report
- Interactions Acceptance Dashboard
- Interactions Acceptance Report
- Pre-Agent Termination Report

For more information about Chat reports, see the guide *Historical Reporting with Genesys CX Insights*.