

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys CX Insights Multicloud Projects Reference Guide

Co-browse Metrics

Contents

• 1 Folder: Co-browse

Metrics that you can use to build co-browse-related reports.

Related documentation:

- •
- •
- •

RSS:

For private edition

The Co-browse folder contains numerous metrics that you can use to build Co-browse-related reports.

Note the following:

 Unless other wise noted, metrics that show time, display a whole integer representing the number of seconds.

Important

Objects in each folder or subfolder are designed to be used together to create reports. Avoid mixing attributes and metrics from multiple folders into your reports. One exception to this rule is objects in the Time folder; Time attributes can be used in any report, and most reports include at least one attribute from the Time folder.

Important

Use this document for Genesys CX Insights Multicloud deployments. For information relevant to Genesys CX Insights on-premises deployments, see the corresponding page in the *Genesys CX Insights on-premises Projects Reference Guide*.

The following Metrics are available in this folder and are described on this page.

Co-browse

- Avg Before Co-browse Started Time
- Avg Handle Time
- Before Co-browse Started Time
- Entered
- Handle Time
- Interactions

Sessions

• Write Sessions

Folder: Co-browse

Metric name: Avg Before Co-browse Started Time		Folder: Co-browse	
Description: The average amount of time between the beginning of an interaction and the initiation of the first Co-browse session.			
Calculation: Calculated as the Co-browse first wait time (first Co-browse session start time minus the interaction start time), divided by the number of Co-browse sessions (FIRST_WAIT_TIME / SESSIONS).		Used in:	
Media type:		Co-browse Summary Report	
Data type: Metric type: Disposition			
Metric name: Avg Handle Time		Folder:	
		Co-browse	
Description: The average amount of time (HH:MM:SS) that this agent spent handling Co-browse sessions.			
Calculation: Calculated as the number of Co-browse sessions		Used in:	
Media type:		Co-browse Summary Report	
Data type: Metric type: Disposition		Co-blowse Summary Report	
Metric name: Before Co-bro	owse Started Time	Folder:	
		Co-browse	
Description: Total amount of time between the beginning of an interaction and the initiation of the first Co-browse session.			
For example: In a scenario where an interaction starts at 10:00 and the customer later requests help with Co-browse, and a Co-browse session is initiated at 10:07, the FIRST_WAIT_TIME is calculated as seven minutes (420 seconds).			
Calculation: Calculated as the beginning of an interaction and browse session.		Used in: This metric is not used in any reports.	
Media type:			

Data type: Metric type: Disposition				
		Folder:		
Metric name: Entered				
		Co-browse		
Description: The total number of Voice or Chat interactions that were accepted by the agent, regardless of whether Co-browse sessions were part of the interaction.				
Calculation:				
Media type:		Used in:		
Data type:		Co-browse Summary Report		
Metric type: Disposition		,		
		Folder:		
Metric name: Handle Time				
		Co-browse		
Description: The total amount of time that this agent spent handling Co-browse sessions.				
Calculation:	t of time that this agent spent ha	fidiling Co-browse sessions.		
		Used in:		
Media type:				
Data type: Metric type: Disposition		This metric is not used in any reports.		
Traine type: Disposition				
Metric name: Interactions		Folder:		
		Co-browse		
Description: The total number included one or more Co-brows		at were accepted by the agent, and that		
Calculation:		Used in:		
Media type:		osea in:		
Data type:		 Co-browse Summary Report 		
Metric type: Disposition				
Metric name: Sessions		Folder:		
Metric Hame. Sessions		Co-browse		
		Co blowse		
Description: The total number of Co-browse sessions.				
Calculation:		Head in		
Media type:		Used in:		
Data type:		 Co-browse Summary Report 		

Metric type: Disposition			
Metric name: Write Session	ıs	Folder: Co-browse	
Description: The total number of Co-browse sessions in which WRITE mode was used in any segment of the session.			
Calculation:			
Media type: Data type: Metric type: Disposition		Used in:Co-browse Summary Report	