

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys CX Insights Multicloud Projects Reference Guide

Service Objects folder

Contents

- 1 Service Objects folder and subfolders
 - 1.1 Folder: Service Objects
- 2 Reports built primarily from the objects in the Service Objects folder and subfolders

Objects that you can use to organize and filter Info Mart data based on a range of time.

Related documentation:

•

•

•

RSS:

For private edition

Service Objects folder and subfolders

Important

Use this document for Genesys CX Insights Multicloud deployments. For information relevant to Genesys CX Insights on-premises deployments, see the corresponding page in the *Genesys CX Insights on-premises Projects Reference Guide*.

The Service Objects folder contains numerous objects that enable the organization and filtering of Info Mart data based on a range of time. The objects in this folder are used as follows:

- All reports use one or more attributes (and conditions) from this folder.
- Only certain reports use the metrics from this folder (see Abandon Delay and the Speed of Accept reports).

Many folders contain Custom folders, which are not described in this document; custom folders are provided to store any custom objects. This folder contains the following root folder and subfolders.

Service Objects

Folder: Service Objects

Introduced: 9.0.007.03

Description: The root folder for common service objects. Many reports use one or more attribute from this folder, while only a few reports, such as Abandon Delay and the Speed of Accept, use the metrics.

Metrics: • Bound 1	Bound 19	Min Date Time Day Key
Bound 10	Bound 2	• Min Date Time Day Key (Fmt)
Bound 11	Bound 3	Min Date Time Day Next Key
Bound 12	Bound 4	(Fmt)
Bound 13	Bound 5	Min Date Time Key
Bound 14	Bound 6	Min Date Time Key (Fmt)
Bound 15	Bound 7	Min Date Time Next Day Key
Bound 16	Bound 8	Start Date Time Key
Bound 17	Bound 9	
Bound 18	Max Date	
Attributes: • Bound 1	Bound 19	Interaction Descriptor Key
Bound 10	Bound 2	Media Type
Bound 11	Bound 3	Resource Group
Bound 12	Bound 4	Resource Name
Bound 13	Bound 5	Schema Name
Bound 14	Bound 6	Schema Version
Bound 15	Bound 7	Target Queue
Bound 16	Bound 8	• Tenant
Bound 17	Bound 9	Time Range Key
Bound 18	Group Type	

Reports built primarily from the objects in the Service Objects folder and subfolders

No results