



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Work with Genesys CX Insights Reports

Application Summary Report

6/9/2026

Contents

- [1 Understanding the Application Summary Report](#)
- [2 Prompts for the Application Summary Report](#)
- [3 Attributes used in the Application Summary Report](#)
- [4 Metrics used in the Application Summary Report](#)
- [5 Special Note about User/Final Disposition](#)



- Administrator
- Supervisor

Learn about the disposition of Interactive Voice Response (IVR) sessions.

Related documentation:

-
-
-
-

RSS:

- [For private edition](#)

Understanding the Application Summary Report

Application Summary Report			
Final Disposition	Application Name	Day	Session
Abandoned in Queue	TEST_CALLBACK	2017-09-12	10
		Percent to Total	2%
	Percent to Total		2%
Abandoned in Queue	GimReporting	2017-09-14	24
		Percent to Total	4%
	Percent to Total		4%
Abandoned in Self Service	GimReporting	2017-09-14	4
		Percent to Total	1%
	Percent to Total		1%
Completed in Self Service	QAART_segment	2017-09-11	2
		2017-09-13	6
		2017-09-18	2
		Percent to Total	2%
	Percent to Total		2%
		2017-09-11	100

The (**Designer** folder) Application Summary Report provides detailed information about the origin of calls that traverse Designer applications, and the user-defined disposition of the calls. The report allows you view these results separately for each application, for time ranges that you specify.

To get a better idea of what this report looks like, view sample output from the report:

[SampleApplicationSummaryReport.pdf](#)

The following tables explain the prompts you can select when you generate the report, and the metrics and attributes that are represented in the report:

Prompts for the Application Summary Report

Prompt	Description
Pre-set Date Filter	From the list, choose a time period on which to report, and move it to the Selected list.
Start Date	Choose the first day from which to gather data into the report.
End Date	Choose the last day from which to gather data into the report.
User Disposition	Filter the interactions included in the report based on whether the status when the caller exited the call flow was set by the agent (User Disposition) or by the system (Final Disposition).
Application	Choose the applications to include in the report. By default, the report includes all applications. If you add any applications to the Selected list, then only those applications are included.

Attributes used in the Application Summary Report

Attribute	Description
Application Name	This attribute enables data within the reporting interval to be organized by the name of the self-service and/or assisted-service Designer application.
Country	This attribute enables data within the reporting interval to be organized by the name of the country in which the caller is located.
DNIS	This attribute enables data within the reporting interval to be organized by the Dialed Number Identification Service (DNIS).
Day	This attribute enables data within the reporting interval to be organized by a particular day.
Final Disposition	This attribute enables data to be organized by the status assigned to a call when the caller exited the call flow (such as Abandoned in Self-service, Abandoned in Queue, Routed to Agent, System Error, Terminated, or Other). This status is set by the system. The report includes either Final Disposition or User Disposition, or neither, but not both.
User Disposition	This attribute enables data to be organized by the status assigned to a call when the caller exited the call flow. This status is set by the agent. The report includes either Final Disposition or User Disposition, or neither, but not both.
Language	This attribute enables data within the reporting interval to be organized by language.
Region	This attribute enables data within the reporting

Attribute	Description
	interval to be organized by the geographic classification of the call. The value is derived from the Region (such as North America LTAM, North America APC, or EMEA) defined in Designer.

Metrics used in the Application Summary Report

Metric	Description
Session	The total number of sessions attributed to User Disposition or Final Disposition.

Special Note about User/Final Disposition

When you run this report, the selection you make at the User Disposition prompt determines which attribute (User Disposition or Final Disposition) is included in the report. If you save the report after running it, the selection you made at the User Disposition prompt is remembered by CX Insights, and the corresponding attribute always appears in the report when you run it on all future occasions, and the other attribute is excluded from the report. However, if you run the report and save it, the 'missing' attribute is not gone forever, and you can easily restore it as follows:

1. Open and run the report, and click **Report Home > Design**, to access Design Mode
2. Whichever attribute (User Disposition or Final Disposition) is present in the report grid, drag it out of the report grid into the **Report Objects** list.
3. From the **All Objects** list, open the **Public Objects\Prompts\Designer** folder, and drag the User Disposition prompt to the report grid.
4. Save the report. The next time you run the report, the original report behavior is restored.

To avoid this situation, Genesys recommends that, when saving any report, you save it with a new name in either the Custom or My Reports folder, as discussed in Customizing Reports.