



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Field Codes Reference Guide

[Get started](#)

---

## Contents

- 1 Topics in this guide
  - 1.1 The basics
  - 1.2 Functions
  - 1.3 Objects



- Administrator

Learn about the topics covered in the Field Codes Reference Guide.

### Related documentation:

- 

This guide describes Field\_Code that are used in Standard\_Response. For more information, see [\[\[PEC-ROU/Current/Designer/FieldCodes\]\]](#) and [\[\[PEC-ROU/Current/Designer/StandardResponses\]\]](#).

With field codes, you can compose standard responses that are automatically personalized when they are used. This feature is very similar to the Mail-Merge feature in word-processing applications such as Microsoft Word. Consider, for example, this standard response:

Dear ,

...

This response has two field codes. When an agent inserts this response into an email, the first field code, , is replaced by the contact's first name as it appears in Universal Contact Server. The second field code, , is replaced by the agent's signature as it appears in Configuration Manager.

For example, if an agent named Danielle uses this standard response while replying to an email from a contact named Sam, the result might look like this:

Dear Sam,

...

Thank you for choosing My Cloud Security Systems.

Sincerely,  
Danielle Rodriguez  
Customer Support  
[www.MCSS.com](http://www.MCSS.com)

## Topics in this guide

### The basics

- Data types
- Operator precedence

- 
- Named constants

## Functions

- String functions
- Date and time functions
- Type conversion
- Mathematical functions
- Miscellaneous functions

## Objects

- Agent object
- Contact object
- Interaction object