



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Voice Microservices Private Edition Guide

Provision the Voicemail Service

3/20/2023

Contents

- [1 Enabling Voicemail](#)
- [2 Managing voicemail profiles](#)
- [3 Configuring mailbox settings](#)
- [4 Managing your greetings](#)
- [5 Bulk-provisioning mailboxes](#)

Learn how to provision the Voicemail Service.

Related documentation:

-
-
-

RSS:

- [For private edition](#)


You provision the voicemail service using Agent Setup. Provisioning consists of the following tasks:

1. Enable voicemail.
2. Create voicemail profiles.
3. Configure mailbox settings, as required.
4. Configure greetings.
5. Bulk-provision mailboxes.

Enabling Voicemail

To provision the voicemail service in Agent Setup, you must first enable voicemail:

1. Log in to Agent Setup.
2. Navigate to **Contact Center Settings > Voicemail & Call Settings > Profiles**.
3. Select the **DialPlan** profile.
4. Select 0n in the **Voicemail_enabled** field.



Managing voicemail profiles

You use voicemail profiles to assign voicemail settings. To create and manage voicemail profiles:

1. Log in to Agent Setup.
2. Navigate to **Contact Center Settings > Voicemail & Call Settings > Profiles > VoicemailProfiles**.
3. To create a new profile, click **Add Profile**. To edit an existing profile, select it in the list.
4. The following table describes the options you can configure for a voicemail profile.

Option	Values (bold indicates the default value)	Description
Email Body	"Mailbox has a new message from ", or any text	<p>The body of the notification email. It can contain any of the following parameter tokens:</p> <ul style="list-style-type: none"> • CallerID is the phone number of the caller.


Option	Values (bold indicates the default value)	Description
		<ul style="list-style-type: none"> MailboxID is the mailbox that contains the message. MsgPriority is the message priority set by the caller, if enabled. MsgReceivedDate is the date on which the caller left the message. UserEmail is the email address of the recipient. UserPhone is the phone number of the recipient. VoicemailAccessURL is the URL that the recipient can click to retrieve their message online. VoicemailAccessNumber is the phone number that the user can dial to listen to their message. <p>To insert a parameter, type . The message also includes any static text you type.</p>
Email From Address	user@domain	The email address from which you want to send notifications.
Email Notification	true, false	Enable or disable email notifications.
Email Subject	"Genesys Voicemail Notification: New Message from ", or any subject line	The subject line of the notification email. It can contain any of the parameter tokens available in the Email Body.
Max Duration	30 , or any positive integer	Specifies, in seconds, the maximum message length.
Max Message Count	100 , or any positive integer	Type a value to set a new maximum number of messages.
Retention Limit	10, 20, 30, 40, 50, 60	Deletes the voicemail from storage after the configured number of days.
Voicemail Forwarding	true, false	When the Voicemail Forwarding option is set to true, you can use your telephone to forward voicemail messages left in your mailbox to any mailbox.

Configuring mailbox settings

To configure and manage mailbox settings:

1. Log into Agent Setup.
2. Navigate to **Contact Center Settings > Voicemail & Call Settings > Mailbox Settings**.
3. Search and select the mailbox for which the settings need to be modified. The selected mailbox opens in a new window.
4. On the **General Info** tab, use the following options to provision the selected mailbox.


Setting	Values (bold indicates the default value)	Description
Max Message Count	100 , or any positive integer	Type a value to set a new maximum number of messages.
Active Greeting Type	Standard , or a greeting type from the menu	Specifies the type of mailbox greeting.
Max Duration	30 , or any positive integer	Specifies, in seconds, the maximum message length.
Output Phone Number	System (Not Set) , or any phone number or routing point	When set, enables a caller to transfer out of voicemail to the specified destination at any time during a call. Select the radio button and type a value to set a new optout phone number. Select System to restore the value to the number in parentheses, which is the value set at the application or switch level for the configuration option voicemail-optout-destination.
Voicemail Profile	SystemProfile , or a profile from the menu	Specifies the profile that the mailbox uses.
Locale	en-US , or other locale strings	Specifies the default locale for the Telephone User Interface (TUI).
Time Zone	America/Los_Angeles , or a time zone from the menu	Select a time zone from the menu to set a new time zone for all mailboxes that use the system (default) time zone. Select System to restore the system value.



Managing your greetings

To manage your voicemail greetings:

1. Log into Agent Setup.
2. Navigate to **Contact Center Settings > Voicemail & Call Settings > Mailbox Settings**.
3. Search and select the mailbox for which the settings need to be modified. The selected mailbox opens in a new window.
4. On the **Greetings** tab:
 - Click **Upload/Reupload** to upload a Personal or Extended Absence greeting.
 - Click **Play** to listen to the existing Personal or Extended Absence greeting.



Bulk-provisioning mailboxes

To provision many mailboxes simultaneously:

1. Log in to Agent Setup.
2. Navigate to **Contact Center Settings > Voicemail & Call Settings > Mailbox Settings**.
3. To add or modify mailbox settings simultaneously, click **Bulk Import**.
4. Create a CSV file with the following fields:
 - Mailbox Number
 - Active Greeting Type
 - Output Phone Number
 - Locale
 - Time Zone
 - Max Message Count
 - Max Duration
 - Voicemail Profile
5. Select the created CSV file. The mailbox settings will be updated for the mailboxes mentioned in CSV

file after successful Bulk Import.