



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Voice Microservices Private Edition Guide

[Call State Service metrics and alerts](#)

---

## Contents

- [1 Metrics](#)
- [2 Alerts](#)

Find the metrics Call State Service exposes and the alerts defined for Call State Service.

Service	CRD or annotations?	Port	Endpoint/Selector	Metrics update interval
Call State Service	Supports both CRD and annotations	11900	http://:11900/metrics	30 seconds

See details about:

- Call State Service metrics
- Call State Service alerts

## Metrics

Voice Call State Service exposes Genesys-defined, Call State Service-specific metrics as well as some standard Kafka metrics. You can query Prometheus directly to see all the metrics that the Call State Service exposes. The following metrics are likely to be particularly useful. Genesys does not commit to maintain other currently available Call State Service metrics not documented on this page.

Metric and description	Metric details	Indicator of
<b>callthread_call_threads</b> Number of monitored call threads.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> <b>Sample value:</b>	Saturation
<b>callthread_envoy_proxy_status</b> Status of the envoy proxy: -1 - error 0 - disconnected 1 - connected	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	
<b>callthread_health_level</b> Health level of the agent node: -1 - error 0 - fail 1 - degraded 2 - pass	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	
<b>callthread_healthcheck_generic_exception</b> Generic error during health check.	<b>Unit:</b> N/A <b>Type:</b> gauge	

Metric and description	Metric details	Indicator of
	<b>Label:</b> <b>Sample value:</b>	
<b>callthread_redis_state</b> Current Redis connection state: -1 - error 0 - disconnected 1 - connected 2 - ready	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> <b>Sample value:</b>	Errors
<b>http_client_request_duration_seconds</b> HTTP client time from request to response, in seconds.	<b>Unit:</b> seconds <b>Type:</b> histogram <b>Label:</b> target_service_name <b>Sample value:</b>	
<b>http_client_response_count</b> The number of HTTP client responses received.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> target_service_name, tenant, status <b>Sample value:</b>	
<b>kafka_consumer_rcv_messages_total</b> Number of messages received from Kafka.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> topic, tenant, kafka_location <b>Sample value:</b>	Traffic
<b>kafka_consumer_error_total</b> Number of Kafka consumer errors.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> topic, kafka_location <b>Sample value:</b>	Errors
<b>kafka_consumer_latency</b> Consumer latency is the time difference between when the message is produced and when the message is consumed. That is, the time when the consumer received the message minus the time when the producer produced the message.	<b>Unit:</b> <b>Type:</b> histogram <b>Label:</b> topic, tenant, kafka_location <b>Sample value:</b>	Latency
<b>kafka_consumer_rebalance_total</b> Number of Kafka consumer re-balance events.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> topic, kafka_location <b>Sample value:</b>	
<b>kafka_consumer_state</b> Current state of Kafka consumer.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> topic, kafka_location <b>Sample value:</b>	
<b>kafka_producer_messages_total</b> Number of messages received from	<b>Unit:</b> N/A <b>Type:</b> counter	Traffic

Metric and description	Metric details	Indicator of
Kafka.	<b>Label:</b> topic, tenant, kafka_location <b>Sample value:</b>	
<b>kafka_producer_queue_depth</b> Number of Kafka producer pending events.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> kafka_location <b>Sample value:</b>	Saturation
<b>kafka_producer_queue_age_seconds</b> Age of the oldest producer pending event, in seconds.	<b>Unit:</b> seconds <b>Type:</b> gauge <b>Label:</b> kafka_location <b>Sample value:</b>	
<b>kafka_producer_error_total</b> Number of Kafka producer errors.	<b>Unit:</b> N/A <b>Type:</b> counter <b>Label:</b> kafka_location <b>Sample value:</b>	Errors
<b>kafka_producer_state</b> Current state of the Kafka producer.	<b>Unit:</b> N/A <b>Type:</b> gauge <b>Label:</b> kafka_location <b>Sample value:</b>	
<b>log_output_bytes_total</b> Total amount of log output, in bytes.	<b>Unit:</b> bytes <b>Type:</b> counter <b>Label:</b> level, format, module <b>Sample value:</b>	

## Alerts

The following alerts are defined for Call State Service.

Alert	Severity	Description	Based on	Threshold
Kafka events latency is too high	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple topics, ensure there are no issues with Kafka (CPU, memory, or network overload).</li> <li>If the alarm is triggered only for topic {{</li> </ul>	kafka_consumer_latency_bucket	Latency for more than 5% of messages is more than 0.5 seconds for topic {{ \$labels.topic }}.

Alert	Severity	Description	Based on	Threshold
		<p><code>labels.topic</code> }}, check if there is an issue with the service related to the topic (CPU, memory, or network overload).</p>		
Too many Kafka consumer failed health checks	Warning	<p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka.</li> <li>If the alarm is triggered only for <code>labels.container</code> }, check if there is an issue with the service.</li> </ul>	<code>kafka_consumer_error_total</code>	Health check failed more than 10 times in 5 minutes for Kafka consumer for topic <code>labels.topic</code> }.
Too many Kafka consumer request timeouts	Warning	<p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka.</li> <li>If the alarm is triggered only for <code>labels.container</code> }, check if there is an issue with the service.</li> </ul>	<code>kafka_consumer_error_total</code>	More than 10 request timeouts appeared in 5 minutes for Kafka consumer for topic <code>labels.topic</code> }.
Too many Kafka consumer crashes	Critical	<p>Actions:</p>	<code>kafka_consumer_error_total</code>	More than 3 Kafka consumer crashes in 5 minutes for

Alert	Severity	Description	Based on	Threshold
		<ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka.</li> <li>If the alarm is triggered only for {{ \$labels.container }}, check if there is an issue with the service.</li> </ul>		topic {{ \$labels.topic }}.
Pod status Failed	Warning	Actions: <ul style="list-style-type: none"> <li>Restart the pod. Check if there are any issues with the pod after restart.</li> </ul>	kube_pod_status_phase	Pod {{ \$labels.pod }} is in Failed state.
Pod status Unknown	Warning	Actions: <ul style="list-style-type: none"> <li>Restart the pod. Check if there are any issues with pod after restart.</li> </ul>	kube_pod_status_phase	Pod {{ \$labels.pod }} is in Unknown state for 5 minutes.
Pod status Pending	Warning	Actions: <ul style="list-style-type: none"> <li>Restart the pod. Check if there are any issues with the pod after restart.</li> </ul>	kube_pod_status_phase	Pod {{ \$labels.pod }} is in Pending state for 5 minutes.
Pod status NotReady	Critical	Actions: <ul style="list-style-type: none"> <li>Restart the pod. Check if there are any issues with the pod after restart.</li> </ul>	kube_pod_status_ready	Pod {{ \$labels.pod }} is in NotReady status for 5 minutes.

Alert	Severity	Description	Based on	Threshold
Container restarted repeatedly	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>Check if the new version of the image was deployed.</li> <li>Check for issues with the Kubernetes cluster.</li> </ul>	kube_pod_container_status_restarts_total	Container {{ \$labels.container }} was restarted 5 or more times within 15 minutes.
Max replicas is not sufficient for 5 mins	Critical	The desired number of replicas is higher than the current available replicas for the past 5 minutes.	kube_statefulset_replicas, kube_statefulset_status_replicas	The desired number of replicas is higher than the current available replicas for the past 5 minutes.
Kafka not available	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka.</li> <li>If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.</li> </ul>	kafka_producer_status, kafka_consumer_status	Kafka is not available for pod {{ \$labels.pod }} for 5 consecutive minutes.
Redis not available	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>If the alarm is triggered for multiple services, make sure there are no issues with Redis, and then restart Redis.</li> <li>If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.</li> </ul>	callthread_redis_status	Redis is not available for pod {{ \$labels.pod }} for 5 consecutive minutes.

Alert	Severity	Description	Based on	Threshold
		<code>labels.pod }</code> , check if there is an issue with the pod.		
Pod CPU greater than 65%	Warning	High CPU load for pod <code>{{ labels.pod }}</code> .	<code>container_cpu_usage_seconds_total</code> <code>container_spec_cpu_period</code>	Container <code>{{ labels.container }}</code> CPU usage exceeded 65% for 5 minutes.
Pod CPU greater than 80%	Critical	Critical CPU load for pod <code>{{ labels.pod }}</code> .	<code>container_cpu_usage_seconds_total</code> <code>container_spec_cpu_period</code>	Container <code>{{ labels.container }}</code> CPU usage exceeded 80% for 5 minutes.
Pod memory greater than 65%	Warning	High memory usage for pod <code>{{ labels.pod }}</code> .	<code>container_memory_working_set_bytes</code> <code>kube_pod_container_resource_requests_memory_bytes</code>	Container <code>{{ labels.container }}</code> memory usage exceeded 65% for 5 minutes.
Pod memory greater than 80%	Critical	Critical memory usage for pod <code>{{ labels.pod }}</code> .	<code>container_memory_working_set_bytes</code> <code>kube_pod_container_resource_requests_memory_bytes</code>	Container <code>{{ labels.container }}</code> memory usage exceeded 80% for 5 minutes.
Too many Kafka pending events	Critical	<p>Actions:</p> <ul style="list-style-type: none"> <li>Ensure there are no issues with Kafka or <code>{{ labels.container }}</code> service's CPU and network.</li> </ul>	<code>kafka_producer_queue_depth</code>	Too many Kafka producer pending events for service <code>{{ labels.container }}</code> (more than 100 in 5 minutes).