



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Designer User's Guide

[Play Message Block](#)

Contents

- [1 Using this Block](#)
 - [1.1 Prompts tab](#)
 - [1.2 Message Settings tab](#)
- [2 Scenarios](#)



- Administrator

This block enables you to play a message to a customer. For example, you might play a greeting or provide some instructions.

Related documentation:

-
-
-

You can use the **Play Message** block in the **Self Service** and **Assisted Service** phases to play audio messages to the customer. These messages or prompts might be an introductory welcome message or instructions on how to proceed through the application.

These audio messages are defined as either:

- Text-to-Speech (TTS) — Strings entered directly in the block, or variables.
- Announcements — Audio files that were previously uploaded in the Media Resources page, or variables played as TTS.

Using this Block

Prompts tab

Disable barge-in

Select this option to prevent callers from interrupting a prompt while it is still playing. For example, you might want a "Welcome" message to play all the way through before the caller can enter another command and skip to the next menu prompt.

If this option is not selected, barge-in is enabled, and the prompt can be interrupted by the caller.

Important

The selected barge-in setting applies irrespective of whether global DTMF options are used or not.

Always play prompt and disable buffering

Select this option if you want callers to be able to interrupt a prompt while it is playing, but not have those inputs applied to subsequent User Input or Menu block prompts. For example, if this option is enabled and the caller interrupts a “Welcome” message by pressing 3, the input is ignored by the next User Input or Menu prompts.

If this option is not enabled, the input is buffered and applied to the next block accepting input.

To create a new prompt, click **Add Prompt** and follow the instructions below.

In the **Type** column, select the type of prompt:

- **TTS** — Read a text or variable value to a user through TTS.
- **Announcement** — Play a prerecorded announcement. When using a variable, the variable value should be the name of the audio resource to play.
- **Intelligent Prompt** — Intelligently convert a number into items such as a date, currency, or ordinal number, and then read it with human audio to a user.

Important

If Designer is not able to play an Intelligent Prompt in the caller's preferred language, it will play the prompt in American English (en-US).

- **Record Utterance** — Play the recorded file captured by the Record Utterance block. (This option is only supported in the Self Service phase, as the recording file captured by the Record Utterance block is no longer available after the Self Service phase.)
- **External Audio** — Play an audio file hosted outside of Designer. For example, you could define a variable that points to an audio file hosted on another server, and specify that variable here.

In the **Variable?** column, enable or disable the check box to identify the **Value** as a variable.

In the **Value** column, specify the prompt value. If **Variable?** is enabled, choose a variable in the drop-down menu.

In the **Play as** column, select an option:

Important

Some **Play as** options might not be available for certain prompt types.

- **alphanumeric** - The value is read as a series of letters and/or numbers.
- **currency** — Use the following format: UUUMM.NN, where UUU is the ISO4217 currency code. You can omit the currency code to use the default currency for the current locale.
- **date** — Use the following format: YYYYMMDD. You can use ?? or ??? for unspecified fields.

- **day** - A day of the week.
- **dtmf** - A menu item.
- **ordinal** — A positive integer.
- **cardinal** — A positive or negative integer or decimal number.
- **character** - A character.
- **text** - Text that should be read without special formatting (for example, a sentence or phrase).
- **time**
 - TTS prompt - You must use the following format: hh:mm. For example, use 09:00 for 9 a.m. or 21:00 for 9 p.m.
 - Intelligent Prompt - You can use the TTS format or the following format: hhmm[aph?], where a is a.m., p is p.m., h identifies 24-hour time, and ? is unspecified. For example, you can use 0900 for 9 a.m. or 0900p for 9 p.m.
- **telephone** or **phone** — Use a sequence of digits (0 - 9), optionally followed by an "x" and then extension digits (0 - 9).

Properties - Play Message



This block is used to play audio messages. These messages can be TTS (Text to Speech), Audio Files (previously uploaded in Audio Resources page, or variables played as TTS.

») Prompts Message Settings

Specify prompts to be played

Disable barge-in

Always play prompt and disable buffering

+ Add Prompt

Type	Var?	Value	Play as	Actions
TTS	<input type="checkbox"/>	Welcome to	text	
TTS	<input checked="" type="checkbox"/>	varMyCompanyName	text	
TTS	<input type="checkbox"/>	We have been serving our customers since	text	
TTS	<input checked="" type="checkbox"/>	varCompanyFoundedIn	text	
Announcement	<input type="checkbox"/>	Test Greeting	audio	

Message Settings tab

Rich media settings

Image URL

(Optional) Enable this option if you want to display an image to customers during chats. Specify the

variable that contains the URL to the image that you want to display.

Properties - Play Message



This block is used to play audio messages. These messages can be TTS (Text to Speech), Audio Files (previously uploaded in Audio Resources page, or variables played as TTS.

» Prompts **Message Settings**


Rich media settings.

Image URL (optional)

Provide values to substitute to message field codes.

+ Add Field Code

#	Type	Value
---	------	-------



Add Field Code

(Optional) If you are using field codes, you can specify them here.

Scenarios

If you want to repeat the account number that the caller just entered:

1. First Prompt
 - **Type:** TTS
 - **Variable?:** Disabled
 - **Value:** The account number you just entered is
 - **Play as:** text
2. Second Prompt
 - **Type:** TTS
 - **Variable?:** Enabled
 - **Value:** account_number_variable
 - **Play as:** telephone

If you want to allow barge-in on a "Welcome" message, followed by an informational prompt for a

Menu block input that has barge-in and buffering disabled:

1. In the properties for the **Play Message** block for the "Welcome" message:
 - Do not select **Disable barge-in**.
 - Select **Play prompt and disable buffering**.
2. In the properties for the Menu block that prompts for the caller's input:
 - Select **Disable barge-in**.