

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## GDL Deployment Guide

Access Log Files

### Contents

- 1 Access Server Log Files
- 2 Access Data Log Files

Debugging log files for troubleshooting.

### Access Server Log Files

Log files of Kafka layers can be accessed by following commands.

- 1. Change the directory of command prompt to /var/lib/docker/volumes
- 2. List all the available volumes by using command ls
- 3. Change the directory to specific kakfa layer, say cd docker kafkall-log
- 4. List all the available folders by using command ls
- 5. Change the directory to cd \_data/
- 6. List all the available log files by using command ls

server.log file can be used to check the log files of kafka layer.

#### Access Data Log Files

Volume files of Kafka layers and zookeeper layers (as defined in the respective docker-compose.yml files) can be accessed by following commands.

- 1. Change the directory of command prompt to /var/lib/docker/volumes
- 2. List all the available volumes by using command ls
- 3. Change the directory to specific kakfa layer, say cd docker kafkall
- 4. List all the available folders by using command ls
- 5. Change the directory to cd \_data/
- 6. List all the available volume files by using command ls

The same procedure can be repeated for other volumes of zookeeper.