



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Outbound (CX Contact) CX Contact Help

[Create / Edit a Schedule](#)

Contents

- [1 Create or edit a Schedule](#)
- [2 Schedules List Properties](#)
- [3 Schedule Options Properties](#)
- [4 Campaign Groups Properties](#)
- [5 Related Topics](#)

Learn how to create and edit schedules that automatically and periodically run Campaign Groups.

Related documentation:

•

Create or edit a Schedule

CX Contact Schedules allow you to create and run one or more Campaign Groups automatically and periodically using a predefined schedule. You can access and customize near-real time reporting data about Schedules from the Schedules Dashboard.

[Link to video](#)

1. Click the **Schedules** menu. The Schedules list appears. For details, see the Schedules List Properties table below.
2. Select your preferred view.
 - **Table View** - Lists all the existing schedules.
 - **Calendar View** - Displays all of the existing schedules in the day on which they are scheduled to start.
3. Select **New** to create a new schedule or click the name of the schedule you want to edit. Use the **Global** toggle to switch between global (UTC) and local time zones for the schedule.
4. Select the **Schedule Options** tab and set the available options. The options in the **Schedule Options** tab enable you to define when the Campaign Groups associated with the schedule is run. For details, see the Schedule Options Properties table below.

Schedule Options Campaign Groups

Define recurrence of the Outbound Schedule

Daily
 Weekly
 Monthly
 Once

Execute every n-th day between Start Date and End Date

Start Condition

* Repeat every at : from until

No End Date

* On the following Days of the Week

Monday
 Tuesday
 Wednesday
 Thursday
 Friday
 Saturday
 Sunday

Stop Condition (whichever occurs first)

Stop at :

Stop after

5. Select the **Campaign Groups** tab and select the Campaign Groups to which this schedule is applied. When the schedule is run, the selected Campaign Groups are activated. For details, see the Campaign Groups Properties table below.

Schedule Options **Campaign Groups**

Campaign Groups in Schedule

▼ Expand All ▲ Collapse All	Add	Q Search
▼ 123412341234-46326cfc@All Agents		
> Sequential commands		+
Instant commands		+

6. Select the **Campaign Group Dialing** panel and configure the following options:
 - **Change Dialing parameters** - Change the Campaign Group's pacing parameters.
 - **Force Stop** - Force the Campaign Group to be unloaded.
 - **Start** - Load the Campaign Group.

- **Start Paused** - Pause the Campaign Group.
- **Stop** - Unload the Campaign Group.

* Command: Change Dialing Parameters

* Condition: At time

Set Time

* at 8 : 00 AM

Campaign Group Dialing

Dialing Mode: Predictive

Optimization Parameter: Agent Busy Factor

Optimization Goal: 80 %

Engage agents first ?

Cancel Ok

7. Click **Save Schedule**.

Schedules List Properties



Column	Description
Name	Schedule name.
Description	Provides information about the purpose of the

Column	Description
	schedule.
Last Run	The last time and date the schedule was activated.
Status	<ul style="list-style-type: none"> • Active - Campaign groups associated with the specific schedule are currently running. • Idle - The schedule is active but is not being used. • Disabled - Campaign groups associated with the specific schedule are not active.
Schedule	A plain text description of the Schedule activation rules.
Last Modified Date	The last date and time the schedule was edited.
Created Date	The date and time the schedule was created.
Actions	<ul style="list-style-type: none"> • Enable - Instructs the system to run the schedule at its configured date and time. • Disable - Stops all subsequent runs. Note: Disabling a schedule doesn't delete the schedule. You can open and edit the schedule at any time to reschedule runs or hit the Play icon to restart it. • Delete - Removes the schedule from the system.


Schedule Options Properties

Column	Description
Name	Schedule name.
Description	Provides information about the purpose of the schedule.
Daily / Weekly / Monthly / Once	Indicates the type of recurrence and defines the view of the Schedules Dashboard where you can view reports on Outbound Schedules.
Start Condition	Indicates the date and time interval at which you would like the schedule to be activated.
Stop Condition	Indicates the time the schedule ends.

Campaign Groups Properties

Column	Description
Name	Schedule name.
Description	Provides information about the purpose of the schedule.
Add	<p>Enables you to add an existing Campaign Group.</p> <ul style="list-style-type: none"> • Channel - Select a Channel for the Campaign Group. For details, see CX Contact Channels. • Campaign Group - Select one Campaign Group associated with the selected Channel. <p>When a new Campaign Group is added, it automatically contains an empty Instant command and two Sequential commands:</p> <ul style="list-style-type: none"> • Load immediately • Start immediately
	Enables you to delete a command/Campaign Group from the schedule.
	<p>Enables you to add/edit a command to the Campaign Group. The add/edit Campaign Group command requires you to configure the following options:</p> <ul style="list-style-type: none"> • Command - Select the visibility of the Campaign Group Dialing panel. • Condition - Select when the command is active with relation to the Set Time configuration. <ul style="list-style-type: none"> • Immediately - Indicates that the command is activated when the Schedule is run. • At time - Indicates that the command is activated at the configured Set Time. • After - Indicates that the command is activated after the configured Set Time interval. • Time in state - Indicates that the command is activated at the configured Set Time interval and state. • Time in state (Advanced) - Indicates that the command is activated at the configured Set Time interval and state for a specific campaign group. <ul style="list-style-type: none"> • Campaign Group - Enables you to select a single campaign group. • spent in state - Enables you to select the status of the selected campaign group.

Column	Description
	<ul style="list-style-type: none"> • Statistical Condition (Advanced) - Enables you to configure conditions based on the value of a specific statistic in a specific Stat Server application. <ul style="list-style-type: none"> • On Stat Server - Select a Stat Server application from which the statistic is required. • Name of the statistic - Select the name of the statistic configured for the selected Stat Server application. • Object type - Select the Stat Object type for which the statistic is calculated. • Object name - Provide the name of the configuration object for which the statistic is calculated. • Statistic value - Select one of the following conditions and set a target statistical value: <ul style="list-style-type: none"> • = • != • > • • >= • • Notification type - Select how the Stat Server should deliver the notification about the statistic change: <ul style="list-style-type: none"> • Change based - Enter a percentage value between 0 and 99. The notification is sent when the statistical value changes more than the provided value. • Time based - Enter a seconds value between 0 and 999999999. The notification is sent periodically, every n seconds. • Campaign Group Dialing - Enables you to determine when and how the campaigns associated with the schedule places calls. <ul style="list-style-type: none"> • Dialing Mode - For details, refer to Dialing Modes. • Optimization Parameter - For details, refer to Optimization Parameters.

Column	Description
	<ul style="list-style-type: none"> • Optimization Goal - Enables you to set your desired Campaign goal. • Engage agents first - Select this option to change the current Dialing mode to Predictive with Seizing or Progressive with Seizing before an Outbound call is made. For details, refer to IVR Modes.
	Enables you to place the command up or down one step in the sequential execution line.
Repeat	Enables you to define a repeat interval for the Instant command.

Related Topics

- [Schedules](#)
- [Schedules Dashboard](#)
- [Create a Campaign Group](#)