



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys CX Insights Multicloud Projects Reference Guide

Callback Metrics

Contents

- 1 Folder: Callback
- 2 Folder: Callback > Detail

Metrics that you can use to build callback-related reports.

Related documentation:

-
-
-
-

RSS:

- [For private edition](#)

Important

Use this document for Genesys CX Insights Multicloud deployments. For information relevant to Genesys CX Insights on-premises deployments, see the corresponding page in the *Genesys CX Insights on-premises Projects Reference Guide*.

The Callback folder contains numerous metrics that you can use to build Callback-related reports.

Note the following:

- Unless other wise noted, metrics that show time, display a whole integer representing the number of seconds.
- For detailed information about the different metric types, see About Genesys CX Insights Projects.

Important

Objects in each folder or subfolder are designed to be used together to create reports. Avoid mixing attributes and metrics from multiple folders into your reports. One exception to this rule is objects in the Time folder; Time attributes can be used in any report, and most reports include at least one attribute from the Time folder.

The following Metrics are available in this folder and are described on this page.

Callback

- % Abandoned
- % Canceled
- % Customer Connected
- % Declined

- % Successful
- % Unsuccessful
- Abandon Waiting For Agent
- Accepted
- Accepted Immediate
- Accepted Scheduled
- Accepted Wait For Agent
- Added Agents
- Attempt 1
- Attempt 2
- Attempt 3
- Attempt 4
- Attempted
- Avg Added Agents
- Avg Offer Time
- Avg Saved Time
- Avg Time to Abandon Waiting For Agent
- Avg Time To Wait For An Agent
- Callback Attempts
- Callbacks
- Canceled
- Customer Connected
- Declined
- Establish Time
- Expected Wait Time
- Expected Wait Time when Offered
- Failed Transfers before Agent is connected
- Failed Transfers to Agent
- Forced Dialed
- Max Establish Time
- Max Establish Time (Fmt)
- Max Expected Wait Time

- Max Expected Wait Time (Fmt)
- Max Expected Wait Time when Offered
- Max Expected Wait Time when Offered (Fmt)
- Max Offer Time
- Max Offer Time (Fmt)
- Max Offline Waiting Time
- Max Offline Waiting Time (Fmt)
- Max Position in Queue
- Max Position in Queue when Offered
- Max Saved Time
- Max Saved Time (Fmt)
- Max Time to Abandon Waiting For Agent
- Max Time to Abandon Waiting For Agent (Fmt)
- Max Time to Wait For Agent
- Max Time to Wait For Agent (Fmt)
- Min Expected Wait Time when Offered
- Min Expected Wait Time when Offered (Fmt)
- Min Position in Queue when Offered
- Min Saved Time
- Min Saved Time (Fmt)
- Offer Time
- Offered
- Offline Waiting Time
- Position in Queue
- Position in Queue when Offered
- Requested Agent Assistance
- Saved Time

- Start Date Time Key
- Successful
- Time to Abandon Waiting For Agent
- Time to Wait For Agent
- Timeout Waiting

Callback > Detail

- Abandoned Waiting
- Accepted
- Added Agent
- Callback Accepted Timestamp
- Callback Attempts
- Callback Offer Time
- Callback Offered Timestamp
- Callback Offers per Session
- Connect Waiting Time
- Customer Connected Timestamp
- Customer Ready To Start Timestamp
- Desired Time
- Desired Timestamp
- Establish Time
- Expected Wait Time
- Expected Wait Time When Offered
- Last Callback Offer Time
- Last Callback Offered Timestamp
- Offered
- Offline Waiting Time
- Position in Queue
- Position in Queue When Offered
- Push Delivery Confirmed Timestamp
- Ready To Start Timestamp

- Requested Agent Assistance
- Start DateTime Key
- Transfer Failed
- Service Start Timestamp
- Timeout Warning

Folder: Callback

Metric name: % Abandoned		Folder: Callback
Description: The percentage of callback customer interactions that were abandoned by the customer while waiting for an agent to connect.		
Calculation: Refer to the Abandon Waiting For Agent and Accepted Callback metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: % Canceled		Folder: Callback
Description: The percentage of callback customer interactions that were canceled before completion. Includes all canceled callbacks, whether canceled manually by the customer, manually by an administrator, or automatically because the customer called again before the callback was completed.		
Calculation: Refer to the Accepted and Canceled callback metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice		
Data type: Number Metric type: Disposition		
Metric name: % Customer Connected		Folder: Callback
Description: The percentage of customer calls that connected after callback dialout, including instances where no agent was connected.		
Calculation: Refer to the Callback > Customer Connected and Accepted metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		

Metric name: % Declined		Folder: Callback
Description: The percentage of customer callback offers that were declined by the customer.		
Calculation: Refer to the Callback > Offered and Accepted metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: % Successful		Folder: Callback
Description: The percentage of callbacks that successfully connected the customer with an agent.		
Calculation: Refer to the Callback > Successful and Callback > Accepted callback metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: % Unsuccessful		Folder: Callback
Description: The percentage of callback customer interactions that were not completed successfully (because they were abandoned, declined, or canceled).		
Calculation: Refer to the Callback > Successful and Callback > Accepted metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Abandon Waiting For Agent		Folder: Callback
Description: The total number of times that customer callbacks were abandoned by the customer while waiting for an agent to connect.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		

Metric name: Accepted		Folder: Callback
Description: The total number of times that callback was accepted by a customer		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Accepted Immediate		Folder: Callback
Description: The total number of times that IMMEDIATE callback was accepted by a customer.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: All		
Data type: Number Metric type: Disposition		
Metric name: Accepted Scheduled		Folder: Callback
Description: The total number of times that SCHEDULED callback was accepted by a customer.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: All		
Data type: Number Metric type: Disposition		
Metric name: Accepted Wait For Agent		Folder: Callback
Description: The total number of times that WAIT FOR AGENT callback was accepted by a customer.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: All		
Data type: Number Metric type: Disposition		
Metric name: Added Agents		Folder: Callback

Description: The total number of times agents were successfully added to a callback call.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Attempt 1		Folder: Callback
Description: The total number of callback connections that were successfully completed on the first callback attempt.		
Calculation:		
Media type: Voice,Chat		Used in: • Callback Summary Report
Data type: Number		
Metric type: Disposition		
Metric name: Attempt 2		Folder: Callback
Description: The total number of callback connections that were successfully completed on the second callback attempt.		
Calculation:		
Media type: Voice,Chat		Used in: • Callback Summary Report
Data type: Number		
Metric type: Disposition		
Metric name: Attempt 3		Folder: Callback
Description: The total number of callback connections that were successfully completed on the third callback attempt.		
Calculation:		
Media type: Voice,Chat		Used in: • Callback Summary Report
Data type: Number		
Metric type: Disposition		
Metric name: Attempt 4		Folder: Callback
Description: The total number of callback connections that were successfully completed on the fourth		

callback attempt.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number		
Metric type: Disposition		
Metric name: Attempted		Folder: Callback
Description: The total number of callback attempts, including the one that succeeded.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number		
Metric type: Disposition		
Metric name: Avg Added Agents		Folder: Callback
Description: The average score measuring how often agents were successfully added to a callback call.		
Calculation: Refer to the Callback > Callbacks and Callback > Added Agents metrics.		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number		
Metric type: Disposition		
Metric name: Avg Offer Time		Folder: Callback
Description: The average amount of time that elapsed between when a callback was offered to the customer, and when the customer accepted or declined the offer.		
Calculation: Refer to the Callback > Callbacks and Callback > Offer Time metrics.		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number		
Metric type: Disposition		
Metric name: Avg Saved Time		Folder: Callback
Description: The average number of minutes of call time that were saved because of callback.		

Calculation: Refer to the Callback > Saved Time and Callback > Successful metrics.		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Avg Time to Abandon Waiting For Agent		Folder: Callback
Description: After successful callback, the average amount of time customers spent waiting for agents before abandoning the call.		
Calculation: Refer to the Callback > Time To Abandon Waiting For Agent and Callback > Abandon Waiting For Agent metrics.		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Avg Time To Wait For An Agent		Folder: Callback
Description: After a successful callback, the average amount of time a customer spent waiting for an agent.		
Calculation: Refer to the Callback > Customer Connected and Callback > Time To Wait For Agent metrics.		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Callback Attempts		Folder: Callback
Description: The number of times the system attempted to call the customer back.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Callbacks		Folder: Callback

Description: The total number of callback calls processed.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Canceled		Folder: Callback
Description: The total number of callback attempts that were canceled, either by the customer or by the contact center.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Customer Connected		Folder: Callback
Description: The total number of times a customer was connected after callback dialout, including instances where no agent was connected.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Declined		Folder: Callback
Description: The total number of customer callback offers that were declined by the customer.		
Calculation: Calculated as the difference between the value of the Callback > Offered and Callback > Accepted metrics.		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Establish Time		Folder: Callback

Description: The amount of time required to establish the outbound call.		
Calculation:		
Media type: Voice,Chat		Used in:
Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Expected Wait Time		Folder:
		Callback
Description: The customer expected wait time when the callback dial attempt was ready to begin.		
Calculation:		
Media type: Voice,Chat		Used in:
Data type: Number Metric type: Disposition		<ul style="list-style-type: none"> • Callback Summary Report
Metric name: Expected Wait Time when Offered		Folder:
		Callback
Description: At the time callback is offered, the expected time before an agent is available to call back a customer, as of the time callback was offered.		
Calculation:		
Media type: Voice,Chat		Used in:
Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Failed Transfers before Agent is connected		Folder:
		Callback
Description: The total number of unsuccessful attempts to transfer a caller from the queue to an agent, where the transfer eventually succeeded.		
Calculation:		
Media type: Voice,Chat		Used in:
Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Failed Transfers to Agent		Folder:
		Callback

Description: The number of unsuccessful attempts to transfer a caller from the queue to an agent which did not eventually result in a successful transfer.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Forced Dialed		Folder: Callback
Description: The total number of calls that were force-dialed (or pushed) regardless of actual agent availability, because the callback queue was being flushed.		
Calculation:		
Media type: Voice,Chat		Used in: • Callback Summary Report
Data type:		
Metric type: Disposition		
Metric name: Max Establish Time		Folder: Callback
Description: The maximum amount of time, in seconds, required to establish an outbound call.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Max Establish Time (Fmt)		Folder: Callback
Description: The maximum amount of time, in HH:MM:SS, required to establish an outbound call.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Max Expected Wait Time		Folder: Callback

Description: The largest recorded Expected Wait Time of any callback session, in seconds.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Summary Report
Data type: Number		
Metric type: Disposition		
Metric name: Max Expected Wait Time (Fmt)		Folder: Callback
Description: The largest recorded Expected Wait Time of any callback session, in HH:MM:SS.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Summary Report
Data type: Number		
Metric type: Disposition		
Metric name: Max Expected Wait Time when Offered		Folder: Callback
Description: The largest recorded Expected Wait Time of any callback session, in seconds.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Max Expected Wait Time when Offered (Fmt)		Folder: Callback
Description: The largest recorded Expected Wait Time of any callback session, in HH:MM:SS.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Disposition		
Metric name: Max Offer Time		Folder: Callback
Description: The largest recorded amount of time (seconds) that elapsed between when a callback was offered to a customer, and when the customer accepted or declined the offer.		
Calculation:		Used in:

Media type: Voice,Chat Data type: Number Metric type: Disposition		<ul style="list-style-type: none"> • Callback Summary Report
Metric name: Max Offer Time (Fmt)		Folder: Callback
Description: The largest recorded amount of time (HH:MM:SS) that elapsed between when a callback was offered to a customer, and when the customer accepted or declined the offer.		
Calculation:		Used in:
Media type: Voice,Chat Data type: Number Metric type: Disposition		<ul style="list-style-type: none"> • Callback Summary Report
Metric name: Max Offline Waiting Time		Folder: Callback
Description: The maximum amount of time, in seconds, that any customer waited offline for an agent to become available.		
Calculation:		Used in:
Media type: Voice,Chat Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Max Offline Waiting Time (Fmt)		Folder: Callback
Description: The maximum amount of time, in HH:MM;SS, that any customer waited offline for an agent to become available.		
Calculation:		Used in:
Media type: Voice,Chat Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Max Position in Queue		Folder: Callback
Description: The maximum position any customer had in the queue when the contact center was ready to begin the callback outbound dial attempt.		
Calculation:		Used in:

Media type: Voice,Chat Data type: Number Metric type: Disposition		<ul style="list-style-type: none"> • Callback Summary Report
Metric name: Max Position in Queue when Offered		Folder: Callback
Description: The maximum position any customer had in the queue when callback was offered.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Max Saved Time		Folder: Callback
Description: The maximum number of minutes of call time that were saved because of Callback.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Max Saved Time (Fmt)		Folder: Callback
Description: The maximum amount of call time (HH:MM:SS) that were saved because of Callback.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Max Time to Abandon Waiting For Agent		Folder: Callback
Description: After a successful callback, the maximum amount of time, in seconds, that any customer spent waiting before abandoning the call.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat		

Data type: Number Metric type: Disposition		
Metric name: Max Time to Abandon Waiting For Agent (Fmt)	Folder: Callback	
Description: After a successful callback, the maximum amount of time, in HH:MM:SS, that any customer spent waiting before abandoning the call.		
Calculation:	Used in: <ul style="list-style-type: none"> • Callback Summary Report 	
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Max Time to Wait For Agent	Folder: Callback	
Description: After a successful callback, the maximum amount of time, in seconds, that any customer spent waiting for an agent.		
Calculation:	Used in: <ul style="list-style-type: none"> • Callback Summary Report 	
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Max Time to Wait For Agent (Fmt)	Folder: Callback	
Description: After a successful callback, the maximum amount of time, in seconds, that any customer spent waiting for an agent.		
Calculation:	Used in: <ul style="list-style-type: none"> • Callback Summary Report 	
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Min Expected Wait Time when Offered	Folder: Callback	
Description: The smallest Expected Wait Time of any callback session, in seconds, recorded at the instant when a callback was offered.		
Calculation:	Used in:	

Media type: Voice,Chat Data type: Number Metric type: Disposition		This metric is not used in any reports.
Metric name: Min Expected Wait Time when Offered (Fmt)	Folder: Callback	
Description: The smallest Expected Wait Time of any callback session, in HH:MM:SS, recorded at the instant when a callback was offered.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: This metric is not used in any reports.
Metric name: Min Position in Queue when Offered	Folder: Callback	
Description: The minimum position any customer had in the queue when callback was offered.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: This metric is not used in any reports.
Metric name: Min Saved Time	Folder: Callback	
Description: This metric, which is hidden from report designers and viewers, is used for internal computations.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type:		Used in: This metric is not used in any reports.
Metric name: Min Saved Time (Fmt)	Folder: Callback	
Description: This metric, which is hidden from report designers and viewers, is used for internal computations.		
Calculation:		Used in:

Media type: Voice,Chat Data type: Number Metric type:		This metric is not used in any reports.
Metric name: Offer Time		Folder: Callback
Description: The amount of time that elapsed between when a callback was offered to the customer, and when the customer accepted or declined the offer.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Offered		Folder: Callback
Description: The total number of times that callback was offered to a customer.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Offline Waiting Time		Folder: Callback
Description: The total amount of time, during the reporting interval, that customers waited offline for an agent to become available.}		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat Data type: Number Metric type: Disposition		
Metric name: Position in Queue		Folder: Callback
Description: The customer's position in the queue when the callback outbound dial attempt was ready to begin.		
Calculation:		Used in:
Media type: Voice,Chat		

Data type: Number Metric type: Disposition		<ul style="list-style-type: none"> • Callback Summary Report
Metric name: Position in Queue when Offered		Folder: Callback
Description: The customer's position in the queue when callback was offered.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: This metric is not used in any reports.
Metric name: Requested Agent Assistance		Folder: Callback
Description: The total number of callback calls wherein the customer requested agent assistance.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: This metric is not used in any reports.
Metric name: Saved Time		Folder: Callback
Description: The total number of minutes of call time that were saved because of callback.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: <ul style="list-style-type: none"> • Callback Summary Report
Metric name: Start Date Time Key		Folder: Callback
Description: This hidden metric is reserved for internal use to employ a key for a particular date and time from the AG2_CALLBACK_* hierarchy.		
Calculation:		
Media type: Voice,Chat Data type: Number Metric type: Disposition		Used in: This metric is not used in any reports.

Metric name: Successful		Folder: Callback
Description: The total number of callbacks that successfully connected the customer with an agent.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Time to Abandon Waiting For Agent		Folder: Callback
Description: After successful callback, the total amount of time all customers spent waiting for agents before abandoning the call.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Time to Wait For Agent		Folder: Callback
Description: After successful callbacks, the total amount of time all customers spent waiting for an agent.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Summary Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Timeout Waiting		Folder: Callback
Description: The total number of times that a customer was disconnected because the max timeout limit was reached.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		

Folder: Callback > Detail

Metric name: Abandoned Waiting		Folder: Callback > Detail
Description: Indicates whether the call was abandoned by the customer while waiting for an agent to connect. (0=no, 1=yes)		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Disposition		
Metric name: Accepted		Folder: Callback > Detail
Description: Indicates whether callback was accepted by the customer. (0=no, 1=yes)		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Added Agent		Folder: Callback > Detail
Description: Indicates whether an agent was successfully added to the callback call. (0=no, 1=yes)		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Callback Accepted Timestamp		Folder: Callback > Detail
Description: The time when the customer accepted callback during the session.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Date Metric type: Detail		

Metric name: Callback Attempts		Folder: Callback > Detail
Description: The number of times the system attempted to call the customer back.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Callback Offer Time		Folder: Callback > Detail
Description: The amount of time that elapsed between the instant when a callback was offered to the customer, and the instant when the customer accepted or declined the offer.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Callback Offered Timestamp		Folder: Callback > Detail
Description: The time when the customer was first offered callback during the session.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Date Metric type: Detail		
Metric name: Callback Offers per Session		Folder: Callback > Detail
Description: The number of times callback was offered, per single interaction.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Connect Waiting Time		Folder: Callback > Detail

Description: The amount of time that elapsed between when the customer connected to the callback call and when an agent was connected.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Customer Connected Timestamp		Folder: Callback > Detail
Description: The time when the customer started waiting to be connected to an agent.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Date Metric type: Detail		
Metric name: Customer Ready To Start Timestamp		Folder: Callback > Detail
Description: The time when the customer was ready to start media interaction for CUSTOMER_ORIGINATED scenarios. This value is typically set when the application sends a request for an access number to dial and access code for match function.		
Calculation:		Used in: <ul style="list-style-type: none">• Callback Details Report
Media type: Voice,Chat		
Data type: Date Metric type: Detail		
Metric name: Desired Time		Folder: Callback > Detail
Description: The amount of elapsed time that was promised to the customer before callback.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Desired Timestamp		Folder: Callback > Detail

Description: The callback date and time that was promised to the customer when callback was scheduled. For ASAP callback, this value equals Callback Accepted Timestamp.		
Calculation:		Used in:
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Establish Time		Folder: Callback > Detail
Description: The amount of time required to establish the outbound call.		
Calculation:		Used in:
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Expected Wait Time		Folder: Callback > Detail
Description: The customer expected wait time when the callback dial attempt was ready to begin.		
Calculation:		Used in:
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Expected Wait Time When Offered		Folder: Callback > Detail
Description: The expected time before an agent is available to call back a customer, as of the time callback was offered.		
Calculation:		Used in:
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
Metric name: Last Callback Offer Time		Folder: Callback > Detail

Description: The duration (in seconds) of the last callback offered to a customer during the session.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Number		
Metric type: Detail		
Metric name: Last Callback Offered Timestamp		Folder: Callback > Detail
Description: The date and time of the last callback offered to a customer during the session.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Date		
Metric type: Detail		
Metric name: Offered		Folder: Callback > Detail
Description: Indicates whether callback was offered to the customer. (0=no, 1=yes)		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Number		
Metric type: Detail		
Metric name: Offline Waiting Time		Folder: Callback > Detail
Description: The amount of time, in seconds, the customer waited offline for an agent to become available.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Number		
Metric type: Detail		
Metric name: Position in Queue		Folder: Callback > Detail
Description: The customer's position in the queue when the callback outbound dial attempt was ready to begin.		
Calculation:		Used in:

Media type: Voice,Chat Data type: Number Metric type: Detail		<ul style="list-style-type: none"> • Callback Details Report
Metric name: Position in Queue When Offered		Folder: Callback > Detail
Description: The customer's position in the queue when callback was offered.		
Calculation:		Used in: This metric is not used in any reports.
Media type: Voice,Chat Data type: Number Metric type: Detail		
Metric name: Push Delivery Confirmed Timestamp		Folder: Callback > Detail
Description: The time when the application confirmed that push notification was received. This is used for CUSTOMER_ORIGINATED scenarios.		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Details Report
Media type: Voice,Chat Data type: Number Metric type: Detail		
Metric name: Ready To Start Timestamp		Folder: Callback > Detail
Description: Either: <ul style="list-style-type: none"> • Time when the Contact Center was ready to start outbound dial attempt for CUSTOMER_TERMINATED scenarios, or • Time when the Contact Center sent push notification to user device in CUSTOMER_ORIGINATED scenarios. 		
Calculation:		Used in: <ul style="list-style-type: none"> • Callback Details Report
Media type: Voice,Chat Data type: Number Metric type: Detail		
Metric name: Requested Agent Assistance		Folder: Callback > Detail

Description: The number of callbacks that were offered to customers who had requested agent assistance. (0=no, 1=yes)		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Number		
Metric type: Detail		
Metric name: Service Start Timestamp		Folder: Callback > Detail
Description: The date and time (UTC) when the Callback service started.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Date		
Metric type: Detail		
Metric name: Start DateTime Key		Folder: Callback > Detail
Description: This hidden metric is reserved for internal use to employ a key for a particular date and time from the CALLBACK_FACT_GI2.* hierarchy.		
Calculation:		
Media type: Voice,Chat		Used in: This metric is not used in any reports.
Data type: Number		
Metric type: Detail		
Metric name: Timeout Warning		Folder: Callback > Detail
Description: The number of times that a customer was disconnected because the max timeout limit was reached.		
Calculation:		
Media type: Voice,Chat		Used in: <ul style="list-style-type: none">• Callback Details Report
Data type: Number		
Metric type: Detail		
Metric name: Transfer Failed		Folder: Callback > Detail
Description: The number of failed attempts to transfer the callback interaction to the agent.		

Calculation:		Used in:
Media type: Voice,Chat		
Data type: Number Metric type: Detail		
		<ul style="list-style-type: none"> • Callback Details Report