



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Field Codes Reference Guide

Interaction object



- Administrator

Learn about the interaction object you can access using system variables in field codes.

### Related documentation:

- 

The Interaction object is the currently processed interaction that is built from a standard response and includes field codes.

- For Acknowledgement, Redirect, Autoresponse, Chat Transcript, Forward, and Reply From External Resource strategy objects, this Interaction object handles EmailIn.
- For the Send object, which only supports field codes for this Subject, this Interaction object handles EmailOut.
- This distinction affects the the FromAddress and ToAddresses properties.

The properties for this object include:

Name	Description	Syntax
Id	Returns the interaction's ID.	Interaction.Id
DateCreated	Returns the Date/Time at which this Interaction was created in the system.	Interaction.DateCreated
Subject	Returns the Subject of this Interaction.	Interaction.Subject
ToAddress	Returns the recipient (To field) of this Interaction.	Interaction.ToAddress
FromAddress	Returns the originator (From field) of this Interaction.	Interaction.FromAddress
AttachedData	Returns the attached data (Interaction Attribute) value associated with a specified key. The value can be either a string or a number. For example: <ul style="list-style-type: none"><li>• Interaction.AttachedData ("ParentId")</li></ul>	Interaction.AttachedData ("Key")

---

Name	Description	Syntax
	<ul style="list-style-type: none"> <li>Interaction.AttachedData ("Language")</li> </ul>	
TimeZone	<p>Returns the time zone of the parent interaction (Interaction in general). The value is a string formatted as "GMT", "GMT+"hh.mm, or "GMT-"hh.mm. For example:</p> <ul style="list-style-type: none"> <li>GMT+01.00 indicates a Paris time zone.</li> <li>GMT-04.00 indicates a Canada east coast (Maritimes) time zone.</li> <li>GMT-05.00 indicates an eastern U.S./Canada time zone.</li> </ul>	Interaction.TimeZone