

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Voice Microservices Private Edition Guide

Voice Registrar Service metrics and alerts

Contents

- 1 Metrics
- 2 Alerts

Find the metrics Voice Registrar Service exposes and the alerts defined for Voice Registrar Service.

Service	CRD or annotations?	Port	Endpoint/Selector	Metrics update interval
Voice Registrar Service	Supports both CRD and annotations	11500	http://:11500/metrics	30 seconds

See details about:

- Voice Registrar Service metrics
- Voice Registrar Service alerts

Metrics

Voice Registrar Service exposes Genesys-defined, Registrar Service-specific metrics as well as some standard Kafka metrics. You can query Prometheus directly to see all the metrics that the Registrar Service exposes. The following metrics are likely to be particularly useful. Genesys does not commit to maintain other currently available Voice Registrar Service metrics not documented on this page.

Metric and description	Metric details	Indicator of
registrar_register_count Number of registrations.	Unit: N/A Type: counter Label: location, tenant Sample value:	Traffic
registrar_health_level Health level of the registrar node: -1 - fail 0 - starting 1 - degraded 2 - pass	Unit: N/A Type: gauge Label: Sample value:	Errors
registrar_request_latency Time taken to process the request (ms).	Unit: milliseconds Type: histogram Label: le, location, tenant Sample value:	Latency
registrar_active_sip_registration Number of active SIP registrations.	Unit: N/A ns Type: gauge Label: tenant Sample value:	Traffic

Metric and description	Metric details	Indicator of
kafka_consumer_latency Consumer latency is the time difference between when the message is produced and when the message is consumed. That is, the time when the consumer received the message minus the time when the producer produced the message.	Unit: Type: histogram Label: tenant, topic Sample value:	Latency
kafka_consumer_state Current Kafka consumer connection state: 0 - disconnected 1 - connected	Unit: Type: gauge Label: Sample value:	

Alerts

The following alerts are defined for Voice Registrar Service.

Alert	Severity	Description	Based on	Threshold
Kafka events latency is too high	Warning	 Actions: If the alarm is triggered for multiple topics, make sure there are no issues with Kafka (CPU, memory, or network overload). If the alarm is triggered only for topic {{ \$labels.topic }}, check if there is an issue with the service related to the topic (CPU, memory, or network overload). 	kafka_consumer_late	Latency for more than 5% of messages is more than 0.5 seconds noy-topic et { \$labels.topic }}.
Too many Kafka consumer failed health checks	Warning	Actions: • If the alarm is triggered for multiple	kafka_consumer_erro	Health check failed more than 10 times in 5 minutes for Kafka consumer for topic {{\$labels.topic}}.

Alert	Severity	Description	Based on	Threshold
		services, make sure there are no issues with Kafka, and then restart Kafka. If the alarm is triggered only for {{ \$labels.container }}, check if there is an issue with the service.		
Too many Kafka consumer request timeouts	Warning	 Actions: If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka. If the alarm is triggered only for {{ \$labels.container }}, check if there is an issue with the service. 	kafka_consumer_erro	There were more than 10 request timeouts within 5 minutes for the for topic {{\$labels.topic}}.
Too many Kafka consumer crashes	Critical	 Actions: If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka. If the alarm is triggered only for {{ \$labels.container }}, check if 	kafka_consumer_erro	There were more than 3 Kafka consumer crashes within 5 minutes of the sarvice {{ \$labels.container }}.

Alert	Severity	Description	Based on	Threshold
		there is an issue with the service.		
Kafka not available	Critical	Kafka is not available for pod {{ \$labels.pod }}. Actions: If the alarm is triggered for multiple services, make sure there are no issues with Kafka, and then restart Kafka. If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.	kafka_producer_stat kafka_consumer_sta	Kafka is not available for pod { \$labels.pod }} ^e for 5 consecutive ^{te} minutes.
Redis disconnected for 5 minutes	Warning	Actions: • If the alarm is triggered for multiple services, make sure there are no issues with Redis, and then restart Redis. • If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.	redis_state	Redis is not available for pod {{ \$labels.pod }} for 5 minutes.
Redis disconnected for 10 minutes	Critical	Actions: • If the alarm is triggered for multiple services, make sure there are	redis_state	Redis is not available for pod {{ \$labels.pod }} for 10 minutes.

Alert	Severity	Description	Based on	Threshold
		no issues with Redis, and then restart Redis. If the alarm is triggered only for pod {{ \$labels.pod }}, check if there is an issue with the pod.		
Pod Failed	Warning	Pod {{ \$labels.pod }} failed. Actions: One of the containers in the pod has entered a failed state. Check the Kibana logs for the reason.	kube_pod_status_ph	Pod {{ \$labels.pod }} is in Failed astate.
Pod Unknown state	Warning	Pod {{ \$labels.pod }} is in Unknown state. Actions: If the alarm is triggered for multiple services, make sure there are no issues with the Kubernetes cluster. If the alarm is triggered only for pod {{ \$labels.pod }}, check whether the image is correct and if the container is starting up.	kube_pod_status_ph	Pod {{ \$labels.pod }} is in Unknown state for 5 ^a ffiinutes.
Pod Pending state	Warning	Pod {{ \$labels.pod }} is in Pending state.	kube_pod_status_ph	Pod {{ \$labels.pod }} is in Pending state for 5 minutes.

Alert	Severity	Description	Based on	Threshold
		 If the alarm is triggered for multiple services, make sure the Kubernetes nodes where the pod is running are alive in the cluster. If the alarm is triggered only for pod {{ \$labels.pod }}, check the health of the pod. 		
Pod Not ready for 10 minutes	Critical	 Actions: If this alarm is triggered, check whether the CPU is available for the pods. Check whether the port of the pod is running and serving the request. 	kube_pod_status_rea	Pod {{ \$labels.pod }} is in the NotReady state for MotReady state for MotReady state for MotReady or M
Container restarted repeatedly	Critical	Actions: • One of the container in the pod has entered a Failed state. Check the Kibana logs for the reason.	kube_pod_container_	Container {{ \$labels.container }} was restarted 5 ទុសស្វាទាស់ total within 15 minutes.
Pod CPU greater than 65%	Warning	High CPU load for pod {{ \$labels.pod }}. Actions: • Check whether	container_cpu_usage kube_pod_container_	Container { { \$labels.container }} CPU usage Escended 65% for resmircees mits

Alert	Severity	Description	Based on	Threshold
		the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.		
		 Check Grafana for abnormal load. 		
		 Collect the service logs; raise an investigation ticket. 		
		High memory usage for pod { { \$labels.pod } }.		
Pod memory greater than 65%	Warning	Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached.	container_memory_v kube_pod_container	Container { { \$labels.container }} memory usage Voice of the container resource limits
		 Check Grafana for abnormal load. Collect the service logs; raise an investigation ticket. 		
Pod memory greater than 80%	Critical	Critical memory usage for pod { { \$labels.pod } }. Actions: • Check whether the horizontal pod autoscaler has triggered	container_memory_v kube_pod_container	Container { { \$labels.container } } memory usage Volking Get 30 %efor - SSNINGE limits

Alert	Severity	Description	Based on	Threshold
		and if the maximum number of pods has been reached.		
		 Check Grafana for abnormal load. 		
		 Restart the service. 		
		 Collect the service logs: raise an investigation ticket. 		
Pod CPU greater than 80%	Critical	Critical CPU load for pod {{ \$labels.pod }}. Actions: • Check whether the horizontal pod autoscaler has triggered and if the maximum number of pods has been reached. • Check Grafana for abnormal load.	container_cpu_usage kube_pod_container_	Container { { \$labels container \$ Conds container \$ Conta